

## **TARGET ANTACID - ANTI-GAS RELIEF CHEWS- calcium carbonate tablet, chewable**

### **Target**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Calcium carbonate 750 mg**

**Simethicone 80 mg**

### **Active ingredient (in each chewable tablet)**

Calcium carbonate 750 mg

Simethicone 80 mg

### **Purpose**

Antacid

Anti-gas

### **Uses** Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

### **Warnings**

**Do not use if** you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor or pharmacist before use if you are** now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**When using this product** constipation may occur.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

### **Directions**

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

### **Other information**

- **Each chewable tablet contains:** calcium 300mg
- Contains sly

- Store between 20° to 25°C (68° to 77°F) in a dry place

**Inactive ingredients:** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions? Call 1-800-245-2898 Monday - Friday, 9AM to 4PM EST**

**Drug Facts (continued)**

**Other information** ■ Each chewable tablet contains: calcium 300mg  
■ Contains soy ■ Store between 20° to 25°C (68° to 77°F) in a dry place

**Inactive ingredients** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions?** Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

\*This product is not manufactured or distributed by Bayer, owner of the registered trademark Alka-Seltzer® or any of its affiliates.  
245 05 6408 R01 C-001227-01-007

**GLUTEN FREE**



Dist. by Target Corporation  
Minneapolis, MN 55403  
Made in U.S.A. of U.S. and imported ingredients  
TM & ©2020 Target Brands, Inc.

Compare to active ingredients in  
Alka-Seltzer® Heartburn + Gas ReliefChews\*\*

NDC: 11673-046-54

extra strength  
**heartburn and gas chews**

750 mg calcium carbonate/antacid  
80 mg simethicone/anti-gas

digestive relief for:  
heartburn  
sour stomach  
gas, pressure and bloating




MIXED BERRY FLAVOR

**54**  
COUNT

54 CHEWABLE TABLETS

**Drug Facts**

**Active ingredients (in each chewable tablet)** Purpose  
Calcium carbonate 750 mg.....Antacid  
Simethicone 80 mg.....Anti-gas

**Uses** Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion  
■ Upset stomach due to these symptoms ■ Bloating, pressure or  
stuffed feeling commonly referred to as gas

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or  
any of its ingredients  
**Ask a doctor or pharmacist before use** if you are now taking a  
prescription drug. Antacids may interact with certain prescription drugs.  
Do not take more than 5 chewable tablets in a 24-hour period, or use the  
maximum dosage for more than 2 weeks, except under the advice and  
supervision of a physician.  
**When using this product** constipation may occur  
**if pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**

**Directions** Adults and children 12 years and older chew and swallow  
1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5  
chewable tablets in 24 hours. Children under 12 years consult a doctor.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER  
CAP IS BROKEN OR MISSING.**

PN-218736

## TARGET ANTACID - ANTI-GAS RELIEF CHEWS

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-052
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	pink (Dark Pink or Mauve)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	14mm

<b>Flavor</b>	BERRY	<b>Imprint Code</b>	DR
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-052-54	54 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2019	



**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	11/01/2019	

**Labeler** - Target (006961700)

**Registrant** - Bestco LLC (002149136)

## Establishment

Name	Address	ID/FEI	Business Operations
Bestco LLC		002149136	manufacture(11673-052)

Revised: 10/2023

Target