

## **SALICYLIC ACID- liquid corn and callus remover liquid**

**Foodhold USA**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **CareOne Liquid Corn & Callus Remover**

#### **Active ingredient**

Salicylic acid 17%w/w

#### **Purpose**

Corn and callus remover

#### **Uses**

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

#### **Warnings**

**For external use only.**

#### **Flammable**

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

#### **Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

#### **When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

#### **Stop and ask a doctor if**

discomfort persists, see your doctor or podiatrist

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)

- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

**Other information**

store between 20°C to 30°C (68°F to 86°F)

**Inactive ingredients**

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?**

Call 1-888-423-0139

**Principal Display Panel**

**CAREONE**

**LIQUID CORN & CALLUS REMOVER**

Salicylic Acid

REMOVES CORNS AND CALLUSES SAFELY

SOFT FOAM CUSHIONS AND PROTECTS

**NET WT 0.31 FL OZ (9.8 mL)**

**3 CUSHIONS**

CAREone™

Compare to the Active Ingredient in Dr. Scholl's® Liquid Corn/Callus Remover\*

# LIQUID CORN & CALLUS REMOVER

Salicylic Acid

REMOVES CORNS AND CALLUSES SAFELY  
SOFT FOAM CUSHIONS AND PROTECTS

OUR PHARMACISTS RECOMMEND

NET WT. 0.31 FL OZ (9.8 mL) 3 CUSHIONS

CAREone™ LIQUID CORN & CALLUS REMOVER

**Drug Facts**

| Active ingredient      | Purpose                 |
|------------------------|-------------------------|
| Salicylic acid 17% w/w | Corn and callus remover |

**Uses**

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

**Warnings**

For external use only.

**Flammable**

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

**Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

**Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.**

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

**Other information**

- store between 20°–25°C (68°–77°F)
- close tightly to prevent solidification
- store in a cool place

**Inactive ingredients** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?** Call 1-866-964-0939

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®.

DISTRIBUTED BY FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785 1-877-846-9949  
© 2017 Ahold Licensing Sarl  
MADE IN USA WITH U.S. AND IMPORTED PARTS

Quality guaranteed or your money back.

41-030CO-01

CARE: WIPE TOP OF BOTTLE  
CLEAN AFTER EACH USE

FPO

0 41520 04533 1

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

NDC 00000-000-00

CAREone™

# LIQUID CORN & CALLUS REMOVER

SALICYLIC ACID  
REMOVES CORNS AND CALLUSES SAFELY  
AND EFFECTIVELY

NET WT.  
0.31 FL OZ (9.8 mL)

**Active ingredient:** Salicylic acid (17% w/w)  
**Purpose:** Corn and callus remover  
**Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses.  
**Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat. **Do not use** this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

**Do not use this product** on irritated skin, on any area that is infected or reddened. **When using this product** avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed). **Other information:** Store at 20°–25°C (68°–77°F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose  
**Questions?** Call 1-866-964-0939  
**Keep packaging for complete drug facts information**  
**MADE IN USA WITH U.S. AND IMPORTED PARTS**  
DISTRIBUTED BY FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785 1-877-846-9949  
© 2017 Ahold Licensing Sarl  
QUALITY GUARANTEED  
OR YOUR MONEY BACK.

50-030CO

## SALICYLIC ACID

liquid corn and callus remover liquid

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:41520-569 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>   | <b>Basis of Strength</b> | <b>Strength</b>  |
|--|--------------------------|------------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID           | 0.17 mg in 9.8 g |

**Inactive Ingredients**

| <b>Ingredient Name</b>               | <b>Strength</b> |
|--------------------------------------|-----------------|
| PYROXYLIN (UNII: KYR8BR2X6O)         |                 |
| CAMPHOR (NATURAL) (UNII: N20HL7Q941) |                 |
| CASTOR OIL (UNII: D5340Y2I9G)        |                 |

**Packaging**

| # | <b>Item Code</b> | <b>Package Description</b>                            | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:41520-569-03 | 9.8 g in 1 PACKAGE; Type 0: Not a Combination Product | 10/20/2017                  |                           |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph final       | part358B  | 10/20/2017                  |                           |

**Labeler** - Foodhold USA (809183973)

Revised: 12/2019

Foodhold USA