

**TIGER BALM PAIN RELIEVING MUSCLE- methyl salicylate, menthol, unspecified form, and camphor (synthetic) spray**  
**Haw Par Healthcare Ltd.**

-----  
**Tiger Balm®**  
**Pain Relieving Muscle**

**Drug Facts**

<b>Active Ingredients (w/w)</b>	<b>Purpose</b>
Methyl Salicylate 25%	Topical Analgesic
Menthol 16%	Topical Analgesic
Camphor 7%	Topical Analgesic

**Uses**

For temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, bruises, strains and sprains.

**Warnings**

**For external use only.**

**When using this product**

- Use only as directed
- Avoid contact with eyes and mucous membranes
- Do not apply to wounds, damaged or irritated skin
- Do not bandage or cover with wrap or use heating pad
- Do not use 1 hour prior to bathing or within 30 minutes after bathing
- Avoid inhalation
- Do not use in confined space.

**Flammable**

- Do not use near heat or flame or while smoking
- Avoid long term storage above 104°F (40°C)
- Do not puncture or incinerate. Contents under pressure
- Do not store at temperatures above 120°F (49°C).

**Stop use and ask a doctor if**

- Condition worsens
- Severe skin irritation occurs
- Pain persists for more than 7 days
- Pain clears up and then recurs a few days later.

**If pregnant or breast-feeding, or if you have sensitive skin,** ask a healthcare professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

### **Directions**

- For adults and children over 12 years of age, spray on the affected area. Repeat 3 to 4 times daily
- For children 12 years of age or younger, consult a doctor before use
- Shake well before use. Point spray towards area to be treated. Spray in short bursts about 6 inches from the skin. The product is quickly absorbed, but may be rubbed in after spraying if desired.

### **Other Information**

- Allergy alert: If prone to allergic reaction from aspirin or salicylates, consult doctor before use
- This product may cause allergic reaction on some individuals. Test on small area before use
- Store at room temperature.

### **Inactive Ingredients**

Ethanol (Dehydrated Alcohol), Liquefied Petroleum Gas.

### **Questions**

**(925) 292-3888**

Manufactured by OLIC (Thailand) Limited for Haw Par Healthcare Ltd., Singapore under licence from Haw Par Corporation Ltd.

### **PRINCIPAL DISPLAY PANEL - 75 ml Canister Carton**

**TIGER BALM®**

NDC 66761-327-75

### **ACTIVE**

**Pain Relieving**

**MUSCLE**

**SPRAY**

- **EASY-TO-APPLY**
- **FOR HARD TO REACH AREAS**

NET 2.53 Fl. Oz. (75ml)



TIGER BALM®

**ACTIVE**

**Pain Relieving  
MUSCLE SPRAY**



TIGER BALM®

NDC 66761-327-75

**ACTIVE**

**Pain Relieving  
MUSCLE  
SPRAY**

- EASY-TO-APPLY
- FOR HARD TO REACH AREAS



NET 2.53 Fl. Oz. (75ml)



TIGER BALM®

**ACTIVE**

**Pain Relieving  
MUSCLE SPRAY**

**Drug Facts**

**Active Ingredients (w/w) Purpose**

Methyl Salicylate 25% ..... Topical Analgesic  
Menthol 16% ..... Topical Analgesic  
Camphor 7% ..... Topical Analgesic

**Uses** For temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, bruises, strains and sprains.

**Warnings** For external use only.

**When using this product** • Use only as directed • Avoid contact with eyes and mucous membranes • Do not apply to wounds, damaged or irritated skin • Do not bandage or cover with wrap or use heating pad • Do not use 1 hour prior to bathing or within 30 minutes after bathing • Avoid inhalation • Do not use in confined space.

**Flammable** • Do not use near heat or flame or while smoking • Avoid long term storage above 104°F (40°C) • Do not puncture or incinerate. Contents under pressure • Do not store at temperatures above 120°F (49°C).

**Stop use and ask a doctor if** • Condition worsens • Severe skin irritation occurs • Pain persists for more than 7 days, or redness is present • Pain clears up and then recurs a few days later.

**If pregnant or breast-feeding, or if you have sensitive skin, ask a healthcare professional before use.**

**Keep out of reach of children to avoid accidental poisoning.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** • For adults and children over 12 years of age, spray on the affected area. Repeat 3 to 4 times daily • For children 12 years of age or younger, consult a doctor before use • Shake well before use. Point spray towards area to be treated. Spray in short bursts about 6 inches from the skin. The product is quickly absorbed, but may be rubbed in after spraying if desired.

**Other Information** • Allergy alert: If prone to allergic reaction from aspirin or salicylates, consult doctor before use • This product may cause allergic reaction on some individuals. Test on small area before use • Store at room temperature.

**Inactive Ingredients** Ethanol (Dehydrated Alcohol), Liquefied Petroleum Gas.

**TIGER BALM ACTIVE PAIN RELIEVING MUSCLE SPRAY** is a high quality analgesic spray specially formulated for active people. It is non-greasy, easy to apply and does not stain clothes.

It provides temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, bruises, strains and sprains. Spray on before sports or for pre-exercise warm-up. Use it after sports and exercise to soothe aching muscles and strains.

Manufactured by OLIC (Thailand) Limited for Haw Par Healthcare Ltd., Singapore under licence from Haw Par Corporation Ltd.

U.S. Sole Importer: Prince of Peace Ent., Inc., 751 N. Canyons Parkway, Livermore, CA 94551 USA.  
**Website:** [www.tigerbalm.com](http://www.tigerbalm.com),  
**Questions:** (925) 292-3888

Made in Thailand

Registration No. 2A 10/60 (E)  
TP1U0376 2



TIGER BALM®


NDC 66761-327-75

**ACTIVE**

**Pain Relieving  
MUSCLE  
SPRAY**

- EASY-TO-APPLY
- FOR HARD TO REACH AREAS





## TIGER BALM PAIN RELIEVING MUSCLE

methyl salicylate, menthol, unspecified form, and camphor (synthetic) spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66761-327
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Methyl Salicylate</b> (UNII: LAV5U5022Y) (Salicylic Acid - UNII:O414PZ4LPZ)	Methyl Salicylate	250 mg in 1 mL
<b>Menthol, Unspecified Form</b> (UNII: L7T10EIP3A) (Menthol, Unspecified Form - UNII:L7T10EIP3A)	Menthol, Unspecified Form	160 mg in 1 mL
<b>Camphor (Synthetic)</b> (UNII: 5TJD82A1ET) (Camphor (Synthetic) - UNII:5TJD82A1ET)	Camphor (Synthetic)	70 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Liquefied Petroleum Gas</b> (UNII: 5K616HU99V)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66761-327-75	1 in 1 CARTON	05/01/2018	
1		75 mL in 1 CANISTER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M017	05/01/2018	

**Labeler** - Haw Par Healthcare Ltd. (659207039)

## Establishment

Name	Address	ID/FEI	Business Operations
OLIC (Thailand) Ltd.		659673016	MANUFACTURE(66761-327)

Revised: 1/2024

Haw Par Healthcare Ltd.