

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**  
**Safetec of America, Inc.**

-----  
**61010-5600, Triple Antibiotic Ointment**

***Drug Facts***

**Active Ingredient (in each gram)**

Bacitracin Zinc (400 units Bacitracin)

Neomycin Sulfate (3.5 mg Neomycin)

Polymyxin B Sulfate (Polymyxin B 5000 units)

**Purposes**

First Aid Antibiotic

First Aid Antibiotic

First Aid Antibiotic

**Uses**

First aid to help prevent infection in minor cuts, scrapes and burns

**Warnings**

**For external use only**

**Do not use:**

- in the eyes
- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

**Ask a doctor before use:**

- in case of deep or puncture wounds, animal bites, or serious burns

**Stop use and ask a doctor if:**

- the condition persists or gets worse
- a rash or other allergic reaction develops

**Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a poison control center immediately.

**Directions**

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

**Other Information**

- Store at room temperature (do not freeze)
- Do Not Use any Opened or Torn Packets

**Inactive Ingredient**

White Petrolatum

**Questions or Comments?**

1-800-456-7077

**PRINCIPAL DISPLAY PANEL - pouch**

**Safetec**

**Triple Antibiotic  
Ointment**

0.9 g (1/32 oz.)

Safetec of America, Inc.  
Buffalo, NY 14215  
800-456-7077



# Triple Antibiotic Ointment

0.9 g (1/32 oz.)

Safetec of America, Inc.  
Buffalo, NY 14215  
800-456-7077

## Drug Facts

### Active Ingredient Purpose

(in each gram)

Bacitracin Zinc (400 units Bacitracin)  
Neomycin sulfate (3.5 mg Neomycin)  
Polymyxin B Sulfate First Aid  
(Polymyxin B 5000 units)..Antibiotics

**Uses** first aid to help prevent infection in minor cuts, scrapes, and burns

### Warnings

For external use only ▶

## Drug Facts (continued)

### Warnings (continued)

**Do not use** ■ internally ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

### Stop use and ask a doctor if

■ a rash or allergic reaction develops ■ condition worsens or persists

### Keep out of reach of children

If ingested, contact a Poison Control Center right away.

### Directions

■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

### Inactive ingredients

petrolatum

## PRINCIPAL DISPLAY PANEL - 144 count box

NDC 61010-5600-2

**Safetec**

**First Aid**

**Triple Antibiotic Ointment**

First Aid to Help Prevent  
Infection in Minor Cuts,  
Scrapes, and Burns

Reorder no. 53210

To reorder:

Call: 1-800-456-7077

Fax: 716-895-2969

Online: [www.safetec.com](http://www.safetec.com)



**First Aid**

**Triple Antibiotic Ointment**

First Aid to Help Prevent  
Infection In Minor Cuts,  
Scrapes, and Burns

144 Packets  
Each Packet Net. Wt. 0.9gm

NDC 61010-5600-2



**First Aid**

**Triple Antibiotic Ointment**


First Aid to Help Prevent  
Infection In Minor Cuts,  
Scrapes, and Burns



**First Aid**

**Triple Antibiotic Ointment**

First Aid to Help Prevent  
Infection In Minor Cuts,  
Scrapes, and Burns



Reorder No. 53210  
To reorder:  
Call: 1-800-456-7077  
Fax: 716-895-2969  
Online: www.safetec.com

144 Packets  
Each Packet Net. Wt. 0.9gm

### Drug Facts

Active Ingredient (in each gram)	Purposes
Bacitracin Zinc (400 units Bacitracin) .....	First Aid Antibiotic
Neomycin sulfate (3.5 mg Neomycin) .....	First Aid Antibiotic
Polymyxin B Sulfate (Polymyxin B 5000 units) .....	First Aid Antibiotic

#### Uses

First aid to help prevent infection in minor cuts, scrapes and burns

#### Warnings

For external use only

#### Do not use:

- in the eyes
- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

#### Ask a doctor before use:

- in case of deep or puncture wounds, animal bites, or serious burns

#### Stop use and ask a doctor if:

- the condition persists or gets worse
- a rash or other allergic reaction develops

**Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a poison control center immediately.

#### Directions

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

#### Other Information

- Store at room temperature (do not freeze)
- Do Not Use any Opened or Torn Packets

#### Inactive Ingredient

White Petrolatum

Questions or Comments? 1-800-456-7077

Manufactured by  
SAFETEC OF AMERICA, Inc.  
Buffalo, NY 14215 · 800-456-7077  
www.safetec.com



## First Aid

### Triple Antibiotic Ointment

First Aid to Help Prevent  
Infection In Minor Cuts,  
Scrapes, and Burns

144 Packets  
Each Packet Net. Wt. 0.9gm

## Principal Display Panel - 10 Packet Box Label

Safetec®

First Aid  
Triple Antibiotic  
Ointment

*Helps prevent infection in minor cuts, scrapes, and burns*

**10 Packets**

Each Packet Net. Wt. 0.9g

**Made in USA**

**Reorder No. 53208**

10 packets  
Each Packet Net. Wt. 0.9gm



FIRST AID<sup>+</sup>  
Triple Antibiotic  
Ointment

**Drug Facts**

**Active ingredients** (in each gram) **Purpose**  
Bacitracin Zinc (400 units Bacitracin) .... } First aid  
Neomycin sulfate (3.5 mg Neomycin) .... } antibiotic  
Polymyxin B Sulfate (Polymyxin B 5000 units) }

**Uses**

First aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes ■ internally ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor

**Ask a doctor before use:**

- in case of deep or puncture wounds, animal bites, or serious burns

**Drug Facts** (continued)

**Stop use and ask a doctor if:**

- the condition persists or gets worse ■ a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage

**Other information**

- store at room temperature (do not freeze) ■ do not use any opened or torn packets

**Inactive ingredient** petrolatum

Manufactured by SAFETEC OF AMERICA, Inc.  
Buffalo NY, 14215 1-800-456-7077 www.safetec.com

FIRST AID<sup>+</sup>  
Triple Antibiotic  
Ointment

FIRST AID<sup>+</sup>  
Triple Antibiotic  
Ointment



Helps prevent infection in minor  
cuts, scrapes, and burns

10 Packets  
Each Packet Net. Wt. 0.9g

Made in USA

Reorder No. 53208

FIRST AID<sup>+</sup>  
Triple Antibiotic  
Ointment

**TRIPLE ANTIBIOTIC**

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61010-5600
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:61010-5600-1	0.9 g in 1 POUCH; Type 0: Not a Combination Product	08/08/2011	
2	NDC:61010-5600-2	144 in 1 BOX	08/08/2011	
2		0.9 g in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:61010-5600-3	25 in 1 BOX	08/08/2011	
3		0.9 g in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:61010-5600-4	10 in 1 BOX	04/01/2020	
4		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M004	08/08/2011	

**Labeler** - Safetec of America, Inc. (874965262)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Safetec of America, Inc.		874965262	manufacture(61010-5600)

