

MAX ALLERGY KIDS- diphenhydramine hcl solution
Akron Pharma Inc.

MAX Allergy Kids
Childrens Allergy
Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Orol Solution
DYE-FREE

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itchy of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use

Other information

- **each 5 mL contains:** sodium 8 mg
- store between 20°- 25°C (68°-77°F). Do not refrigerate
- protect from light

Inactive ingredients

anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.

Questions or comments?

Please Call 1(877) 225-6999

Manufactured for:

Akron Pharma, Inc,
Fairfield, NJ 07004
Manufactured in U.S.A

NDC 71399-0023-4

MAX Allergy™ Kids

Children's ALLERGY Antihistamine

Diphenhydramine Hydrochloride
12.5 mg/5ml Oral Solution

ALLERGY

DYE-FREE

Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat

For ages 6-11 years



Drug Facts	
Active ingredient (in each 5 mL) Diphenhydramine HCl 12.5 mg.....	Purpose Antihistamine
Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies. ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itchy nose or throat	
Warnings Do not use ■ with any other product containing diphenhydramine, even one used on the skin ■ to make a child sleepy	
Ask a doctor before use if the child has ■ a breathing problem such as chronic bronchitis ■ glaucoma ■ a sodium-restricted diet	
Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.	
When using this product ■ marked drowsiness may occur ■ sedatives and tranquilizers may increase drowsiness ■ excitability may occur, especially in children	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions ■ do not take more than 6 doses in any 24 hours ■ take every 4 to 6 hours, or as directed by a doctor ■ measure only with dosing cup provided. Do not use any other dosing device. ■ mL = milliliter. ■ keep dosing cup with product ■ find the right dose on the chart below	
Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use
Other information ■ each 5 mL contains: sodium 8 mg ■ store	

150 mm x 76 mm

NDC 71399-0023-8

MAX Allergy™ Kids

Children's ALLERGY Antihistamine

Diphenhydramine Hydrochloride
12.5mg/5ml Oral Solution

ALLERGY

DYE-FREE

Relieves:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat

For ages 6-11 years

Bubble Gum

Akron Pharma

8 FL.OZ (236 mL)



Drug Facts	
Active ingredient (in each 5 mL) Diphenhydramine HCl 12.5 mg.....	Purpose Antihistamine
Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies. ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itchy nose or throat	
Warnings Do not use ■ with any other product containing diphenhydramine, even one used on the skin ■ to make a child sleepy	
Ask a doctor before use if the child has ■ a breathing problem such as chronic bronchitis ■ glaucoma ■ a sodium-restricted diet	
Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.	
When using this product ■ marked drowsiness may occur ■ sedatives and tranquilizers may increase drowsiness ■ excitability may occur, especially in children	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions ■ do not take more than 6 doses in any 24 hours ■ take every 4 to 6 hours, or as directed by a doctor ■ measure only with dosing cup provided. Do not use any other dosing device. ■ mL = milliliter. ■ keep dosing cup with product	
Drug Facts (continued)	
■ find the right dose on the chart below	
Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	Do not use unless directed by a doctor
children under 2 years	Do not use
Other information	
■ each 5 mL contains: sodium 8 mg	
■ store between 20°- 25°C (68°-77°F). Do not refrigerate	
■ protect from light	
Inactive Ingredients anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.	
Questions or comments? Call 1-877-225-6999	
TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.	
This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl Allergy.	
DRUGS/AP/122/97	
Akron Pharma	
Manufactured for: Akron Pharma, Inc. Fairfield, NJ 07004 www.akronpharma.com	
	
N 3	71399 00238 9
MAK-2/23/UL-01	

155 mm x 101 mm

<p>Drug Facts</p> <p>Active ingredient (in each 5 mL) Diphenhydramine HCl 12.5 mg.....Antihistamine</p> <p>Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies. ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itchy nose or throat</p> <p>Warnings Do not use ■ with any other product containing diphenhydramine, even one used on the skin ■ to make a child sleepy</p> <p>Ask a doctor before use if the child has ■ a breathing problem such as chronic bronchitis ■ glaucoma ■ a sodium-restricted diet</p> <p>Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.</p> <p>When using this product ■ marked drowsiness may occur ■ sedatives and tranquilizers may increase drowsiness ■ excitability may occur, especially in children</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions ■ do not take more than 6 doses in any 24 hours ■ take every 4 to 6 hours, or as directed by a doctor ■ mL = milliliter. ■ keep dosing cup with product</p>	<p style="font-size: small;">NDC 71399-0023-6</p> <h1 style="margin: 0;">MAX Allergy™ kids</h1> <h2 style="margin: 0;">Children's ALLERGY Antihistamine</h2> <p style="margin: 0;">Diphenhydramine Hydrochloride 12.5mg/5ml Oral Solution</p> <div style="display: flex; align-items: center; justify-content: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 2em; font-weight: bold; margin-right: 10px;">ALLERGY</div> <div style="text-align: left;"> <p style="color: red; font-weight: bold;">DYE-FREE</p> <p style="color: red; font-weight: bold;">Relieves:</p> <ul style="list-style-type: none"> ● Runny Nose ● Sneezing ● Itchy, Watery Eyes ● Itchy Throat </div> </div> <p style="color: red; font-weight: bold; margin-top: 10px;">Bubble Gum</p> <p style="font-size: small;">Akron Pharma</p> <p style="font-size: small; margin-top: 5px;">16 FL. OZ (473 mL)</p>	<p>Drug Facts (continued)</p> <p>■ find the right dose on the chart below</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Age (yr)</th> <th>Dose (mL)</th> </tr> </thead> <tbody> <tr> <td>children 6 to 11 years</td> <td>5 mL to 10 mL</td> </tr> <tr> <td>children 2 to 5 years</td> <td>Do not use unless directed by a doctor</td> </tr> <tr> <td>children under 2 years</td> <td>Do not use</td> </tr> </tbody> </table> <p>Other Information ■ each 5 mL contains: sodium 8 mg ■ store between 20°- 25°C (68°-77°F). Do not refrigerate ■ protect from light</p> <p>Inactive Ingredients anhydrous citric acid, bubble gum flavor, purified water, sodium benzoate, sodium citrate, saccharin sodium, sorbitol solution, sucrose.</p> <p>Questions or comments? 1-877-225-6999</p> <div style="border: 1px solid red; padding: 2px; font-size: x-small; color: red; text-align: center; margin-top: 5px;"> TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING. </div> <p style="font-size: x-small; margin-top: 5px;">*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl Allergy.</p> <p style="font-size: x-small; margin-top: 10px;">DRUGS/AP/122/97</p> <p style="font-size: small; margin-top: 5px;"> Akron Pharma Manufactured for: Akron Pharma, Inc. Fairfield, NJ 07004 www.akronpharma.com </p> <div style="display: flex; align-items: center; justify-content: flex-end; margin-top: 5px;"> <div style="margin-left: 5px; font-size: x-small;"> N 3 71399 00236 5 </div> </div>	Age (yr)	Dose (mL)	children 6 to 11 years	5 mL to 10 mL	children 2 to 5 years	Do not use unless directed by a doctor	children under 2 years	Do not use
Age (yr)	Dose (mL)									
children 6 to 11 years	5 mL to 10 mL									
children 2 to 5 years	Do not use unless directed by a doctor									
children under 2 years	Do not use									

MAX ALLERGY KIDS		
diphenhydramine hcl solution		
Product Information		
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:71399-0023
Route of Administration	ORAL	
Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL
Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		

SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0023-4	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/24/2023	
2	NDC:71399-0023-8	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2023	
3	NDC:71399-0023-6	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/24/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/15/2023	

Labeler - Akron Pharma Inc. (067878881)