

BACITRACIN ZINC, NEOMYCIN SULFATE AND POLYMYXIN B SULFATE-
bacitracin zinc, neomycin sulfate and polymyxin b sulfate ointment
Dynarex Corporation

1180 Triple Antibiotic Ointment 0.5 g NDC 67777-217-05, 1182 Triple Antibiotic Ointment 0.9 g NDC 67777-217-07
1184 Triple Antibiotic Ointment 14.17 g NDC 67777-217-02, 1185 Triple Antibiotic Ointment 28.35 g NDC 67777-217-01
1180UB-10 Triple Antibiotic Ointment 0.5 g NDC 67777-217

Active Ingredients (in each gram)

Bacitracin Zinc 400 Units

Neomycin Sulfate 5mg (Equivalent to 3.5 mg Neomycin)

Polymyxin B Sulfate 5000 Units

Purpose

First Aid Antibiotic

Use(s)

First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For External Use Only

Do not use

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

Ask a doctor before use if

You have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- The condition persists or gets worse
- A rash or other allergic reaction develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other Information

- Store at room temperature between 15°-30°C (59°-86°F)
- Tamper evident. Do not use if packet is torn, cut, or opened.


Inactive Ingredient

White Petrolatum

Questions?

1-888-396-2739 Monday - Friday 9AM - 5PM EST

Label



Triple Antibiotic

Label




Triple Antibiotic

Label




Triple Antibiotic

Label



Triple Antibiotic

Label



Triple Antibiotic

Label

<p>Drug Facts</p> <p>Active Ingredients (in each gram) Purpose</p> <p>Bacitracin Zinc 400 units First Aid Antibiotic</p> <p>Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin) First Aid Antibiotic</p> <p>Polymyxin B Sulfate 5000 units First Aid Antibiotic</p> <p>Use(s)</p> <p>First aid to help prevent infection in minor cuts, scrapes, and burns</p>		<p>Warnings</p> <p>For External Use Only</p> <p>Do not use</p> <ul style="list-style-type: none"> In the eyes or over large areas of the body If you are allergic to any of the ingredients Longer than 1 week unless directed by a doctor <p>Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> The condition persists or gets worse A rash or other allergic reaction develops 	
<p>Drug Facts (continued)</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.</p>		<p>Other Information</p> <ul style="list-style-type: none"> Store at room temperature 15°-30°C (59°-86°F) Tamper evident. Do not use if seal is damaged. <p>Inactive Ingredient White Petrolatum</p> <p>Questions? 1-888-396-2739 Monday – Friday 9AM – 5PM EST.</p>	

TRIPLE ANTIBIOTIC OINTMENT
FIRST AID ANTIBIOTIC



We Care™
from **dynarex**

TRIPLE ANTIBIOTIC OINTMENT

FIRST AID ANTIBIOTIC

Net Wt. 0.5 oz. (14.2 g)



6 16784 11842 0

Manufactured for:
Dynarex Corporation
10 Glenshaw Street
Orangeburg, NY 10962
USA • www.dynarex.com

Made in India R221122

Reorder No. 1184
NDC# 67777-217-12

Keep this box for complete **Drug Facts.**



SYMBOL GLOSSARY
For an explanation of symbols used in Dynarex packaging, visit dynarex.com/symbols.php

Triple Antibiotic

Label 1180UB-10

First Aid Antibiotic

Triple Antibiotic Ointment

Dyna Safety

Dyna Safety

Triple Antibiotic Ointment

First Aid Antibiotic

Dyna Safety


Triple Antibiotic Ointment

First Aid Antibiotic

<p>Drug Facts</p> <p>Active Ingredients (in each gram) Purpose</p> <p>Bacitracin Zinc 400 units First Aid Antibiotic</p> <p>Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin) First Aid Antibiotic</p> <p>Polymyxin B Sulfate 5000 units First Aid Antibiotic</p> <p>Use(s)</p> <p>First aid to help prevent infection in minor cuts, scrapes, and burns</p> <p>Warnings</p> <p>For External Use Only</p> <p>Do not use</p> <ul style="list-style-type: none"> In the eyes or apply over large areas of the body If you are allergic to any of the ingredients Longer than 1 week unless directed by a doctor <p>Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns</p>	<p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> The condition persists or gets worse A rash or other allergic reaction develops <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.</p> <p>Other Information</p> <ul style="list-style-type: none"> Store at room temperature between 15°-30°C (59°-86°F) Tamper evident. Do not use if packet is torn, cut, or opened. <p>Inactive Ingredient White Petrolatum</p> <p>Questions?</p> <p>1-888-396-2739 Monday – Friday 9AM – 5PM EST.</p>	<p>10 Net Wt. 0.5 g Packets</p> <p>NDC# 67777-217-04</p> <p>Item 1180UB-10</p> <p>Keep this box for complete Drug Facts.</p>
---	--	---

Manufactured for: Dynarex Corporation
11 Dynarex Drive • Middletown, NY 10941
USA • www.dynarex.com
Symbol Glossary: dynarex.com/symbols.php
Made in India R230714

LOT LLLLLLLLLL
YYYY-MM-DD
YYYY-MM-DD



8 40117 32833 4

1180UB-10

BACITRACIN ZINC, NEOMYCIN SULFATE AND POLYMYXIN B SULFATE

bacitracin zinc, neomycin sulfate and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-217
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Product Characteristics

Color		Score	
Shape	FREEFORM	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-217-11	72 in 1 CASE	12/01/2009	
1	NDC:67777-217-10	1 in 1 BOX		
1	NDC:67777-217-01	28.35 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:67777-217-13	72 in 1 CASE	12/01/2009	
2	NDC:67777-217-12	1 in 1 BOX		
2	NDC:67777-217-02	14.17 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:67777-217-17	1728 in 1 CASE	12/01/2009	
3	NDC:67777-217-16	144 in 1 BOX		
3	NDC:67777-217-05	0.5 g in 1 PACKET; Type 0: Not a Combination Product		

4	NDC:67777-217-15	1728 in 1 CASE	12/01/2009	
4	NDC:67777-217-14	144 in 1 BOX		
4	NDC:67777-217-07	0.9 g in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:67777-217-08	1000 in 1 CASE	12/01/2009	
5	NDC:67777-217-04	10 in 1 BOX		
5		0.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/01/2009	

Labeler - Dynarex Corporation (008124539)

Registrant - Dynarex Corporation (008124539)

Revised: 1/2024

Dynarex Corporation