

**BRONCHIAL AND BREATHING AIDE- aconitum napellus, calcium sulfide, spongia officinalis skeleton, roasted, tin tablet**  
**Schwabe Mexico S.A. de C.V**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Bronchial and Breathing Aide**

**ACTIVE INGREDIENTS:**

Aconitum napellus 3X

Hepar sulphuris calcareum (Calcium Sulfide) 12X

Spongia tosta 3X

Stannum metallicum (Tin) 12X

**INACTIVE INGREDIENTS**

Lactose monohydrate

Magnesium stearate

Microcrystalline cellulose

**PURPOSE:**

Uses: Helps loosen phlegm (mucus) and thins bronchial secretions, relieves bronchial congestion

Directions: Sublingual medication.

Place tablets under tongue at least 15 minutes before or 30 minutes after eating, brushing teeth, or drinking anything except water.

Adults and children 12 years of age and older: 2 tablets every two hours until relieved.

Children under 12 years of age: Consult a doctor.

**INDICATIONS AND USAGE:**

Helps loosen phlegm (mucus) and thins bronchial secretions, relieves bronchial congestion.

**WARNINGS:**

**Sore Throat Warning:** Severe or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting or rash may be serious.

Consult a physician promptly.

**Pregnancy or Breast Feeding:**

If pregnant or breast-feeding, ask a healthcare professional before use.

**Children:**

Keep out of the reach of children.

Ask a doctor before use if you have :

a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema or is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if new symptoms occur, symptoms worsen or do not get better within 7 days for adults or 5 days for children, fever worsens or lasts more than 3 days, cough lasts more than 7 days or occurs with a rash or persistent headache.

These could be signs of a serious condition.

Overdosage:

In case of overdose, seek medical help or contact a Poison Control Center immediately.

BRONCHIAL CONGESTION††

# Bronchial & Breathing Aide™



### Drug Facts (continued)

#### Directions:

Sublingual medication. Place tablet under tongue at least 15 minutes before or 30 minutes after eating, brushing teeth or drinking anything except water.

<b>Adults &amp; children 12 years of age and over</b>	Take 2 tablets every 2 hours until relieved
<b>Children under 12 years of age</b>	Consult a doctor

#### Other Information

- Store at room temperature 20-25° C (68-77° F)
- Keep in a dry place out of direct sunlight.

#### Inactive ingredients

cellulose, lactose monohydrate, magnesium stearate

Questions? 1-800-9NATURE / naturesway.com

††There are no valid studies using current scientific methods confirming this product's efficacy. These indications are based solely on traditional homeopathic principles.

**TAMPER EVIDENT.** This bottle has a cap with a perforated ring attached. Do not use if the ring is broken or missing.

©2017  
Distributed by: Boericke & Tafel  
a division of Nature's Way Brands, LLC  
Green Bay, WI 54311 USA  
Product of Mexico

## Bronchial & Breathing Aide™

- Relieves Bronchial Congestion††
- Helps Loosen Phlegm††

Lot/Best by area



# Bronchial & Breathing Aide™

Relieves

BRONCHIAL CONGESTION††

HOMEOPATHIC

100 tablets

### Drug Facts

#### Active Ingredient

(154.42 mg in each tablet) Purpose  
Aconitum napellus 3X, Relieves  
Hepar sulphuris calcareum 12X, Bronchial  
Spongia tosta 3X, Congestion††  
Stannum metallicum 12X

- Uses:**
- loosen phlegm (mucus)††
  - thins bronchial secretions††
  - relieves bronchial congestion††

#### Warnings

**Sore throat warning:** severe or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting or rash may be serious. Consult a physician promptly.

#### Ask a doctor before use if you have

- a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema or is accompanied by excessive phlegm (mucus).

**Stop use and ask a doctor if** new symptoms occur, symptoms worsen or do not get better within 7 days for adults or 5 days for children ■ fever worsens or lasts more than 3 days ■ cough lasts more than 7 days or occurs with rash or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a healthcare professional before use. **Keep out of reach of children.** In case of overdose, seek medical help or contact a Poison Control Center immediately.

EO-Z08W

LBN21814098.04  
BLK7641



Carton Contact: Sue McVey  
sue.mcvay@naturesway.com  
920.469.1313 X61550

PMS 273	PMS 227	PMS 285	Varneh



## BRONCHIAL AND BREATHING AIDE

aconitum napellus, calcium sulfide, spongia officinalis skeleton, roasted, tin tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68466-4098
<b>Route of Administration</b>	SUBLINGUAL, SUBLINGUAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	3 [hp_X]
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X]
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	3 [hp_X]
Tin (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	Tin	12 [hp_X]

**Inactive Ingredients**

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

**Product Characteristics**

Color	white (B;T)	Score	no score
Shape	ROUND (BT)	Size	8mm
Flavor		Imprint Code	B;T
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68466-4098-1	1 in 1 BOX	04/01/2017	
1		100 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/01/2017	

**Labeler** - Schwabe Mexico S.A. de C.V (812805901)**Establishment**

Name	Address	ID/FEI	Business Operations
Schwabe Mexico S.A. de C.V.		812805901	manufacture(68466-4098)