

FEXOFENADINE HYDROCHLORIDE- fexofenadine hydrochloride tablet
Strive Pharmaceuticals Inc

Fexofenadine HCl USP 180mg
Allergy Relief - 24 hours

Fexofenadine HCl USP 180 mg

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide

- adults & children 12 years of age and over: take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
- children under 12 years of age: do not use
- adults 65 years of age and older: ask a doctor
- consumers with kidney disease: ask a doctor

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

- kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children

Overdose warning: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away.

Keep out of reach of children

Overdose Warning: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away.

Antihistamine

- store at room temperature between 20 °C - 25 °C (68 °F - 77 °F)
- protect from excessive moisture
- each tablet contains: sodium 8.2 mg

- this product meets the requirements of USP Dissolution Test 2

Tamper Evident: Do not use if package is opened or if blister unite is torn broken or shows any signs of tampering.

Drug Facts (continued)

Active Ingredient (in each tablet)
Fexofenadine HCl USP 180mg
Antihistamine

Purpose
health problems. In case of overdose, get medical help or contact a Poison Control Center right away

Directions
adults & children 12 years of age and over
 ■ take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
 ■ do not use
 children under 12 years of age
 ■ do not use
 adults 65 years of age and older
 ■ ask a doctor
 consumers with kidney disease
 ■ ask a doctor

Other Information
 ■ store between 20° and 25°C (68° and 77°F)
 ■ protect from excessive moisture
 ■ each tablet contains: sodium 8.2 mg
 ■ this product meets the requirements of USP Dissolution Test 2
Tamper Evident: Do not use if package is opened or if blister unit is torn, broken or shows any signs of tampering.

Inactive Ingredients
 anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide

Questions or comments?
 Call 1 (888) 577-8033

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
Do not use if
 ■ you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have
 ■ kidney disease. Your doctor should determine if you need a different dose.
When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if
 an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
OVERDOSE WARNING: Taking more than directed can cause serious

RIGHT REMEDIES **Allergy Relief** indoor & outdoor allergies

24 hour relief of:
 sneezing, runny nose,
 itchy watery eyes,
 itchy throat

24 HOUR NON-DROWSY

fexofenadine hydrochloride USP
180 mg each tablet

3 tablets

RIGHT REMEDIES †compare to active ingredient in **ALLEGRA® Allergy 24 hour tablets** indoor & outdoor allergies

NDC 70692-134-29

ORIGINAL PRESCRIPTION STRENGTH

Allergy Relief **24 HOUR NON-DROWSY**

24 hour relief of:
 sneezing, runny nose,
 itchy watery eyes,
 itchy throat

fexofenadine hydrochloride USP
180 mg each tablet

3 tablets

READ AND KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

†This product is not manufactured or distributed by Chatten, Inc. (part of the Sanofi Group), distributor of Allegra® Allergy 24 Hour Tablets. Allegra is a registered trademark of Aventisub LLC.

3 70692 13429 2

FREE AREA COATING

Lot. No.:
 Exp. Date:

Distributed by:
STRIVE PHARMACEUTICALS INC.
 East Brunswick, NJ 08816
 CT1 0429
 REV. 00-052019

fexofenadine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70692-134
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXO FENADINE HYDRO CHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	SG;202
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-134-29	3 in 1 BLISTER PACK; Type 0: Not a Combination Product	07/22/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211075	07/22/2019	

Labeler - Strive Pharmaceuticals Inc (080028013)

