

**STYE RELIEF- apis mellifera - carbon disulfide - pulsatilla vulgaris - silicon dioxide - delphinium staphisagria seed - ointment**  
**TRP Company**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Stye Relief® Homeopathic Lubricating Eye Ointment**

**Active Ingredients**

Apis HPUS 6c, 12c, 18c

Carboneum sulphuratum HPUS 6c,12c,18c

Pulsatilla HPUS 6c, 12c, 18c

Silica HPUS 6c, 12c, 18c

Staphysagria HPUS 6c, 12c, 18c

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses**

Uses\*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as:

- Red swollen bumps on the eyelid
- Itching, burning or swollen eyelids after serious causes have been ruled out by a physician.

\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

**Purpose**

Apis HPUS - Discomfort and burning

Carboneum sulphuratum HPUS - Reoccurring swelling

Pulsatilla HPUS - Uncomfortable Swelling

Silica HPUS - Itching

Staphysagria HPUS - Watering and burning

**Warnings:**

**A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS**

## **CAUSES.**

- **For external use only.**
- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
  
- **If pregnant or breast-feeding,** ask a health professional before use.
  
- Replace cap after every use.
- To avoid contamination - do not touch tip to any surface.
- Use within 30 days of opening, expiration date only refers to the unopened tube.
- Contact lens wearers: Consult a physician before use.

## **Do not use:**

- Do not use if bottom ridge of tube cap is exposed and imprinted carton seal is not intact.
- Do not use if cap or tube is damaged.

## **Stop use and ask a doctor if:**

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens.
- The condition last longer than 72 hours.

## **Keep out of reach of children**

In case of accidental ingestion, get medical help or contact Poison Control Center right away.

## **Directions:**

- Wash your hands.
- Open the cap and squeeze out approx. 1/8" of the ointment onto your finger tip.
- Gently apply the ointment directly to the sty.
- Replace cap after each use.
- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
- Apply 3-4 times a day.

## **Other information**

- Non-prescription drug products cannot treat infections.
- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.
- Keep tube tightly closed.

Stye Relief Homeopathic Sterile Lubricating Eye Ointment are homeopathic dilutions, see [www.thereliefproducts.com](http://www.thereliefproducts.com) for details.

## **Inactive Ingredients:**

Lactose, Lanolin Alcohol, Microcrystalline Wax, Mineral Oil, Purified Water, Stearic Acid,

Wheat Germ Oil, White Petrolatum.

### Questions?

Call: 888-969-6855

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

# Natural Eyes™

## Stye Relief®



THE RELIEF PRODUCTS®  
NDC # 17312-014-13

NEW NAME\*

# Natural Eyes™

## Stye Relief®

**PRESERVATIVE FREE  
STERILE EYE OINTMENT**

Red bumps / Itching  
Swollen eyelids

100%  
NATURAL  
ACTIVE  
INGREDIENTS



HOMEOPATHIC  
Net wt. 0.14 oz (4 grams)

# Natural Eyes™

Natural Eyes™ harnesses the power of nature. Naturally sourced ingredients that work gently and safely with your body.

## Stye Relief®

\*New name, same trusted formula, Natural Eyes continues to deliver soothing relief.

Do not use if bottom ridge of tube is exposed, cap or tube is damaged. No usar la cresta inferior del tubo está expuesta, el gorra o el tubo están dañados.

Encontrara la informacion en espanol sobre este medicamento al interior de la caja.

© 2022 All rights reserved to TRP Company, Inc. Manufactured in Jordan, exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 [www.thereliefproducts.com](http://www.thereliefproducts.com)



Ini0422  
R0522

### Drug Facts

**Active ingredients Purpose**  
Apis HPUS 6C, 12C, 18C.....Discomfort, burning  
Carboneum sulphuratum HPUS 6C, 12C, 18C.....  
.....Reoccurring swelling  
Pulsatilla HPUS 6C, 12C, 18C.....Uncomfortable  
swelling  
Silicea HPUS 6C, 12C, 18C.....Itching  
Staphysagria HPUS 6C, 12C, 18C.....  
Watering, burning

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

### Uses\*

• According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Red swollen bumps on the eyelids • Itching, burning, or swollen eyelids; after serious causes have been ruled out by a physician. \*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

### Warnings

**A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.**

**For External Use Only.** • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • **If pregnant or breast-feeding, ask a health professional before use.** • Contact lens wearers: Consult a physician before use. • **Keep out of reach of children.** • In case of accidental ingestion, get medical help or contact a Poison Control Center right away. • To avoid contamination: Do not touch tip to any surface. • Replace cap after every use. • Use within 30 days of opening. • **EXPIRATION DATE ONLY REFERS TO THE UNOPENED TUBE.** • The use of this container by more than one person may spread infection.

**Do not use if:** • The bottom ridge of tube is exposed, cap or tube is damaged.

**Stop use and ask a doctor if:** • You experience eye pain or change in vision, continued redness, or irritation of the eye. • The condition worsens. ▶

TUBE IMAGE IS ACTUAL SIZE



8 58961 00114 3

VOID OF AQUEOUS  
& COLOR

### Drug Facts (continued)

• Symptoms last longer than 72 hours.

### Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Wash your hands. • Squeeze a small 1/4 inch of the ointment onto your fingertip and gently apply directly to the stye. • Apply 3 - 4 times a day and at bedtime. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

### Other information

• Non-prescription drug products cannot treat infections. • Store at room temperature 15° to 30° C (59° to 86°F). • Keep tube tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Stye Relief® Homeopathic Sterile Lubricating Eye Ointment is a homeopathic dilution, for details see [www.thereliefproducts.com](http://www.thereliefproducts.com).

### Inactive ingredients

Lactose, Lanolin alcohol, Microcrystalline wax, Mineral oil, Purified water, Stearic acid, Wheat germ oil, White petrolatum.

### Questions or comments

1-888-969-6855  
8 am to 4 pm; Monday - Friday

Do not use if tamper evident carton seals are torn, broken or missing.

*FDA Disclaimer: Homeopathic products are not evaluated by the Food and Drug Administration*

## STYE RELIEF

apis mellifera - carbon disulfide - pulsatilla vulgaris - silicon dioxide - delphinium staphisagria seed - ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:17312-014
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_C] in 4 g
<b>CARBON DISULFIDE</b> (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	6 [hp_C] in 4 g
<b>PULSATILLA VULGARIS</b> (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	6 [hp_C] in 4 g
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	6 [hp_C] in 4 g
<b>DELPHINIUM STAPHISAGRIA SEED</b> (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	6 [hp_C] in 4 g

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>LANOLIN ALCOHOLS</b> (UNII: 884C3FA9HE)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>WHEAT GERM OIL</b> (UNII: 14C97E680P)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-014-13	1 in 1 PACKAGE	08/27/2014	
1		4 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		12/01/2011	

**Labeler** - TRP Company (105185719)

**Registrant** - TRP Company (105185719)

Revised: 3/2023

TRP Company