## CHILDRENS TYLENOL- acetaminophen tablet, chewable Johnson & Johnson Consumer Inc.

-----

## Children's Tylenol

**Drug Facts** 

## Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

### **Purpose**

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache
- temporarily reduces fever

## **Warnings**

## Liver warning

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

- pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

## Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

# When using this product do not exceed recommended dose (see overdose warning)

## Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

## Keep out of reach of children.

## Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- this product does not contain directions or complete warnings for adult use.
- do not give more than directed (see overdose warning)
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (tablets) *
under 24	under 2 years	ask a doctor
24-35	2-3 years	1 tablet
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

<sup>\*</sup> or as directed by a doctor

#### Other information

- store between 20-25°C (68-77°F). Avoid high humidity. Protect from light.
- do not use if neck band or foil inner seal imprinted with "TYLENOL" is broken or missing

### **Inactive ingredients**

anhydrous citric acid, cellulose acetate, crospovidone, D&C red no. 7 calcium lake, D&C red no. 30 aluminum lake, dextrose, FD&C blue no. 1 aluminum lake, flavor, magnesium stearate, povidone, sucralose

#### Questions or comments?

call **1-800-458-1635** (toll-free) or **215-273-8755** (collect)

#### PRINCIPAL DISPLAY PANEL

NDC 50580-522-24

Children's

TYLENOL ®

## Acetaminophen

Pain Reliever Fever Reducer

Ibuprofen Free

Aspirin Free

#### Pain+Fever

Ages 2-11

#### Chewables

Chew or crush tablets completely

before swallowing

## 160 mg

#### **Per Tablet**

**24** Chewable Tablets

160 mg each

**Actual Size** 

**Grape** Flavor



#### **CHILDRENS TYLENOL**

acetaminophen tablet, chewable

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50580-522

Route of Administration ORAL

## **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 160 mg

Inactive Ingredients	active Ingr	edients
----------------------	-------------	---------

······································		
Ingredient Name	Strength	
CROSPOVIDONE (UNII: 2S7830E561)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
CELLULOSE ACETATE (UNII: 3J2P07GVB6)		

D&C RED NO. 7 (UNII: ECW0LZ41X8)	
<b>D&amp;C RED NO. 30</b> (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ 35W2)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics			
Color	purple	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	TY;160;HALF;HALF
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:50580-522- 24	1 in 1 CARTON	02/27/2017			
1		24 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/27/2017	

## Labeler - Johnson & Johnson Consumer Inc. (878046358)

Revised: 1/2024 Johnson & Johnson Consumer Inc.