

**BANANA BOAT ULTRA SPORT SUNSCREEN BROAD SPECTRUM SPF 50-
avobenzone,homosalate,octisalate,octocrylene lotion
Edgewell Personal Care Brands LLC**

Active Ingredients

Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.5%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

May stain some fabrics.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

May stain

some fabrics

Directions

• apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum

SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Inactive ingredients

Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice

Other information

• protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA

BOAT®

SPORT™

ultra

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50+

CLINICALLY PROVEN

UVA/UVB PROTECTION

SUPERIOR ENDURANCE

VS. SWEAT & WATER

FREE FROM

Oxybenzone

Octinoxate

Water Resistant

(80 Minutes)

2 FL. OZ. (59mL)

BANANA BOAT®
SPORT™
 ultra
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 50+

50+

CLINICALLY PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER

FREE FROM
 Oxybenzone
 Octinoxate

Water Resistant
 (80 Minutes)

2 FL. OZ. (59mL)

Drug Facts

Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.5%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only. • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other Information ■ protect this product from excessive heat and direct sun

Questions or comments? Call 1-800-SafeSun, Mon-Fri

Distributed by:
 EDGELL PERSONAL
 CARE BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2022 Edgell.
 93038385

Recommended as
 an effective broad
 spectrum sunscreen.

RECOMMENDED
 SKIN
 CANCER
 FOUNDATION

ACTIVE

0 179656 04993 0

BANANA
 BOAT®
 SPORT™
 ultra
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 50+
 CLINICALLY PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER
 FREE FROM
 Oxybenzone
 Octinoxate
 Water Resistant
 (80 Minutes)
 8 FL. OZ. (236mL)



SPORT.
ultra

SUNSCREEN LOTION
BROAD SPECTRUM SPF 50+



**CLINICALLY
PROVEN**
UVA/UVB PROTECTION

SUPERIOR ENDURANCE
VS. SWEAT & WATER



Water Resistant
(80 Minutes)

8 FL. OZ. (236mL)

SUN SAFETY DIRECTIONS

Apply 1 oz. Liberally Wait 15 min. Reapply 2 HR. Cover Up!

Drug Facts

Active Ingredients	Purpose
Avoberzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.5%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenylethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.

Other Information ■ protect this product from excessive heat and direct sun

Questions or Comments?
Call 1-800-SafeSun, Mon-Fri

RECOMMENDED Recommended as an effective broad spectrum sunscreen.

ACTIVE 93038630

Distributed by:
EDGEWELL
PERSONAL CARE
BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2022 Edgewell

0 79656 06948 8

BONUS
25% MORE
10 OZ
VS
8 OZ
BANANA
BOAT®
SPORT™
ultra
SUNSCREEN LOTION
BROAD SPECTRUM SPF 50+
CLINICALLY PROVEN
UVA/UVB PROTECTION

SUPERIOR ENDURANCE
 VS. SWEAT & WATER
 FREE FROM
 Oxybenzone
 Octinoxate
 Water Resistant
 (80 Minutes)
 10 FL. OZ. (295mL)

BONUS 25% MORE 10 OZ VS 8 OZ

BANANA BOAT

SPORT ultra

SUNSCREEN LOTION
 BROAD SPECTRUM SPF 50+

50+

CLINICALLY PROVEN
 UVA/UVB PROTECTION

SUPERIOR ENDURANCE
 VS. SWEAT & WATER

FREE FROM
 Oxybenzone
 Octinoxate

Water Resistant
 (80 Minutes)

10 FL. OZ. (295mL)

BONUS 25% MORE 10 OZ VS 8 OZ

SUN SAFETY DIRECTIONS

- Apply 1 oz. Liberally
- Wait 15 min.
- Reapply 2 HR.
- Cover Up!

Drug Facts

Active Ingredients	Purpose
Avoberzone 2.7%, Homosalate 9.0%, Octisalate 4.9%, Octocrylene 6.8%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
 May stain some fabrics.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxysthanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other Information ■ protect this product from excessive heat and direct sun

Questions or Comments?
 Call 1-800-SafeSun, Mon-Fri

Distributed by
 EDGEWELL PERSONAL CARE
 BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2023 Edgewell

Edgewell

RECOMMENDED BY SKIN CANCER FOUNDATION

ACTIVE Recommended as an effective broad spectrum sunscreen.

0 79656 14217 4

50%
 MORE
 FAMILY SIZE!
 12 OZ
 VS
 8 OZ
 BANANA

BOAT®

SPORT™

ultra

SUNSCREEN LOTION

BROAD SPECTRUM SPF 50+

CLINICALLY PROVEN

UVA/UVB PROTECTION

SUPERIOR ENDURANCE

VS. SWEAT & WATER

FREE FROM

Oxybenzone

Octinoxate

Water Resistant

(80 Minutes)

12 FL. OZ. (354mL)

**50%
MORE
FAMILY SIZE!**

**12 OZ
VS
8 OZ**



SPORT
ultra

SUNSCREEN LOTION
BROAD SPECTRUM SPF 50+



**CLINICALLY
PROVEN**

UVA/UVB PROTECTION

**SUPERIOR ENDURANCE
VS. SWEAT & WATER**



Water Resistant
(80 Minutes)

12 FL. OZ. (354 mL)

93038386

SUN SAFETY DIRECTIONS



Apply 1oz liberally



Wait 15 min.



Reapply



Cover Up!

Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 9.0%,
Octisalate 4.5%, Octocrylene 6.5%.....Sunscreen

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

Directions

■ apply liberally 15 minutes before sun exposure ■ reapply:
• after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures:
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glycerol Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.

Other information ■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800 SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.banandboat.com
© 2022 Edgewell.



Recommended as an effective broad spectrum sunscreen.



BANANA
BOAT®
SPORT™
ultra
SUNSCREEN LOTION
BROAD SPECTRUM SPF 50+
CLINICALLY PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
Breathable Formula

Water Resistant
(80 Minutes)
1 gal (3.78L)

HOW TO STAY PROTECTED:

Apply 1 oz. Liberally. Wait 15 min. Reapply 2 HR. Cover Up!

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2020 Edgewell
93034179

BANANA BOAT
SPORT ultra
SUNSCREEN LOTION
BROAD SPECTRUM SPF 50+

50+

CLINICALLY PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER

Breathable Formula
Water Resistant
(80 Minutes)

1 gal (3.78L)

Drug Facts

Active Ingredients Purpose
Avobenzone 3.0%, Homosalate 8.0%, Octisalate 4.5%, Octocrylene 6.5% Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions
■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.-2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Water, Glycerin Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polysulfate, Chlorpheniramine, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other Information
■ protect this product from excessive heat and direct sun

Questions or Comments?
Call 1-800-SafeSun, Mon-Fri

BANANA BOAT ULTRA SPORT SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-689
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6.5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DOCOSANOL (UNII: 9G1OE216XY)	
PEG-100 STEARATE (UNII: YD01N1999R)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-689-18	340 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	11/19/2019	
2	NDC:63354-689-10	3629 g in 1 BOTTLE; Type 0: Not a Combination Product	11/19/2019	
3	NDC:63354-689-16	227 g in 1 BOTTLE; Type 0: Not a Combination Product	08/28/2020	
4	NDC:63354-689-17	283 g in 1 BOTTLE; Type 0: Not a Combination Product	08/28/2020	
5	NDC:63354-689-21	57 g in 1 TUBE; Type 0: Not a Combination Product	08/28/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/19/2019	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 11/2023

Edgewell Personal Care Brands LLC