

NITROUS OXIDE - nitrous oxide gas
Praxair Distribution Southeast LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Nitrous Oxide

UN2201 NITROUS OXIDE, REFRIGERATED LIQUID, USP DANGER! COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE DIZZINESS AND DROWSINESS. MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROSTBITE. TLV-TWA: 50 PPM (ACGIH 2008). ODOR: SLIGHTLY SWEET. Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125°F (52°C). For liquid withdrawal wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valves after each use; keep closed even when empty. Always secure cylinder. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-6226, Praxair safety booklet P-14-153, and manufacturer's operating instructions for this container. Obtain Praxair publications from your local supplier. Rx ONLY FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately. WARNING! Administration of nitrous oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. DO NOT REMOVE THIS LABEL Rx ONLY CAS 10024-97-2 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY PMG-16 (09/08) Copyright @ 2002, 2005, 2008. Praxair Technology, Inc. All rights reserved Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113 DISTRIBUTED BY PRAXAIR, INC., DANBURY



**UN2201
NITROUS OXIDE,
REFRIGERATED
LIQUID, USP**

CAS: 10024-97-2

DANGER! COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE DIZZINESS AND DROWSINESS. MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROSTBITE. TLV-TWA: 50 PPM (ACGIH 2008). ODOR: SLIGHTLY SWEET.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125°F (52°C). For liquid withdrawal wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valves after each use; keep closed even when empty. Always secure cylinder. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-6226, Praxair safety booklet P-14-153, and manufacturer's operating instructions for this container. Obtain Praxair publications from your local supplier.

Rx ONLY

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING! Administration of nitrous oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.




↑ **ALWAYS KEEP CONTAINER** ↑
IN UPRIGHT POSITION

LOT NUMBER _____

NET CONTENTS _____



IN CASE OF EMERGENCY: CALL 1-800-645-4633 DO NOT REMOVE THIS LABEL

MADE IN USA
PMG-16 (09/08)

Copyright © 2002, 2005, 2008, Praxair Technology, Inc. All rights reserved.
Praxair, the Flowing Airstream design, and Medipure
are trademarks of Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC.
DANBURY, CT 06810-5113

UN1070 NITROUS OXIDE USP CAS: 10024-97-2 CONTENTS LOT NUMBER WARNING! HIGH-PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROSTBITE MAY CAUSE DIZZINESS AND DROWSINESS. TLV-TWA: 50 PPM (ACGIH 2007) ODOR: SLIGHTLY SWEET. Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease, and combustibles away. Use only use with equipment cleaned as for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, or on skin, or in clothing. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use. Keep closed even when empty. Always secure cylinder. Install cap If provided, when not in use. Use backflow prevention device in any piping. Use per Praxair MSDS form P-4636. Praxair safety booklet P-14-153. And manufacturer's operating instructions for this container. Obtain Praxair publications from your local supplier. Rx ONLY FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately. WARNING! Administration of nitrous oxide may be hazardous or contraindicated, For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY DO NOT REMOVE THIS LABEL PMG-4 (11/07) Copyright @ 2002, 2005, 2007, Praxair Technology, inc. Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113 DISTRIBUTED BY PRAXAIR, INC., DANBURY



**UN1070
NITROUS OXIDE
USP**



CAS: 10024-97-2

WARNING! HIGH-PRESSURE, OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE NERVOUS SYSTEM AND BLOOD CELL DAMAGE. REPRODUCTIVE HAZARD. MAY CAUSE FROSTBITE. MAY CAUSE DIZZINESS AND DROWSINESS. TLV-TWA: 50 PPM (ACGIH 2007). ODOR: SLIGHTLY SWEET.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil, grease, and combustibles away. Use only with equipment cleaned as for oxygen service and rated for cylinder pressure. Do not get liquid in eyes, on skin, or on clothing. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use a backflow prevention device in any piping. Use per Praxair MSDS form P-4636, Praxair safety booklet P-14-153, and manufacturer's operating instructions for this container. Obtain Praxair publications from your local supplier.

Rx ONLY

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING! Administration of nitrous oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrous oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633

DO NOT REMOVE THIS LABEL



PMG-4 (11/07)
MADE IN USA

Copyright © 2002, 2005, 2007, Praxair Technology, Inc.
Praxair, the *Flowing Airstream* design, and Medipure are trademarks of
Praxair Technology, Inc.

DISTRIBUTED BY PRAXAIR, INC.
DANBURY, CT 06810-5113

NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:49972-004
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrous Oxide (UNII: K50 XQU1029) (Nitrous Oxide - UNII:K50 XQU1029)	Nitrous Oxide	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49972-004-01	17987 L in 1 CYLINDER		
2	NDC:49972-004-02	15770 L in 1 CYLINDER		
3	NDC:49972-004-03	14784 L in 1 CYLINDER		
4	NDC:49972-004-04	9610 L in 1 CYLINDER		
5	NDC:49972-004-05	7885 L in 1 CYLINDER		
6	NDC:49972-004-06	4928 L in 1 CYLINDER		
7	NDC:49972-004-07	2664 L in 1 CYLINDER		
8	NDC:49972-004-08	1725 L in 1 CYLINDER		
9	NDC:49972-004-09	1232 L in 1 CYLINDER		

10	NDC:49972-004-10	986 L in 1 CYLINDER		
11	NDC:49972-004-11	493 L in 1 CYLINDER		
12	NDC:49972-004-12	246 L in 1 CYLINDER		
13	NDC:49972-004-15	46816 L in 1 DEWAR		
14	NDC:49972-004-16	88458 L in 1 DEWAR		
15	NDC:49972-004-17	93632 L in 1 DEWAR		
16	NDC:49972-004-18	107667 L in 1 DEWAR		
17	NDC:49972-004-19	130099 L in 1 DEWAR		
18	NDC:49972-004-20	141680 L in 1 DEWAR		
19	NDC:49972-004-13	17248 L in 1 DEWAR		
20	NDC:49972-004-14	1971 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/01/2007	

Labeler - Praxair Distribution Southeast LLC (008455552)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution Southeast LLC		969017086	manufacture(49972-004)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution Southeast LLC		192167567	manufacture(49972-004)

Revised: 12/2012

Praxair Distribution Southeast LLC