

**CALCIUM CARBONATE (ANTACID)- calcium carbonate tablet**  
**Pharbest Pharmaceuticals Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Calcium carbonate 10 gr (648 mg, USP)

**Purpose**

Antacid

**Uses**

for relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

**Warnings**

**Ask a doctor before use if you have**

- kidney stone
- a calcium-restricted diet

**Ask a doctor or pharmacist before use if**

you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this prouct**

- do not take more than 10 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

**Keep out of the reach of children.**

**Direction**

- take two to four tablets as symptoms occur or as directed by a doctor

## Other information

- **each tablet contains:** calcium 240 mg
- store at controlled room temperature 15<sup>0</sup> to 30<sup>0</sup>C (59<sup>0</sup> to 86<sup>0</sup>F)
- use by expiration date on package

## Inactive ingredients

croscarmellose sodium, magnesium stearate, microcrystalline cellulose, stearic acid

## Questions? Adverse drug event call:

(866) 562-2756

**PHARBEST**

**NDC 16103-0377-11**

**Manufactured in the U.S.A.**

**†Compare to Tums® active ingredient**

**Calcium**

**Carbonate**

**Antacid**


**Calcium Rich • Low Sodium Antacid**

**THIS PACKAGE FOR HOUSEHOLDS**

**WITHOUT YOUNG CHILDREN**

**1000 TABLETS**

**10 gr (648 mg)**




TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

<b>Drug Facts</b>
<b>Active ingredient (in each tablet)</b> Calcium carbonate 10 gr (648 mg, USP) ..... Antacid
<b>Purpose</b>
<b>Uses for relief of</b> ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms
<b>Warnings</b> Ask a doctor before use if you have ■ kidney stones ■ a calcium-restricted diet Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.
<b>When using this product</b> ■ do not take more than 10 tablets in 24 hours ■ do not use the maximum dosage for more than 2 weeks Keep out of the reach of children.
<b>Directions</b> ■ take two to four tablets as symptoms occur or as directed by a doctor
<b>Other information</b> ■ each tablet contains: calcium 240 mg ■ store at controlled room temperature 15° to 30°C (59° to 86°F) ■ use by expiration date on package
<b>Inactive ingredients</b> croscarmellose sodium, magnesium stearate, microcrystalline cellulose, stearic acid
<b>Questions? Adverse drug event call:</b> (866) 562-2756

†This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare, owner of the registered trademark Tums®

Manufactured by:  
Pharbest Pharmaceuticals Inc.,  
Farmingdale, NY 11735  
Rev 0514



0 16103 377 11 6

## CALCIUM CARBONATE (ANTACID)

calcium carbonate tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:16103-377
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ50PE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	648 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	PH046
<b>Contains</b>			

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:16103-377-08	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/29/2006	
2	NDC:16103-377-11	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/29/2006	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part331	11/29/2006	

**Labeler** - Pharbest Pharmaceuticals Inc. (557054835)**Registrant** - Pharbest Pharmaceuticals Inc. (557054835)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
-------------	----------------	---------------	----------------------------

Pharbest Pharmaceuticals Inc.		557054835	analysis(16103-377) , manufacture(16103-377) , pack(16103-377) , label(16103-377)
----------------------------------	--	-----------	--

Revised: 1/2021

Pharbest Pharmaceuticals Inc.