

**CODEINE-GUAIFENESIN- codeine phosphate and guaifenesin solution  
Bryant Ranch Prepack**

-----  
**Codeine-Guaifenesin Oral Solution**

***Active ingredient***

***(in each teaspoonful (5 mL))***

Codeine Phosphate USP 10 mg

***Purpose***

Antitussive

***Active ingredient***

***(in each teaspoonful (5 mL))***

Guaifenesin USP 100 mg

***Purpose***

Expectorant

***Uses***

- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
- your cough to help you sleep
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes cough more productive.

***Warnings***

**Ask your doctor before use if**

- you have a persistent cough, this may be a sign of a serious condition
- you have a persistent cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- you have a cough that is accompanied by excessive phlegm (mucus)
- you have chronic pulmonary disease or shortness of breath
- giving to a child who is taking other drugs

**When using this product**

- giving a higher dose than recommended by a doctor could result in serious side effects for your child. A special measuring device should be used to give an accurate dose of this product to children under 6 years of age.

- may cause or aggravate constipation

**Stop use and ask a doctor if**

- symptoms do not improve within 7 days, tend to recur or are accompanied by fever and rash or persistent headache. These may be symptoms of a serious condition.

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed 6 doses in 24 hours.

Adults and children 12 years of age and over:	2 tsp (10 mL) every 4 hours, or as directed by a doctor.
Children 6 to under 12 years of age:	1 tsp (5 mL) every 4 hours, or as directed by a doctor.
Children under 6 years of age:	Consult a doctor.

**Other information**

Store at controlled room temperature 15°-30°C (59°-86°F).

**Inactive ingredients**

Cherry Flavor, Citric Acid, Glycerin, Masking flavor, Propylene glycol, Purified Water, Sodium Citrate, Sodium Benzoate, Sucralose Sorbitol.

**HOW SUPPLIED**

Guaifenesin USP 10-100 mg/5mL

NDC: 72162-1669-2: 120 mL in a BOTTLE

Repackaged/Relabeled by:  
Bryant Ranch Prepack, Inc.  
Burbank, CA 91504

**Guaifenesin-Codeine Solution 100-10mg/ 5ml**



Drug Facts	
<b>Active ingredient (in each tsp (5 mL))</b>	<b>Purpose</b>
Codeine Phosphate USP 10 mg	Antitussive
Guaifenesin USP 100 mg	Expectorant
<b>Uses</b>	
temporarily relieves: •cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants. •your cough to help you sleep. •helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes cough more productive.	
<b>Warnings</b>	
Ask your doctor before use if: •you have a persistent cough, this may be a sign of a serious condition. •you have a persistent cough such as occurs with smoking, asthma, chronic bronchitis or emphysema •you have a cough that is accompanied by excessive phlegm (mucus) •you have chronic pulmonary disease or shortness of breath •giving to a child who is taking other drugs. If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Other Information</b>	
Store at controlled room temperature 15°-30°C (59°-86°F).	
<b>Directions</b>	
•Do not exceed 6 doses in 24 hours. •Adults and children 12 years of age and over: 2 tsp (10 mL) every 4 hours, or as directed by a doctor. •Children 6 to under 12 years of age: 1 tsp (5 mL) every 4 hours, or as directed by a doctor. •Children under 6 years of age: Consult a doctor.	
<b>Inactive Ingredients</b>	
Cherry Flavor, Citric Acid, Glycerin, Masking flavor, Propylene glycol, Purified Water, Sodium Citrate, Sodium Benzoate, Sucralose Sorbitol.	

NDC 72162-1669-2

## Codeine-guaiFENesin Oral Solution



10-100 mg/5 mL



Relabeled by:  
Bryant Ranch Prepack, Inc.  
Burbank, CA 91504 USA

120 mL  
Manufactured by:  
Monarch, PCM

72162-16692



# CODEINE-GUAIFENESIN

codeine phosphate and guaifenesin solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72162-1669(NDC:58657-500)
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	CV

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CODEINE PHOSPHATE</b> (UNII: GSL05Y1MN6) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J)	CODEINE PHOSPHATE	10 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	

Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-1669-2	120 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/22/2024	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	04/01/2014		

**Labeler** - Bryant Ranch Prepack (171714327)

**Registrant** - Bryant Ranch Prepack (171714327)

Establishment			
Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-1669) , RELABEL(72162-1669)

Revised: 3/2024

Bryant Ranch Prepack