## SUNSCREEN SPF50- avobenzone , homosalate , octisalate , oxybenzone , octocrylene lotion SKIN KIDZ CC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Sun Skin SPF50 Sunscreen

#### **PURPOSE**

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures
- decreases the risk of skin cancer and early skin aging caused by the sun

#### **Active ingredients**

Avobenzone 3%, Homosalate 11.7%, Octisalate 4.5%, Oxybenzone 5.4%, Octocrylene 4.5%

#### **Directions**

- apply generously 15 minutes before sun exposure
- ensure complete coverage to the are above the lip, nose, and tops of ears
- reapply: after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours.

#### WARNING AND Pracaution

- For external use only
- •Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- If rash occurs, stop use and ask a doctor

#### ASK DOCTOR SECTION

• If rash occurs, stop use and ask a doctor

#### KEEP OUT OF REACH OF CHILDREN SECTION

- KEEP OUT OF REACH OF CHILDREN SECTION
- If swallowed, get medical help or contact a Poison Control Center right away.

#### **INACTIVE INGREDIENT**

ingredients: water, propylene glycol, polyurethane-34, cetyl alcohol, potassium cetyl

phosphate, glycerin, sorbitan mono stearate, polysorbate 60, phenoxyethanol, ethylhexylglycerin, potassium hydroxide, dimethicone, tocopheryl acetate, acrylates/C10-30 alkyl acrylate crosspolymer, arginine, sodium ascorbyl phosphate, disodium EDTA

#### **Product Label**



# SPF50

UVA UVB

**Broad Spectrum Pollution Shield** 

Non-Whitening Non-Greasy

with Antioxidants Vitamin C & E

NET WT 1.8 OZ (51g)

**Drug Facts** Active ingredients

Avobenzone 3%, Homosalate 11.7%, Octisalate 4.5%, Oxybenzone 5.4%, Octocrylene 4.5% Purpose

Sunscreen

Uses ●helps prevent sunburn ●if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings ●For external use only ●Do not use on damaged or broken skin ●When using this product keep out of eyes. Rinse with water to remove. ●If rash occurs, stop use and ask a doctor ●Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ●apply generously 15 minutes before sun exposure ●ensure complete coverage to the area above the lip, nose, and tops of ears ●reapply: - after 80 minutes of swimming or sweating – immediately after towel drying – at least every 2 hours.

Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: ~limit time in the sun, especially from 10 a.m.−2 p.m.~wear long sleeved shirts, pants, hats and sunglasses ● Children under 6 months of age: Ask a doctor

Other information ● protect this product from excessive heat and direct sun ● may stain some fabrics ● package contains small parts, which could cause a choking hazard

Inactive ingredients: water, propylene glycol, polyurethane-34, cetyl alcohol, potassium cetyl phosphate, glycerin, sorbitan mono stearate, polysorbate 60, phenoxyethanol, ethylhexylglycerin, potassium hydroxide, dimethicone, tocopheryl acetate, acrylates/C10-30 alkyl acrylate crosspolymer, arginine, sodium ascorbyl phosphate, disodium EDTA

Questions? Visit www.zentraedionline.com or Phone:

302-250-4447 or +27 100 600 999 or e-mail: info@zentraedionline.com

Skin Kidz cc: 28 6th Avenue, Melville Johannesburg Made in South Africa

#### SUNSCREEN SPF50

avobenzone, homosalate, octisalate, oxybenzone, octocrylene lotion

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:72376-001 Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Avobenzone (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	117 mg in 1 g	
OCTISALATE (UNII: 4X49 Y0596W) (OCTISALATE - UNII:4X49 Y0596W)	OCTISALATE	45 mg in 1 g	

OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	54 mg in 1 g
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	45 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
Propylene glycol (UNII: 6DC9Q167V3)	
Water (UNII: 059QF0KO0R)	
POLYURETHANE-34 (40 MPA, TENSILE STRENGTH OF FILM AT BREAK) (UNII: 77KA3O6NNF)	
Cetyl alcohol (UNII: 936JST6JCN)	
Potassium cetyl phosphate (UNII: 03KCY6P7UT)	
Glycerin (UNII: PDC6A3C0OX)	
Sorbitan monostearate (UNII: NVZ4I0H58X)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Potassium hydroxide (UNII: WZH3C48M4T)	
Dimethicone (UNII: 92RU3N3Y1O)	
.ALPHATO COPHERO L ACETATE (UNII: 9E8X80D2L0)	
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809 Y72KV36)	
Arginine (UNII: 94ZLA3W45F)	
Sodium ascorbyl phosphate (UNII: 836 SJG51DR)	
EDETATE DISO DIUM ANHYDRO US (UNII: 8 NLQ36 F6 MM)	

Packaging				
	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	NDC:72376-001-01	51 g in 1 BOTTLE; Type 0: Not a Combination Product	06/11/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/11/2018	

### **Labeler -** SKIN KIDZ CC (538908603)

Establishment			
Name	Address	ID/FEI	Business Operations
SKIN KIDZ CC		538908603	manufacture(72376-001)

Revised: 6/2018 SKIN KIDZ CC