

**ACETAMINOPHEN 500MG CAFFEINE 60MG PYRILAMINE MALEATE 15MG-
acetaminophen 500mg caffeine 60mg pyrilamine maleate 15mg tablet
WALGREENS CO.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Walgreens Menstrual Complete Pain Relief
Acetaminophen 500mg, Caffeine 60mg, Pyrilamine Maleate 15mg**

Acetaminophen 500mg

Caffeine 60mg

Pyrilamine maleate 15mg

ammonium hydroxide, croscarmellose sodium, D&C red No. 33 aluminum lake, ethyl cellulose, FD&C blue No. 1 aluminum lake, gelatin, glycerin, hypromellose, iron oxide black, light mineral oil, magnesium stearate, microcrystalline cellulose, povidone, pregelatinised starch, propylene glycol, shellac glaze, sorbitol sorbitan, talc, titanium dioxide, triacetin

- Do not take more than the recommended dose
- Adults and children 12 years and over: take 2 gelcaps with water, repeat every 6 hours, as needed; do not exceed 6 gelcaps per day
- Children under 12 years: consult a doctor

For the temporary relief of these symptoms associated with menstrual periods:

Cramps, bloating water-weight gain, headache, backache, muscle aches, fatigue.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 gelcaps in 24 hours, which is the maximum daily amount for this product, with other drugs contains acetaminophen, 3 or more alcoholic drinks every day while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions or severe allergic reactions. Symptoms may include: skin reddening, blisters, rash, hives, facial swelling, asthma (wheezing), shock. If a skin or general allergic reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist, if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver disease, glaucoma, difficulty in urination due to enlargement of the prostate gland, a breathing problem such as emphysema or chronic bronchitis.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin, taking sedatives or tranquilizers.

When using this product, you may get drowsy, avoid alcoholic drinks, excitability may occur, especially in children, alcohol, sedatives, and tranquilizers may increase drowsiness, be careful when driving a motor vehicle or operating machinery, limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if new symptoms occur, redness or swelling is present, pain gets worse or lasts for more than 10 days, fever gets worse or lasts for more than 3 days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Pain reliever

Nighttime sleep-aid

Store at room temperature between 20-25 °C (68-77 °F)

ACETAMINOPHEN 500MG CAFFEINE 60MG PYRILAMINE MALEATE 15MG



Compare to Midol® Complete active ingredients!†

NDC 0363-2310-24

NEW

Menstrual Complete Pain Relief

ACETAMINOPHEN 500 mg / PAIN RELIEVER
CAFFEINE 60 mg / DIURETIC
PYRILAMINE MALEATE 15 mg / ANTIHISTAMINE

ASPIRIN FREE GELCAPS

• Relieves cramps, bloating, fatigue, headaches & backaches.

24 GELCAPS ACTUAL SIZE

Drug Facts

Active ingredients (in each gelcap)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Uses for the temporary relief of these symptoms associated with menstrual periods: cramps, bloating, water-weight gain, headache, backache, muscle aches, fatigue

Drug Facts (continued)

Warnings This product contains acetaminophen. Severe liver damage may occur if you take more than 6 gelcaps in 24 hours, which is the maximum daily amount for this product.

With other drugs containing acetaminophen

3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include: skin redness, hives, rash, facial swelling, asthma (wheezing), shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

Do not use

With any other drug containing acetaminophen (prescription or over-the-counter). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

If you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease, glaucoma, difficulty in urination due to enlargement of the prostate gland

a breathing problem such as emphysema or chronic bronchitis

Drug Facts (continued)

When using this product

avoid alcoholic drinks you may get drowsy

excitability may occur, especially in children

alcohol, sedatives, and tranquilizers may increase drowsiness

be careful when driving a motor vehicle or operating machinery

limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

new symptoms occur

renewed or worsened symptoms occur

if pregnant or breastfeeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions Do not take more than the recommended dose. Adults and children 12 years and older: take 2 gelcaps with water. Repeat every 6 hours as needed. Do not exceed 6 gelcaps per day. Children under 12 years: consult a doctor.

Other information Store at room temperature 68-77°F (20-25°C).

Inactive ingredients aluminum hydroxide, croscarmellose sodium, DcRed no. 33 aluminum lake, ethylcellulose, FD&C color blue no. 1 aluminum lake, gelatin, glycerin, hypromellose, iron oxide black, iron oxide red, magnesium stearate, microcrystalline cellulose, polydimethylsiloxane, polyethylene glycol, polyethylene glycol, polyethylene glycol, sorbitol sorbitan, tac, titanium dioxide, triacetin

Questions or comments? 1-888-577-8033

100% SATISFACTION GUARANTEED

WALGREENS

1917420839

MADE IN UAE

TAMPER EVIDENT: Do not use if package is opened or if blister unit is torn, broken or shows any sign of tampering.

ORIG0419-F

Pharmacist

RECOMMENDED

Health expertise you rely on.

LOT: _____

EXP. DT: _____

acetaminophen 500mg caffeine 60mg pyrilamine maleate 15mg tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2310
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POVIDONE (UNII: FZ989GH94E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
STARCH, CORN (UNII: O8232NY3SJ)	
SHELLAC (UNII: 46N107B71O)	
SORBITOL (UNII: 506T60A25R)	
TALC (UNII: 7SEV7J4R1U)	
TRIACETIN (UNII: XHX3C3X673)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	blue (DARK BLUE and LIGHT BLUE)	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	S79
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2310-24	24 in 1 PACKAGE; Type 0: Not a Combination Product	07/05/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	07/05/2019	

Labeler - WALGREENS CO. (008965063)

Revised: 10/2020

WALGREENS CO.