

**KROGER NIGHTTIME SLEEP-AID- diphenhydramine hcl capsule, liquid filled
THE KROGER CO**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

***Active ingredient
(in each softgel)***

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

- for relief of occasional sleeplessness

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

avoid alcoholic drinks

Stop use and ask a doctor if

sleeplessness persist continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Inactive ingredients

FD&C Blue No. 1, Gelatin, Glycerine, Polyethylene Glycol, Sorbitol.

PRINCIPAL DISPLAY PANEL

DISTRIBUTED BY THE KROGER CO.

CINCINNATI, OHIO 45202

MADE IN CANADA

FOR MORE PRODUCT INFORMATION,

SCAN UPC USING YOUR KROGER APP

OR CALL 800-632-6900

Questions or Comments 1-800-632-6900

UNISKRO REV 3/21

Nighttime Sleep-Aid

Sleep Aid Softgels

Diphenhydramine HCl 50 mg
Nighttime Sleep-Aid

Drug Facts

Active ingredient (in each softgel)
Diphenhydramine HCl 50 mg

Purpose
Nighttime Sleep-Aid

Uses
For the relief of occasional sleeplessness

Warnings
Do not use in children under 12 years of age with any other product containing diphenhydramine, even one used on skin.

Ask a doctor before use if you have: asthma, emphysema, chronic pulmonary disease, shortness of breath, or difficulty in breathing; glaucoma; trouble urinating due to an enlarged prostate gland.

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions adults & children 12 years and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor.

Drug Facts (continued)

Other information store between 15-30°C (59-86°F)

Inactive ingredients FD&C BLUE NO.1, GELATIN, GLYCERINE, POLYETHYLENE GLYCOL, SORBITOL. Capsules are imprinted with white dye-free ink.

DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202

MADE IN CANADA

FOR MORE PRODUCT INFORMATION, SCAN UPC USING YOUR KROGER APP OR CALL 800-632-6900

Questions or Comments 1-800-632-6900

*Unison® SleepGels® is a registered trademark of Chatterm, Inc., Chattanooga, TN 37426. Chatterm, Inc., is not affiliated with The Kroger Co. or this product.

PLEASE RECYCLE

Our Brands. Our Guarantee. Love It or Your Money Back.
www.kroger.com

UNIKR010 REV 3/21

Nighttime Sleep-Aid

Sleep Aid Softgels

Diphenhydramine HCl 50 mg
Nighttime Sleep-Aid

Helps to Reduce Difficulty Falling Asleep

64 SOFTGELS

Liquid filled, one softgel per dose

COMPARE TO THE ACTIVE INGREDIENT OF UNISON® SLEEPGELS® *see side panel

NDC 30142-558-44

Nighttime Sleep-Aid

Sleep Aid Softgels

Diphenhydramine HCl 50 mg
Nighttime Sleep-Aid

Helps to Reduce Difficulty Falling Asleep

64 SOFTGELS

Liquid filled, one softgel per dose

COMPARE TO THE ACTIVE INGREDIENT OF UNISON® SLEEPGELS® *see side panel

NDC 30142-558-44

80% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only

0 41260 01319 5

Nighttime Sleep-Aid

Sleep Aid Softgels

Diphenhydramine HCl 50 mg
Nighttime Sleep-Aid

Helps to Reduce Difficulty Falling Asleep

64 SOFTGELS

Liquid filled, one softgel per dose

COMPARE TO THE ACTIVE INGREDIENT OF UNISON® SLEEPGELS® *see side panel

NDC 30142-558-44

Drug Facts

Active ingredient (in each softgel)
Diphenhydramine HCl 50 mg

Purpose
Nighttime Sleep-Aid

Uses
For the relief of occasional sleeplessness

Warnings
Do not use in children under 12 years of age with any other product containing diphenhydramine, even one used on skin.

Ask a doctor before use if you have: asthma, emphysema, chronic pulmonary disease, shortness of breath, or difficulty in breathing; glaucoma; trouble urinating due to an enlarged prostate gland.

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions adults & children 12 years and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor.

DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202

MADE IN CANADA

Our Brands. Our Guarantee. Love It or Your Money Back. www.kroger.com

UNIKR010 REV 3/21

KROGER NIGHTTIME SLEEP-AID
diphenhydramine hcl capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-558
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	A99
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-558-64	1 in 1 CARTON	04/15/2021	
1		64 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part338	04/15/2021	

Labeler - THE KROGER CO (006999528)

Registrant - Reese Pharmaceutical Co (004172052)

