

**CORETEX ANTI-ITCH GEL- camphor, diphenhydramine, zinc acetate gel**  
**CoreTex Products Inc**

-----  
**Cortex Anti-Itch Gel**  
**65753-400**

***Active Ingredients***

Camphor 0.1%

Diphenhydramine hydrochloride 2%

Zinc acetate 1%

***Purpose***

Extrenal analgesic

External analgesic

Skin protectant

***Uses***

- For the temporary relief of itching and pain associated with minor cuts, minor skin irritations and rashes due to insect bites, poison ivy, poison oak, and poison sumac.

***Warnings***

**For external use only.**

**Do Not Use**

- on chicken pox, blisters or on extensive areas of the skin
- with any drugs containing diphenhydramine while using this product.
- Avoid contact with the eyes
- more than directed

**When using the product:**

- Keep out of eyes.

**Stop use and ask a doctor if**

- conditions worsen or if symptoms persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

If swallowed get medical help or contact Poison Control center right away.

***Directions***

Adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. **Children under 2 years of age:** do not use, consult a doctor.

***Other Information***

- protect this product from excessive heat and direct sun.

***Inactive Ingredients***

citric acid, diazolidinyl urea, glycerin, hydroxypropyl methylcellulose, methylparaben, propylene glycol, propylparaben, SD alcohol 40, sodium citrate, water (aqua).

**Questions?**

Call: (877) 684-5774

Made in USA for CoreTex Products, Inc. Erwin, TN 37650 (877) 684-5774

**PRINCIPAL DISPLAY PANEL**  
**65753-400-02**



PMS 187

Black

# Anti-Itch

Dual Action Gel

Itch Relief

Histamine Blocker  
Temporarily Relieves  
Pain & Itching  
from Insect Bites  
and Rashes.

2 FL. OZ. (59 ml)

**Drug Facts**

<b>Active Ingredients:</b>	<b>Purpose(s)</b>
Camphor 10% .....	Eternal analgesic
Diphenhydramine hydrochloride 2% .....	Eternal antihistamine
Zinc acetate 1% .....	Skin protectant

**Uses** • For the temporary relief of itching and pain associated with minor skin irritations and rashes due to insect bites, poison ivy, poison oak, poison sumac. • Dries the oozing and weeping of poison ivy, poison oak, poison sumac.

**Warnings**

**For external use only.**

**Do not use** • on children, on or on extensive areas of the skin • with any other drugs containing diphenhydramine while using this product.

**When using this product** • keep out of eyes.

**Stop use and ask a doctor if** • it could be worse, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.**

**Directions** • Adults and children 2 years of age and older, apply to affected area not more than 3 to 4 times daily or as directed by a doctor.

**Children under 2 years of age ask a doctor.**

**Other information** • protect this product from excessive heat and direct sun.

**Contains:**

citric acid, dimethyl fumarate, glycerin, hydroxypropyl methylcellulose, methylparaben, propylene glycol, propylparaben, SD alcohol 40, sodium citrate, water (aqua).

**Questions? Call: 1-877-884-3774**

982229 26063 117

6 982229 26063 117

© 2014 Conner Products, Inc.  
Evanston, IL 60120 | www.connerproducts.com | (877) 884-3774

# Anti-Itch

Dual Action Gel

**Itch Relief**

**Histamine Blocker**  
Temporarily Relieves  
Pain & Itching  
from Insect Bites  
and Rashes.

6 FL. OZ. (177 ml)

**Drug Facts**

<b>Active Ingredients:</b>	<b>Purpose</b>
Camphor 0.76%	External analgesic
Diethyltolylamide 1.00%	External analgesic
Zinc acetate 2%	Skin protectant

**Uses:** For the temporary relief of itching and pain associated with minor skin irritations and rashes due to insect bites, poison ivy, poison oak, poison sumac. • Dries the oozing and weeping of poison ivy, poison oak, poison sumac.

**Warnings:**

**For external use only.**

**Do not use:** • on children, pte, blisters or on extensive areas of the skin • with any other drug containing diphenhydramine while using this product.

**When using the product:** • keep out of eyes.

**Stop use and ask a doctor if:** • if condition worsens, or if symptoms persist for more than 7 days or recur again within a few days.

**Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.**

**Directions:** • Adults and children 2 years of age and older, apply to affected area not more than 4 times daily, or as directed by a doctor.  
• **Children under 2 years of age: Ask a doctor.**

**Other information:** • protect this product from excessive heat and direct sun.

**Inactive Ingredients:** cetyl and stearyl alcohols, glycerin, hydroxypropyl methylcellulose, methylparaben, propylene glycol, propylparaben, 50 alcohol 40, sodium citrate, water (aqua).

**Questions? Call 1-877-684-5774**

Mfg. for CoreTex Products, Inc.  
Erwin, TN 37650 | www.CoreTexProducts.com  
(877) 684-5774



# Anti-Itch Gel Pouch

<p><b>Drug Facts (continued)</b></p> <p><b>Warnings: For external use only.</b></p> <p><b>Do not use:</b> on chicken pox, blisters or on extensive areas of the skin. •With any other drugs containing diphenhydramine while using this product. •Avoid contact with the eyes. •more than directed</p> <p><b>Stop use and ask a doctor if:</b> if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of the product and consult a doctor.</p> <p><b>Keep out of reach of children.</b> If swallowed get medical help or contact a Poison Control Center right away.</p> <p><b>Directions:</b> Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. <b>Children under 2 years of age:</b> do not use, consult a doctor.</p> <p><b>Other:</b> •Protect this product from excessive heat and direct sun.</p> <p><b>Inactive ingredients:</b> citric acid, diazolidinyl urea, glycerin, hydroxypropyl methylcellulose, methylparaben, propylene glycol, propylparaben, SD alcohol 40, sodium citrate, water (aqua).</p> <p>Made in USA for CoreTex Products, Inc., Erwin, TN 37650 (877) 684-5774</p>									
<p><b>Anti-Itch</b> Dual Action Gel</p>									
<p><b>Drug Facts</b></p> <table border="0"> <tr> <td><b>Active Ingredients</b>.....</td> <td><b>Purpose</b></td> </tr> <tr> <td>Camphor 0.1% .....</td> <td>External analgesic</td> </tr> <tr> <td>Diphenhydramine hydrochloride 2% .....</td> <td>External analgesic</td> </tr> <tr> <td>Zinc acetate 1% .....</td> <td>Skin protectant</td> </tr> </table> <p><b>Uses:</b> For the temporary relief of itching and pain associated with minor cuts, minor skin irritations and rashes, due to insect bites, poison ivy, poison oak, and poison sumac.</p>		<b>Active Ingredients</b> .....	<b>Purpose</b>	Camphor 0.1% .....	External analgesic	Diphenhydramine hydrochloride 2% .....	External analgesic	Zinc acetate 1% .....	Skin protectant
<b>Active Ingredients</b> .....	<b>Purpose</b>								
Camphor 0.1% .....	External analgesic								
Diphenhydramine hydrochloride 2% .....	External analgesic								
Zinc acetate 1% .....	Skin protectant								

Net Weight: 0.034 oz (1 gram)



Black



PMS 187

## CORETEX ANTI-ITCH GEL

camphor, diphenhydramine, zinc acetate gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:65753-400
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)	DIPHENHYDRAMINE	2 g

(DIPHENHYDRAMINE - UNII:8GTS82S83M)	HYDROCHLORIDE	in 100 mL
<b>ZINC ACETATE</b> (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	1 g in 100 mL
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	0.1 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>METHYLCELLULOSE (1500 CPS)</b> (UNII: P0NTE48364)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL 1-ALLYL ETHER</b> (UNII: QRB8092KPK)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65753-400-04	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/26/2019	
2	NDC:65753-400-02	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/26/2019	
3	NDC:65753-400-13	25 in 1 CONTAINER	11/26/2019	
3		1 mL in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:65753-400-14	300 in 1 CONTAINER	11/26/2019	
4		1 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/25/2019	

**Labeler** - CoreTex Products Inc (061944620)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosmetic Enterprises		017701475	manufacture(65753-400)

## Establishment

Name	Address	ID/FEI	Business Operations
CoreTex Products Inc		061944620	pack(65753-400)

Revised: 11/2023

CoreTex Products Inc