

REGIONAL ALLERGIES NORTHEASTERN U.S.- adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, agraphis nutans, allium cepa, arum triphyllum, arundo mauritanica, collinsonia canadensis, cortisone aceticum, euphrasia officinalis, galphimia glauca, histaminum hydrochloricum, kali muriaticum, natrum muriaticum, rna, rumex crispus, sabadilla, salvia officinalis, tanacetum vulgare, trifolium pratense, vinca minor liquid King Bio Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Regional Allergies Northeastern U.S.

Directions

Initially, depress pump until primed.

Spray one dose directly into mouth.

Adults: 3 sprays 3 times per day.

Children ages 6-12: 2 sprays 3 times per day.

Consult a physician for use in children under 6 years of age.

Use additionally as needed, up to 6 times per day.

Reference image: Northeastern.jpg

Other information

Tamper resistant for your protection.

Use only if safety seal is intact.

Keep carton for complete drug facts and product information.

Questions? Call 866.298.2740

King Bio, Inc. 3 Westside Drive

Asheville, NC 2806 USA

FDA Reg. #1053442

For latest product information and instructions: www.DrKings.com

Reference image: Northeastern.jpg

Inactive Ingredients

Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (*Lonicera japonica*), Polylysine, Purified Water, Shagbark Hickory (*Carya Ovata*) Bark Extract, Steviol (Steviol Glycosides).

Reference image: Northeastern.jpg

Active ingredients

Equal volumes of each HPUS ingredient in 12X, 30X, and 1LM potencies.

Adenosinum cyclophosphoricum, Adrenalinum, Adrenocorticotrophin (30X), Agraphis nutans, Allium cepa, Arum triphyllum, Arundo mauritanica, Collinsonia canadensis, Cortisone aceticum, Euphrasia officinalis, Galphimia glauca, Histaminum hydrochloricum, Kali muriaticum, Natrum muriaticum, RNA, Rumex crispus, Sabadilla, Salvia officinalis, Tanacetum vulgare, Trifolium pratense and Vinca minor.

**“HPUS” indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

Reference image: Northeastern.jpg

Uses

For temporary relief of allergy symptoms commonly experienced in CT, DC, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VT:

itchy, watery eyes

runny nose

sneezing

sore throat

sinus congestion

cough

stuffy nose

fatigue

itchy, irritated skin

hoarseness

headache

† as per various homeopathic materia medicas. Claims based on traditional homeopathic practice, not accepted medical evidence. These uses have not been evaluated by the FDA, and product has not been clinically tested.

Reference image: Northeastern.jpg

Warnings

Stop use and consult a physician if symptoms worsen or persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately.

Reference image: Northeastern.jpg

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately.

Reference image: Northeastern.jpg

Adenosinum cyclophosphoricum.....headache, runny nose
Adrenalinum hay fever, swollen sinuses, lung congestion
Adrenocorticotrophin (30X)congestion, cough
Agraphis nutans swollen glands or tonsils
Allium cepa.....hay fever, sinus headache, sneezing
Arum triphylluminflammation of nasal mucus membranes
Arundo mauritanicanasal congestion and itching
Collinsonia canadensis.....hoarseness, dry cough, runny nose
Cortisone aceticum.....allergic reaction, irritability
Euphrasia officinalis.....discharge from eyes and nose
Galphimia glauca..... swollen eyelids, hay fever
Histaminum hydrochloricum coughing fits, itching throat
Kali muriaticum.....hoarseness, stuffy nose, nosebleed
Natrum muriaticumwatery eyes, sneezing
RNA allergic reactions
Rumex crispus.....raw throat with much mucus, dry cough
Sabadilla..... sore throat, runny nose, sneezing fits
Salvia officinalis..... tickling cough, fever
Tanacetum vulgareeye pain, laborious breathing
Trifolium pratense..... choking cough, hoarseness
Vinca minor..... rapid respiration, spasmodic cough

HPUS” indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

Reference image: Northeastern.jpg

Drug Facts (continued)

Directions

- Initially, depress pump until primed.
- Spray one dose directly into mouth.
- Adults: 3 sprays 3 times per day.
- Children ages 6-12: 2 sprays 3 times per day.
- Consult a physician for use in children under 6 years of age.
- Use additionally as needed, up to 6 times per day.

Other information

Tamper resistant for your protection. Use only if safety seal is intact.

Inactive ingredients

Citrus Extract* (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), Polylysine, Purified Water, Shagbark Hickory (Carya ovata) Bark Extract, Steviol (Steviol glycosides).

*Organic ingredient

Keep carton for complete drug facts and product information.

Questions? Call 888.298.2740
King Bio, Inc. - 3 Westside Drive
Asheville, NC 28806 USA
FDA Reg. #1053442
For latest product information and instructions, visit
www.DrKings.com

kingbio

HOMEOPATHIC

Dr. King's

NATURAL MEDICINE

**Regional Allergies
Northeastern
U.S.**

For the temporary relief of:
Congestion & Sneezing
Headache & Fatigue
Itchy, Watery Eyes

Oral Spray
Pure Water Base

2 fl oz (59 mL)

Gluten Free • Less Than 1% Alcohol

Frank King, ND, DC, has facilitated optimal health empowerment for 40+ years. To help maximize your success, see Dr. King's tips and techniques: DrKings.com

Dr. King's Allergy Solutions

This product addresses symptoms from the allergens of regionally specific trees, flowers, grasses, and molds in CT, DC, DE, MA, MD, ME, NH, NJ, NY, PA, RI, and VT.

The Dr. King's Difference

Dr. King has formulated more than 500 safe, natural medicines for people and pets.

- Advanced Formulas
- Triple Potency Strength
- Broad Spectrum Relief
- Bio-Energetically Enhanced
- Pure Water Base
- Naturally Preserved

Homeopathic medicine[†] has no known negative side effects and no known drug interactions.

[†]When prepared according to Homeopathic Pharmacopoeia of the United States (HPUS) standards.

Drug Facts

Active ingredients **Purpose** †

Equal volumes of each HPUS** ingredient in 12X, 30X, and 1LM potencies unless otherwise noted.

Adenosinum cyclophosphoricum.....headache, runny nose
Adrenalinum.....hay fever, swollen sinuses, lung congestion
Adrenocorticotrophin (30X).....congestion, cough
Agraphis nutans.....swollen glands or tonsils
Allium cepa.....hay fever, sinus headache, sneezing
Arum triphyllum.....inflammation of nasal mucous membranes
Arundo mauritanica.....nasal congestion and itching
Collinsonia canadensis.....hoarseness, dry cough, runny nose
Cortisone aceticum.....allergic reaction, irritability
Euphrasia officinalis.....discharge from eyes and nose
Galphimia glauca.....swollen eyelids, hay fever
Histaminum hydrochloricum.....coughing fits, itching throat
Kali muriaticum.....hoarseness, stuffy nose, nosebleed
Natrum muriaticum.....watery eyes, sneezing
Rumex crispus.....raw throat with much mucus, dry cough
Sabadilla.....sore throat, runny nose, sneezing fits
Salvia officinalis.....tickling cough, fever
Tanacetum vulgare.....eye pain, laborious breathing
Trifolium pratense.....choking cough, hoarseness
Vinca minor.....rapid respiration, spasmodic cough

**HPUS[†] indicates the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.

Uses for temporary relief of allergy symptoms commonly experienced in CT, DC, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VT. ■ Itchy, watery eyes ■ runny nose ■ sneezing ■ sore throat ■ sinus congestion ■ cough ■ stuffy nose ■ fatigue ■ itchy, irritated skin ■ hoarseness ■ headache.

† as per various homeopathic materia medicas. Claims based on traditional homeopathic practice, not accepted medical evidence. These uses have not been evaluated by the FDA, and product has not been clinically tested.

Warnings

- Stop use and consult a physician if symptoms worsen or persist for more than 7 days.
- If pregnant or breast-feeding, ask a healthcare professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Package is larger than product size. Shaded bottle depicted is actual size.

REGIONAL ALLERGIES NORTHEASTERN U.S.

adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, agraphis nutans, allium cepa, arum triphyllum, arundo mauritanica, collinsonia canadensis, cortisone aceticum, euphrasia officinalis, galphimia glauca, histaminum hydrochloricum, kali muriaticum, natrum muriaticum, ma, rumex crispus, sabadilla, salvia officinalis, tanacetum vulgare, trifolium pratense, vinca minor liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57955-2808
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ADENOSINE CYCLIC PHOSPHATE (UNII: E0399OZ59N) (ADENOSINE CYCLIC PHOSPHATE - UNII:E0399OZ59N)	ADENOSINE CYCLIC PHOSPHATE	12 [hp_X] in 59 mL
EPINEPHRINE (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	12 [hp_X] in 59 mL
CORTICOTROPIN (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	30 [hp_X] in 59 mL
HYACINTHOIDES NON-SCRIPTA WHOLE (UNII: 5F658PFU56) (HYACINTHOIDES NON-SCRIPTA WHOLE - UNII:5F658PFU56)	HYACINTHOIDES NON-SCRIPTA WHOLE	12 [hp_X] in 59 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	12 [hp_X] in 59 mL
ARISAEMA TRIPHYLLUM ROOT (UNII: DM64K844DM) (ARISAEMA TRIPHYLLUM ROOT - UNII:DM64K844DM)	ARISAEMA TRIPHYLLUM ROOT	12 [hp_X] in 59 mL
ARUNDO PLINIANA ROOT (UNII: ZXE7LB03WC) (ARUNDO PLINIANA ROOT - UNII:ZXE7LB03WC)	ARUNDO PLINIANA ROOT	12 [hp_X] in 59 mL
COLLINSONIA CANADENSIS ROOT (UNII: O2630F3XDR) (COLLINSONIA CANADENSIS ROOT - UNII:O2630F3XDR)	COLLINSONIA CANADENSIS ROOT	12 [hp_X] in 59 mL
CORTISONE ACETATE (UNII: 882WKN7W8Y) (CORTISONE - UNII:882WKN7W8Y)	CORTISONE ACETATE	12 [hp_X]

CORTISONE ACETATE (UNII: 865WRN7W6X) (CORTISONE - UNII:VZ7W9Z34FZ)	CORTISONE ACETATE	in 59 mL
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	12 [hp_X] in 59 mL
GALPHIMIA GLAUCA FLOWERING TOP (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E)	GALPHIMIA GLAUCA FLOWERING TOP	12 [hp_X] in 59 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	12 [hp_X] in 59 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CATION	12 [hp_X] in 59 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	12 [hp_X] in 59 mL
SACCHAROMYCES CEREVISIAE RNA (UNII: J17GBZ5VGX) (SACCHAROMYCES CEREVISIAE RNA - UNII:J17GBZ5VGX)	SACCHAROMYCES CEREVISIAE RNA	12 [hp_X] in 59 mL
RUMEX CRISPUS ROOT (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)	RUMEX CRISPUS ROOT	12 [hp_X] in 59 mL
SCHOENOCAULON OFFICINALE SEED (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	12 [hp_X] in 59 mL
SAGE (UNII: 065C5D077J) (SAGE - UNII:065C5D077J)	SAGE	12 [hp_X] in 59 mL
TANACETUM VULGARE TOP (UNII: D52957JQ8M) (TANACETUM VULGARE TOP - UNII:D52957JQ8M)	TANACETUM VULGARE TOP	12 [hp_X] in 59 mL
TRIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) (TRIFOLIUM PRATENSE FLOWER - UNII:4JS0838828)	TRIFOLIUM PRATENSE FLOWER	12 [hp_X] in 59 mL
PERVINCA MINOR WHOLE (UNII: WGM46PQF02) (PERVINCA MINOR WHOLE - UNII:WGM46PQF02)	PERVINCA MINOR WHOLE	12 [hp_X] in 59 mL

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CITRUS AURANTIUM FRUIT OIL (UNII: 59JDQ5VT0T)	
ORANGE PEEL (UNII: T19T76XD44)	
CITRUS RETICULATA FRUIT OIL (UNII: 25P9H3QU5E)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)	
BENZYLPENICILLOYL POLYLYSINE (UNII: 76479814OY)	
CARYA OVATA BARK (UNII: X765CF609L)	
STEVIOLE (UNII: 4741LYX6RT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57955-2808-2	1 in 1 CARTON	05/18/2022	
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/18/2022	

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

Establishment

Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	manufacture(57955-2808) , api manufacture(57955-2808)

Revised: 9/2022

King Bio Inc.