

**RITE AID EXTRA STRENGTH- aluminum hydroxide and magnesium carbonate tablet, chewable**  
**RITE AID CORPORATION**

-----  
**Extra Strength 100 Chewable Antacid Tablets**

***Active ingredients (in each tablet)***

Aluminum hydroxide 160 mg

Magnesium carbonate 105 mg

***Purpose***

Antacid

Antacid

***Uses***

relieves

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

***Warnings***

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug. Antacids may interact with certain prescription drugs
- on a sodium-restricted diet

**When using this product**

- do not take more than 16 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

***Directions***

- chew 2 to 4 tablets four times a day
- take after meals and at bedtime or as needed

- for best results follow by a half glass of water or other liquid
- do not swallow tablets whole

### ***Other information***

- **each tablet contains:** sodium 19 mg, magnesium 31 mg
- **Do not use if printed seal under cap is torn or missing**
- Store at up to 25°C (77°F) in a dry place.

### ***Inactive ingredients***

alginic acid, calcium stearate, compressible sugar, flavor, sodium bicarbonate, starch (corn), sucrose.

### **Questions or comments?**

**1-866-467-2748**

### **Principal Display Panel**

**RITE AID PHARMACY®**

**NDC 11822-1051-0**

**Compare to the active ingredients Gaviscon® Extra Strength.**

Extra Strength

Antacid

Aluminum Hydroxide, 160 mg

Magnesium Carbonate, 105 mg

fast-acting

heartburn relief

helps keep acid down for hours

100 CHEWABLE TABLETS

**DISTRIBUTED BY:**

**RITE AID, 30 HUNTER LANE**

**CAMP HILL, PA 17011**

**MADE IN USA**

**IF YOU'RE NOT SATISFIED, WE'ALL HAPPILY REFUND YOUR MONEY.**

\*This product is not manufactured or distributed by GlaxoSmithKline, the distributor of Gaviscon® Extra Strength Antacid.



DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

**Drug Facts**

**Active ingredients (in each tablet)**  
 Aluminum hydroxide 160 mg.....Antacid  
 Magnesium carbonate 105 mg.....Antacid

**Uses** relieves ■ acid indigestion ■ heartburn ■ sour stomach  
 ■ upset stomach associated with these symptoms

**Warnings**  
**Ask a doctor or pharmacist before use if you are**  
 ■ taking a prescription drug. Antacids may interact with certain prescription drugs. ■ If you are on a sodium-restricted diet

**When using this product**  
 ■ do not take more than 16 tablets in 24 hours  
 ■ do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

**Directions**  
 ■ chew 2 to 4 tablets completely four times a day or as directed by a doctor  
 ■ take after meals and at bedtime or as needed  
 ■ do not use if you are taking any other antacid medicine  
 ■ DO NOT SWALLOW TABLETS WHOLE

**Other information**  
 ■ each tablet contains: magnesium 31 mg, sodium 19 mg  
 ■ store at room temperature

**Inactive ingredients** alginic acid, calcium stearate, compressible sugar, flavor, sodium bicarbonate, starch (corn), sucrose.

**Questions or comments? 1-866-467-2748**

\* This product is not manufactured or distributed by GlaxoSmithKline, the distributor of Gaviscon® Extra Strength Antacid.

**WARNING**  
 Consuming this product can expose you to chemicals including lead, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

**DISTRIBUTED BY:**  
 RITE AID, 30 HUNTERLANE,  
 CAMP HILL, PA 17011  
[www.riteaid.com](http://www.riteaid.com)

**SATISFACTION GUARANTEE:**  
 If you're not satisfied,  
 we'll happily refund your money.

LOT: 105100R1TLR  
 EXP: 11822126630 7

2.5"

## RITE AID EXTRA STRENGTH

aluminum hydroxide and magnesium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-1051
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	160 mg
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	105 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ALGINIC ACID</b> (UNII: 8C3Z4148WZ)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	RP105
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1051-0	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/14/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/14/2019	

**Labeler** - RITE AID CORPORATION (014578892)

Revised: 11/2023

RITE AID CORPORATION