# TUSSIN DM ADULT COUGH AND CHEST CONGESTION- dextromethorphan hydrobromide, guaifenesin solution CVS Pharmacy

-----

CVS Pharmacy, Inc. Tussin DM Drug Facts

## Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

### **Purposes**

Cough suppressant

Expectorant

### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

# Warnings

### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

# Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- · keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children	10 mL every 4 hours	
12 years and over		
children under 12 years	do not use	

### Other information

- each 10 mL contains: sodium 6 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

## **Inactive ingredients**

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

### **Questions or comments?**

1-800-719-9260

# **Principal Display Panel**

CVS Health™

Compare to the active ingredient in Robitussin® Cough + Chest Congestion DM

Non-Drowsy

Tussin DM

**DEXTROMETHORPHAN HBr** 

Cough suppressant

**GUAIFENESIN** 

**Expectorant** 

Adult Cough & Chest Congestion

Relieves:

Cough

Chest congestion/mucus


Alcohol free

For ages 12 & over

Dosage cup provided

Actual Size Product on Side Panel

12 FL OZ (355 mL)











Compare to the active ingredients in Robitussin® Cough + Chest Congestion DM\*

NDC 59779-359-40

# **Non-Drowsy** Tussin DM

**DEXTROMETHORPHAN HBr** Cough suppressant GUAIFENESIN

Expectorant **Adult Cough & Chest Congestion** 

- · Chest congestion/mucus

Alcohol free



Actual Size Product on Side Panel

12 FL OZ (355 mL)



Choose the correct Tussin formula for your symptoms

Chest congestion with dry cough

Loosens chest congestion to help coughs clear chest.

Long-Acting Tussin: Frequent coughs • Controls coughs 6-8 hours

### Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg......Co Guaifenesin, USP 200 mg..... ...Cough suppressant .....Expectorant

Purposes

### Uses

- throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings
Do not use if you are now taking a prescription
monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

 cough that occurs with too much phlegm (mucus)
 cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health

professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- Directions
   do not take more than 6 doses in any 24-hour period

- 24-hour period

  measure only with dosing cup provided
  keep dosing cup with product

  mL = milliliter

  this adult product is not intended for use
  in children under 12 years of age

### Drug Facts (continued)

age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

### Other information

■ each 10 mL contains: sodium 6 mg ■ store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

# Questions or comments? 1-800-719-9260

© 2015 CVS/pharmacy CVS.com® 1-800-SHOP CVS





distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING



www.StopMedicineAbuse.org







LOT NO.

EXP.

# TUSSIN DM ADULT COUGH AND CHEST CONGESTION

dextromethorphan hydrobromide, quaifenesin solution

### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:59779-359

**Route of Administration ORAL** 

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	RED (Orange-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-359- 26	1 in 1 CARTON	05/10/1996	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59779-359- 34	1 in 1 CARTON	09/24/1991	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:59779-359- 40	1 in 1 CARTON	04/14/1993	01/31/2020
3		355 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/24/1991	

# Labeler - CVS Pharmacy (062312574)

Revised: 10/2023 CVS Pharmacy