

ACID CONTROLLER ORIGINAL STRENGTH- famotidine tablet, film coated
Walgreen Company

Walgreen Co. Acid Controller Drug Facts

Active ingredient (in each tablet)

Famotidine 10 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, pregelatinized starch, polydextrose, polyethylene glycol, talc, titanium dioxide, triacetin

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Pepcid® AC active ingredient

Acid Controller

FAMOTIDINE TABLETS, 10 mg / ACID REDUCER

ORIGINAL STRENGTH

Just one tablet prevents & relieves heartburn due to acid indigestion

30 TABLETS

ACTUAL SIZE

SEE NEW WARNINGS

3 1191707727
 100% SATISFACTION GUARANTEED
 200 WILLMOT RD., JEFFERSON, IL 60135
 WALGREENS.COM ©2018 Walgreen Co
 ITEM 582491 W10106-012-04

Drug Facts (continued)
Questions or comments? 1-800-7-19-9260
 Walgreens Pharmacist Recommended
 Walgreens Pharmacist Survey
 This product is manufactured or distributed by Johnson & Johnson Consumer Inc., distributed or of Pepcid® AC.

AUTO-REORDER & SAVE

Buy this item often?
 Free shipping + 20% off regular price
 Learn more at Walgreens.com/AutoReorder

Drug Facts (continued)
Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.
Stop use and ask a doctor if your heartburn continues or worsens or you need to take this product for more than 14 days.
If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)
Directions Adults and children 12 years and over: ■ to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew. ■ to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15 to 60 minutes before eating food or drinking beverages that cause heartburn. ■ do not use more than 2 tablets in 24 hours. ■ children under 12 years: ask a doctor.
Other information Read the directions and warnings before use. ■ keep the carton, it contains important information. ■ store at 20°-25° C (68°-77° F). ■ protect from moisture.
Inactive ingredients carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin. ▲

Drug Facts
Active ingredient (in each tablet) Purpose Famotidine 10 mg.....Acid reducer
Uses ■ relieves heartburn associated with acid indigestion and soothes stomach ■ prevents heartburn associated with acid indigestion and soothes stomach brought on by eating and drinking certain food and beverages
Warnings ■ **Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers
Do not use ■ if you have trouble or pain in swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. ■ with other acid reducers
Ask doctor before use if you have ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ heartburn with lightheadedness, sweating, or dizziness. ■ chest pain or sharp pain with shortness of breath; ■ swelling, pain, or redness of arms, neck, or shoulders; ■ fainting or dizziness. ■ stomach pain ■ kidney disease ■ nausea or vomiting ■ unexplained weight loss
Other information ■ frequent wheezing, particularly with heartburn ■ frequent chest pain ■ frequent lightheadedness ■ swelling, pain, or redness of arms, neck, or shoulders; ■ chest pain or sharp pain with shortness of breath; ■ heartburn with lightheadedness, sweating, or dizziness. ■ more serious condition. ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ heartburn with lightheadedness, sweating, or dizziness. ■ chest pain or sharp pain with shortness of breath; ■ swelling, pain, or redness of arms, neck, or shoulders; ■ fainting or dizziness. ■ stomach pain ■ kidney disease ■ nausea or vomiting ■ unexplained weight loss
Stomach pain ■ kidney disease

OPEN OTHER END

Good to Go!

14165 94 C4

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

Just one tablet prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

ORG117-F
 REV-1119

Walgreens

Compare to Pepcid® AC active ingredient**

NDC 0383-0141-65

Acid Controller
 FAMOTIDINE TABLETS, 10 mg /
 ACID REDUCER

ORIGINAL STRENGTH

- Just one tablet prevents & relieves heartburn due to acid indigestion

30 TABLETS





ACID CONTROLLER ORIGINAL STRENGTH

famotidine tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0141
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L141
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0141-65	30 in 1 CARTON	11/25/2009	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0141-75	1 in 1 CARTON	08/28/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075400	08/28/2009	

Labeler - Walgreen Company (008965063)

Revised: 1/2020

Walgreen Company