

**LIDOCAINE HCL 4% - lidocaine hcl 4% ointment**  
**WALGREENS CO.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Walgreens Pain Relieving Cream + Lidocaine**  
**Lidocaine HCl 4%**

Lidocaine HCl 4%

benzyl alcohol, carbomer, hydrogenated lecithin, polysorbate 80, propylene glycol, purified water, triethanolamine, vitamin E

Adults and children 12 years and older: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 to 4 applications in a 24-hour period.

**BEFORE AND AFTER APPLYING, WASH HANDS WITH SOAP AND WATER.**

Children under 12 years: ask a doctor

temporary relieves minor joint and muscle pain

**For external use only**

**Do not use** on large areas of the body or on cut, irritated or swollen skin, on puncture wounds, for more than one week without consulting a doctor.

**When using this product** use only as directed. Read and follow all directions and warnings on this carton, do not allow contact with the eyes, do not bandage or apply local heat (such as heating pads) to the area of use.

Stop use and ask a doctor if condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days.

**If pregnant or breast-feeding**, ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Topical anesthetic



- Temporarily relieves minor joint and muscle pain
- No irritation or burning

**Walgreens**

Compare to Odor Free Aspercreme® with 4% Lidocaine active ingredient!

MAXIMUM STRENGTH NON-GREASY

NDC 0363-4810-72

Temporarily relieves minor joint and muscle pain

ODOR FREE

**Walgreens**

# Pain Relieving Cream + Lidocaine

LIDOCAINE HCl 4% / TOPICAL ANESTHETIC

MAXIMUM STRENGTH NON-GREASY

NET WT 2.7 OZ (76.5 g)



100% SATISFACTION GUARANTEED  
 Walgreens  
 DISTRIBUTED BY: WALGREEN CO.  
 200 WILMOT RD., DEERFIELD, IL 60015  
 walgreens.com @2018WalgreenCo.

**Drug Facts**

**Active ingredient** Lidocaine HCl 4%

**Purpose** Topical anesthetic

**Uses** Temporarily relieves minor joint and muscle pain.

**Warnings** For external use only.

**When using this product** Use only as directed. Read and follow all directions and warnings on this carton.

**Do not use** Do not use on large areas of the body or on cut, irritated or swollen skin.

**Stop use and ask a doctor if** symptoms persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children and pets.**

**Directions** Adults and children 12 years of age and older: Apply a thin layer to affected area every 6 to 8 hours, not to exceed 2 to 4 applications in a 24 hour period. Children under 12 years of age: ask a doctor.

**BEFORE AND AFTER APPLYING, WASH HANDS WITH SOAP AND WATER.**

**Inactive ingredients** Benzyl alcohol, carbomer, hydroxyethylcellulose, polyethylene glycol, purified water, triethylamine, vitamin E.

**Questions or comments?** 1-888-577-8333

Read and keep outside carton for complete product information.  
 Child resistant and tamper evident. Do not use if the tamper evident seal is missing or broken.  
 Close cap tightly after each use.



LEBG941H

Walgreens

- Temporarily relieves minor joint & muscle pain
- No irritation or burning

MAXIMUM STRENGTH NON-GREASY

Compare to Odor Free Aspercreme® with 4% Lidocaine active ingredient††

NDC 0383-4510-47

1/8 X 1/8 PERF

Temporarily relieves minor joint and muscle pain

ODOR FREE

Walgreens

NEW

PHARMACIST

Walgreens  
Trusted since 1901™

RECOMMENDED!

Health expertise  
you rely on.™

# Pain Relieving Cream + Lidocaine

LIDOCAINE HCl 4% / TOPICAL ANESTHETIC

MAXIMUM STRENGTH NON-GREASY

NET WT 4.7 OZ (133 g)

READ AND KEEP OUTSIDE CARTON FOR COMPLETE PRODUCT INFORMATION. CHILD RESISTANT AND TAMPER EVIDENT: DO NOT USE IF THE BOTTLE IS DAMAGED OR TAMPERED WITH. CLOSE CAP TIGHTLY AFTER EACH USE.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD, DEERFIELD, IL 60015  
**100% SATISFACTION GUARANTEED**  
walgreens.com ©2019 Walgreen Co.  
MADE IN U.S.A.

ITEM 542148 W10058-1119-L



ORG0419-F

REV-1119  
C1451047

††This product is not manufactured or distributed by Chatterm, Inc., the distributor of Aspercreme®.

**Drug Facts**

**Active Ingredient**  
Lidocaine HCl 4%  
**Purpose**  
Topical anesthetic

**Uses**  
Temporarily relieves minor joint and muscle pain

**Warnings**  
For external use only  
Do not use on large areas of the body or on cut, irritated or swollen skin  
Do not use on puncture wounds for more than one week without consulting a doctor  
When using this product use only as directed. Read and follow all directions and warnings on the carton.  
Do not allow contact with the eyes. Do not bandage or apply local heat (such as heating pads) to the area of use  
Stop use and ask a doctor if condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children and pets.  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Adults and children 12 years of age and older: Apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 to 4 applications in a 24 hour period.  
Children under 12 years of age: ask a doctor.

**Active Ingredients**  
benzyl alcohol, carbomer, hydrogenated lecithin, polyorbate 80, propylene glycol, purified water, purified water, triethanolamine, vitamin E.

**Questions or comments? 1-888-577-8033**

LEBGG909N

## LIDOCAINE HCL 4%

lidocaine hcl 4% ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-4510	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)				
WATER (UNII: 059QF0K00R)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
CARBOMER 940 (UNII: 4Q93RCW27E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
TROLAMINE (UNII: 9O3K93S3TK)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-4510-72	76.5 g in 1 BOTTLE; Type 0: Not a Combination Product	01/04/2019	
2	NDC:0363-4510-47	133 g in 1 BOTTLE; Type 0: Not a Combination Product	01/04/2019	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph not final	part348	01/04/2019		

**Labeler** - WALGREENS CO. (008965063)

Revised: 10/2020

WALGREENS CO.