

ALLERGY CHILDRENS- diphenhydramine hydrochloride liquid
We Care Distributors Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

We Care Allergy Drug Facts

Active ingredient (in each 5 mL)*

Diphenhydramine HCl 12.5 mg

*5 mL = 1 teaspoon (tsp)

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to common cold:
- runny nose
- sneezing

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives or tranquilizers may increase drowsiness
- be careful when operating a motor vehicle or operating machinery
- excitability may occur especially in children

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take every 4 - 6 hours
- do not take more than 6 times in 24 hours

Age (yr)	Dose
Adult and children 12 years of age and over	10-20 mL (25 to 50 mg)
Children 6 to under 12 years of age	5-10 mL (12.5 to 25 mg)
Children under 6 years of age	Ask a doctor

Other information

- store at room temperature 15-30°C (59-86°F)
- protect from freezing
- protect from light
- each teaspoon (5 mL) contains: sodium 16 mg

Inactive ingredients

citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sodium saccharin, sorbitol, sucrose

Questions or comments?

1-888-705-WECARE (Mon-Fri 9am-5pm EST) or www.wecaredistributor.com

Principal Display Panel

Compare to the active ingredient in Children's Benadryl® Allergy Liquid

See New Warnings and Directions

CHILDREN'S ALLERGY

LIQUID MEDICATION

DIPHENHYDRAMINE HCl

ORAL SOLUTION

ANTIHISTAMINE

Relieves: Sneezing, Runny nose, Itchy, watery eyes, Itchy throat

Cherry Flavored

Alcohol Free

TAMPER EVIDENT: Do not use this product if printed inner cap seal is broken or missing.

Drug Facts

Active ingredients (in each 5 mL)
Diphenhydramine HCl 12.5 mg..... Antihistamine

Purpose
Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to common cold:
 - runny nose
 - sneezing

Warnings
Do not use

- with any other product containing diphenhydramine, even on used on skin,
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis,
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- take every 4-6 hours
- Do not use more than 6 times in 24 hours

Age	Dose
Adults and children 12 years of age and over	10-20 mL (25 to 50 mg)
Children 6 to under 12 years of age	5-10 mL (12.5 to 25 mg)
Children under 6 years of age	Ask a doctor

Other information

- store at room temperature 15-30°C (59-86°F).
- protect from freezing
- protect from light
- each teaspoon (5 mL) contains: sodium 16 mg

Inactive ingredients
 citric acid, D&C Red #33, FD&C Red #40, flavor, glycerin**, poloxamer 407**, purified water, sodium benzoate, sodium citrate, sodium chloride**, sodium saccharin**, sorbitol**, sucrose

Keep carton for reference
 ** Contains one or more of these ingredients

Manufactured for/Distributed by:
 We Care Distributor Inc.
 Hermitage, TN 37076
 www.wecaredistributor.com



0 70005 03601 4

NDC: 70005-036-01



CHILDREN'S ALLERGY MEDICINE

COMPARE TO ACTIVE INGREDIENTS IN Benadryl® Liquid*

Diphenhydramine HCl / Antihistamine

4-6 Hour Dose

Relief of:

- Runny Nose
- Sneezing
- Itchy Watery Eyes
- Itchy Throat

Cherry Flavor



*This product is not manufactured or distributed by the owner of the registered trademark of Benadryl®.

4 FL OZ (120 mL) - 12.5 mg per 5 mL

NDC: 70005-036-01



CHILDREN'S ALLERGY MEDICINE

COMPARE TO ACTIVE INGREDIENTS IN Benadryl® Liquid*

Diphenhydramine HCl / Antihistamine

4-6 Hour Dose

Relief of:

- Runny Nose
- Sneezing
- Itchy Watery Eyes
- Itchy Throat

Cherry Flavor



*This product is not manufactured or distributed by the owner of the registered trademark of Benadryl®.

4 FL OZ (120 mL) - 12.5 mg per 5 mL

ALLERGY CHILDRENS

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70005-036
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
WATER (UNII: 059QF0K00R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCROSE (UNII: C151H8M554)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	RED (Bluish-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70005-036-01	1 in 1 CARTON	06/21/2016	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/21/2016	

Labeler - We Care Distributors Inc. (079832998)

Establishment

Name	Address	ID/FEI	Business Operations
Purine Pharma		019950491	manufacture(70005-036)

Revised: 8/2016

We Care Distributors Inc.