

ALMOND- prunus dulcis injection, solution
APPLE- malus domestica injection, solution
APRICOT- prunus armeniaca injection, solution
ASPARAGUS- asparagus officinalis injection, solution
AVOCADO- persea americana injection, solution
BANANA- musa sapientum injection, solution
BARLEY- hordeum vulgare injection, solution
BEEF- bos taurus injection, solution
BELL PEPPER- capsicum annuum injection, solution
BLACK PEPPER- piper nigrum injection, solution
BRAZIL NUT- bertholletia excelsa injection, solution
BROCCOLI- brassica oleracea var. botrytis injection, solution
BUCKWHEAT- fagopyrum esculentum injection, solution
CABBAGE- brassica oleracea var. capitata injection, solution
CANTALOUPE- cucumis melo cantalupensis injection, solution
CARROT- daucus carota injection, solution
CASEIN- bos taurus injection, solution
CELERY- apium graveolens injection, solution
CHERRY- prunus avium injection, solution
CHICKEN MEAT- gallus gallus injection, solution
CINNAMON- cinnamomum verum injection, solution
CLAM- mercenaria mercenaria injection, solution
COCOA BEAN- theobroma cacao injection, solution
COCONUT- cocos nucifera injection, solution
CODFISH- gadus morhua injection, solution
COFFEE- coffee arabica injection, solution
COWS MILK- bos taurus injection, solution
CRAB- paralithodes camtschaticus injection, solution
CUCUMBER- cucumis sativus injection, solution
EGG WHITE- gallus gallus injection, solution
EGG YOLK- gallus gallus injection, solution
EGG, WHOLE- gallus gallus injection, solution
ENGLISH WALNUT- juglans regia injection, solution
FLOUNDER- paralichthys dentatus injection, solution
GARLIC- allium sativum injection, solution
GOATS MILK- capra aegagrus hircus injection, solution
GRAPEFRUIT- citrus x paradisi injection, solution
GREEN PEA- pisum sativum injection, solution
HALIBUT- hippoglossus hippoglossus injection, solution
HONEYDEW- cucumis melo injection, solution
KIDNEY BEAN- phaseolus vulgaris injection, solution
LAMB- ovis aries injection, solution
LEMON- citrus limon injection, solution
LETTUCE- lactuca sativa injection, solution
LIMA BEAN- phaseolus lunatus injection, solution
LOBSTER- homarus americanus injection, solution
MIXED FISH- paralichthys dentatus, gadus morhua, hippoglossus hippoglossus injection, solution
MIXED SHELLFISH- paralithodes camtschaticus, crangon crangon, homarus americanus, crassostrea virginica injection, solution

MUSHROOM- agaricus campestris injection, solution
MUSTARD- sinapis alba injection, solution
OAT GRAIN- avena sativa injection, solution
OLIVE- olea europaea injection, solution
ONION- allium cepa injection, solution
ORANGE- citrus x sinensis injection, solution
OYSTER- crassostrea virginica injection, solution
PEACH- prunus persica injection, solution
PEANUT- arachis hypogaea injection, solution
PEAR- pyrus communis injection, solution
PECAN NUT- carya illinoinensis injection, solution
PINEAPPLE- ananas comosus injection, solution
PISTACHIO NUT- pistacia vera injection, solution
PLUM- prunus domestica injection, solution
PORK- sus scrofa injection, solution
RICE- oryza sativa injection, solution
RYE GRAIN- secale cereale injection, solution
SALMON- salmo salar injection, solution
SESAME SEED- sesamum indicum injection, solution
SHRIMP- crangon crangon injection, solution
SOYBEAN- glycine max injection, solution
SPINACH- spinacia oleracea injection, solution
SQUASH- curcubita pepo injection, solution
STRAWBERRY- fragaria x ananassa injection, solution
STRINGBEAN- phaseolus vulgaris injection, solution
SWEET CORN- zea mays injection, solution
SWEET POTATO- ipomoea batatas injection, solution
THEA SINENSIS- thea sinensis injection, solution
TOMATO- solanum lycopersicum injection, solution
TUNA- thunnus thynnus injection, solution
TURKEY- meleagris gallopavo injection, solution
VANILLA- vanilla planifolia injection, solution
VITIS SPP- vitis spp injection, solution
WATERMELON- citrullus lanatus injection, solution
WHEAT GRAIN- triticum aestivum injection, solution
WHITE POTATO- solanum tuberosum injection, solution
ALK-Abello, Inc.

Food Allergenic Extracts

**ALLERGENIC EXTRACTS,
FOR DIAGNOSTIC USE ONLY
DIRECTIONS FOR USE**

WARNING

This product is intended for use by physicians who are experienced in the administration of allergenic extracts and the emergency care of anaphylaxis, or for use under the guidance of an allergy specialist.

As with all allergenic extracts, severe systemic reactions may occur. In certain individuals these life-threatening reactions may result in death. Fatalities associated with skin testing have been reported. Patients should be observed for at least 20 - 30 minutes following testing. Emergency measures and adequately trained personnel should be immediately available in the event of a life-threatening reaction.

Patients with unstable asthma or steroid dependent asthmatics and patients with underlying cardiovascular disease are at greater risk to a fatal outcome from a systemic allergic reaction.

Sensitive patients may experience severe anaphylactic reactions resulting in respiratory obstruction, shock, coma and/or death. Adverse events are to be reported to MedWatch (1-800-FDA-1088), Adverse Event Reporting, Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20852-9787. This product should not be injected intravenously. Patients receiving beta blockers may not be responsive to epinephrine or inhaled bronchodilators. Respiratory obstruction not responding to parenteral or inhaled bronchodilators may require theophylline, oxygen, intubation and the use of life support systems. Parenteral fluid and/or plasma expanders may be utilized for the treatment of shock.

Adrenocorticosteroids may be administered parenterally or intravenously. Refer to WARNINGS, PRECAUTIONS, and ADVERSE REACTIONS sections below.

Port Washington, NY 11050

U.S. Government License No. 1256

DESCRIPTION

Sterile diagnostic extracts are supplied in either phenol-saline diluent for Intradermal Testing or in diluent containing glycerin 50% (v/v) for Percutaneous Testing and phenol 0.4% (preservative). Inactive ingredients may include: sodium chloride for isotonicity, glycerin, and sodium bicarbonate as a buffer.

Pollens are individually extracted from pure pollen extracted in a phenol-preserved sodium bicarbonate solution. Short Ragweed and Mixed (Tall and Short) Ragweed extracts are standardized by Antigen E content and so labeled. The Antigen E content of extracts containing Short Ragweed at a concentration more dilute than a weight/volume ratio of 1:10 are obtained by calculating the Antigen E content based on the assay value of more concentrated extract. Pollen extracts are filtered aseptically and after final packaging, they are tested for sterility and safety. Molds are individually extracted from pure powdered inactivated mold source material extracted in phenol preserved saline. Mold extracts are filtered aseptically and after final packaging are tested for sterility and safety.

Molds (fungi) are present in all inhabited places at all seasons of the year; they are so

ubiquitous that they are prevalent at times when common allergic pollens and other inhalants are not. In the home and surroundings, molds are found in upholstered furniture, mattresses, drapes, cellar and storage room dust, woolens, leather goods, fruits, meats, cheeses, garden soil and on plants. Spores, mycelial fragments and mold residues are thus inhaled, contacted and ingested continuously.

Foods, miscellaneous inhalants and epidermals are individually extracted in phenol preserved saline or glycerin, filtered aseptically and after final packaging are tested for sterility and safety.

CLINICAL PHARMACOLOGY

Diagnostically (for skin testing) the allergen combines with IgE antibodies fixed to mast cells in the skin. This complexing causes an increase in cellular permeability and degranulation of the mast cells releasing chemical mediators. These mediators (such as histamine) are responsible for a local inflammatory response of wheal and erythema typical of a positive skin test reaction and also, the symptoms commonly associated with allergic disease.¹ The more mediator release, the larger the reaction (wheal and erythema).

INDICATIONS AND USAGE

These products are for diagnostic use only. Diagnostic allergenic extracts are indicated for use in skin testing to establish the clinical relevance of specific allergens to which the patient has been exposed. By measuring skin test response, the physician may assess the degree of sensitivity that patients have to the allergens. For extracts standardized in AU and BAU, see individual directions for use. **Allergenic extracts for diagnostic use only of coffee, mosquito, cottonseed, and flaxseed have not been shown by adequate data to be safe and effective for therapeutic use.**

CONTRAINDICATIONS

Patients on beta blockers can be non-responsive to beta agonists that may be required to reverse a systemic reaction (also, see **boxed WARNING** statement and **ADVERSE REACTIONS**). The physician should carefully weigh the benefit derived from skin testing vs. the risk to the patient should a systemic reaction arise.

Patients with unstable asthma or steroid dependent asthmatics and patients with underlying cardiovascular disease are at greater risk to a fatal outcome from a systemic allergic reaction^{2,3}. See also **PRECAUTIONS** and **ADVERSE REACTIONS**.

WARNINGS

Severe Allergic Reactions:

Patients should always be observed for at least 20 - 30 minutes after skin testing. In the event of a marked systemic reaction such as urticaria, angioedema, wheezing, dyspnea, respiratory obstruction, hypotension, coma and death (see **ADVERSE REACTIONS**), applications of a tourniquet above the injection site and administration of 0.2 mL to 1 mL (0.01 mg/kg) of epinephrine injection (1:1,000) are recommended. Maximal

recommended dose for children between 2 and 12 years of age is 0.5 mL. The tourniquet is then gradually released at 15-minute intervals. Patients under treatment with beta blockers may be refractory to the usual dose of epinephrine.

Volume expanders and vasopressor agents may be required to reverse hypotension, inhalation bronchodilators and parenteral aminophylline may be required to reverse bronchospasm. In case of respiratory obstruction, oxygen and intubation may be necessary. Life-threatening reactions unresponsive to the above may require cardiopulmonary resuscitation.

Anaphylaxis Following False Negative Food Allergen Skin Test Results:

False negative skin test results associated with anaphylaxis from subsequent exposure to the allergen have been reported during postmarketing diagnostic use of some food allergenic extracts. Based on the patient's clinical history and the index of suspicion, healthcare providers should consider confirming negative skin testing with serologic testing by measuring specific serum IgE or with a medically-supervised oral food challenge.

PRECAUTIONS

INFORMATION FOR PATIENTS:

Patients should be instructed to describe any active allergic symptoms such as rhinitis, wheezing, dyspnea, etc. prior to testing. Also, see **ADVERSE REACTIONS** and **WARNINGS** Sections.

Patients should always be observed 20 to 30 minutes after testing.

General:

1. In the presence of active symptoms such as rhinitis, wheezing, dyspnea, etc., the indications for skin testing must be weighed carefully against the risk of temporarily aggravating the symptoms by the testing itself. Objective assessment of pulmonary function such as Peak Expiratory Flow Rate (PEFR) before allergen administration and prior to discharge may be useful in unstable asthmatics to reduce the chances of exacerbation of the patient's asthma. Patients should be instructed to describe any active allergic symptoms as described above prior to skin testing and encouraged to report any late reactions from this testing. Also, see **ADVERSE REACTIONS** and **WARNING** sections.
2. Store allergenic extracts between 2°-8°C at all times, even during use.
3. Care must be taken to avoid drawing blood.
 - A. For percutaneous testing, if blood is observed, immediately wipe the allergen from the site.
 - B. For intradermal skin testing, pull gently on the syringe plunger and note if any blood enters the syringe. If blood is obtained, reposition the needle and repeat before injecting (see **DOSAGE AND ADMINISTRATION**).
4. Allergenic extracts become less potent with age. Allergenic extracts containing glycerin 50% v/v are relatively stable. Non-glycerinated aqueous extracts, particularly dilute forms as used for intradermal skin testing, have been shown to be extremely

unstable. Until such time as stability studies are complete with dilute allergens, new intradermal strength materials should be prepared every few weeks.

5. Use standard aseptic precautions if making dilutions from stock concentrates to intradermal strength.
6. For intradermal testing: Extracts in glycerin 50% v/v must be diluted with a non-glycerinated diluent and must be diluted at least 25-fold to less than 2% glycerin by volume, as glycerin above this level can cause false positive intradermal skin test results.

Pregnancy - Category C:

Animal reproduction studies have not been conducted with allergenic extracts. It is also not known whether allergenic extracts can cause fetal harm when administered to a pregnant woman or can affect reproduction capacity.

Controlled studies of hyposensitization with moderate to high doses of allergenic extracts during conception and all trimesters of pregnancy have failed to demonstrate any risk to the fetus or to the mother⁴. However, on the basis of histamine's known ability to contract the uterine muscle, the release of significant amounts of histamine from allergen exposure to skin test overdose should be avoided on theoretical grounds. Therefore, allergenic extracts should be used cautiously in a pregnant woman and only if clearly needed.

Pediatric Use:

Allergenic extracts for diagnostic use have been given safely in infants and young children. Infants have lower skin test reactivity to histamine, as well as common allergens. Skin test reactivity gradually increases to age 6 and plateaus to age 60. Therefore, small skin test reactions should be anticipated in children under age 6.

Geriatric Use:

Skin test reactivity gradually decreases after age 60. Therefore, smaller skin test reactions should be anticipated in adults over age 60.

Nursing Mothers:

It is not known if allergens administered subcutaneously appear in human milk. Because many drugs are excreted in human milk, caution should be exercised when allergenic extracts are administered to a nursing woman.

Carcinogenesis, mutagenesis, impairment of fertility:

Studies in animals have not been performed.

Drug Interactions:

Drugs can interfere with the performance of skin tests⁵.

Antihistamines: Response to mediator (histamine) released by allergens is suppressed by antihistamines. The length of suppression varies and is dependent on individual patient, type of antihistamine and length of time the patient has been on antihistamines. The duration of this suppression may be as little as 24 hours (chlorpheniramine) and can be as long as 40 days (astemizole).

Tricyclic Antidepressants: These exert a potent and sustained decrease of skin reactivity to histamine which may last for a few weeks.

Beta₂ Agonists: Oral terbutaline and parenteral ephedrine, in general, have been shown to decrease allergen induced wheal.

Dopamine: Intravenous infusion of dopamine may inhibit skin test responses.

Beta Blocking Agents: Propranolol can significantly increase skin test reactivity.

Other Drugs: Short acting steroids, inhaled beta₂ agonists, theophylline and cromolyn do not seem to affect skin test response.

ADVERSE REACTIONS

Fatalities from skin testing in the United States have been extensively reviewed by Lockey.² Six fatalities were associated with intradermal testing without previous percutaneous testing, and one was associated with a combination of percutaneous (scratch) and intradermal skin testing. With careful attention to dosage and administration, fatal reactions occur infrequently, but it must be remembered that allergenic extracts are highly potent to sensitive individuals and overdosage could result in anaphylactic symptoms. Therefore, it is imperative that physicians administering allergenic extracts for skin testing understand, and be prepared for the treatment of severe reactions.

Local:

Immediate wheal and erythema reactions are to be expected; but if very large, may be the first manifestation of a systemic reaction. In such cases, immediately wipe the test site(s) with sterile gauze or cotton to remove excess allergen.

Systemic Reactions:

Systemic reactions are characterized by one or more of the following symptoms: sneezing, mild to severe generalized urticaria, itching (other than at the skin test site), extensive or generalized edema, wheezing, asthma, dyspnea, cyanosis, hypotension, syncope, and upper airway obstruction. Symptoms may progress to shock and death. Patients should always be observed for at least 20 - 30 minutes after testing.

Volume expanders and vasopressor agents may be required to reverse hypotension. Inhalational bronchodilators and parenteral aminophylline may be required to reverse bronchospasm. Severe airway obstruction unresponsive to bronchodilator may require tracheal intubation and use of oxygen. In the event of a marked systemic reaction, application of a tourniquet above the injection site and the administration of 0.2 mL to 1.0 mL of epinephrine injection (1:1,000) is recommended. Maximum recommended dose for children between 2 and 12 years of age is 0.3 mL. The tourniquet should not be left in place without loosening for 90 seconds every 15 minutes.

Adverse events should be reported via MedWatch (1-800-FDA-1088), Adverse Event Reporting, Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20852-9787.

OVERDOSAGE

Signs and symptoms of overdose are typically large local and systemic reactions. For management of overdose reactions, refer to the ADVERSE REACTIONS section above.

DOSAGE AND ADMINISTRATION

Parenteral drug products should be inspected visually for particulate matter and discoloration prior to administration, whenever solution and container permit.

Skin test techniques for immediate (Type I) hypersensitivity testing fall into two major categories: percutaneous, and intracutaneous.

Percutaneous techniques:

For percutaneous testing, in general, skin is scratched, punctured or pricked just before the allergen is applied or through a drop of test allergen. There are several devices available for this technique. Refer to the manufacturer or distributor's circular for specific directions for their use.

In General:

1. It is recommended that the test areas should be placed no closer than 4 - 5 cm apart to avoid interference of reactions when several tests are applied.
2. Skin test areas should be cleansed with alcohol and air dried.
3. Preferably, the allergen should be placed on the volar surface of the forearm, upper arm, or the patient's back. The patient should be placed in a comfortable position prior to testing.
4. For scratch testing, a sharp, clean, sterile instrument is used to abrade the skin, but not to draw blood. Each scratch should be about 2 - 4 mm in length. A small drop of extract is placed on the surface of the skin.
5. Prick testing: For prick testing, a sharp, sterile instrument is used to puncture the skin slightly, applying it at a 15 - 20° angle to the skin. The instrument is gently raised, "tenting" the skin until it pops out, generally pricking through the drop of allergen. Do not draw blood.
6. For puncture testing, a sharp, clean, sterile instrument must be used. Puncture the skin, through the drop of allergen, perpendicular to the skin. Do not draw blood.

For all of the above techniques, a separate instrument must be used for each patient; if the instrument is to be used to pass through the allergen, to avoid cross-contamination, a separate instrument is to be used for each allergen. The test should be read in 15 minutes, measuring both wheal size and erythema.

Intracutaneous (intradermal) testing:

General: Intradermal testing is more sensitive than percutaneous testing and its specificity is dependent on dose. Intradermal testing is not intended as an initial screen unless used in highly dilute solutions. Intradermal testing is usually reserved for allergens that have demonstrated either negative or equivocal percutaneous skin test response in the face of positive or unclear history.

Intradermal testing of one allergen in several serial dilutions (beginning with the weakest to the more concentrated dilutions) may also be useful in assessing degree of patient sensitivity for the establishment of a safe starting dose for immunotherapy.

Bulk extracts must be diluted for intradermal testing. Use of Sterile Diluent for Allergenic

Extracts or Sterile Diluent for Allergenic Extracts Normal Saline with HSA (albumin saline) is recommended. Dilutions should be made with sterile disposable syringes using aseptic technique. Commonly 10 fold dilutions are used to achieve a desired concentration for intradermal testing and continuation of immunotherapy. For example, transferring 0.5 mL of a 10,000 PNU/mL extract into 4.5 mL of diluent will yield 5 mL of extract at 1,000 PNU/mL. For weight volume products, a 1:100 w/v dilution may be prepared from a 1:10 w/v by transferring 0.5 mL of the 1:10 w/v to 4.5 mL of diluent. Prepare as many additional serial dilutions as necessary to reach the appropriate concentration. As a general rule intradermal strength should begin at no higher than 1/100 to 1/1000 of the percutaneous strength that resulted in a negative skin test reaction.

1. It is recommended that the test areas should be spaced no less than 5 cm apart to avoid interference with adjacent allergen or control.
2. Skin should be cleansed with alcohol and air dried.
3. A sterile 1 mL or 1/2 mL syringe with a 26 - 30 gauge needle should be used. A separate sterile syringe should be used for each extract and each patient.
4. Care should be taken to eliminate air bubbles from the syringe prior to injecting the test dose. It is suggested that not more than 6 - 10 allergens of each different type be used at any one time. Very sensitive patients may show rapid response.
5. The skin is held tensely, and the needle is inserted almost parallel to the skin, beveled side up far enough to cover the beveled portion. Slowly inject sufficient extract to make a small bleb of approximately 5 mm in diameter (0.01 - 0.02 mL).
6. Read the test results in 15 minutes.

Selection of the proper strength for intracutaneous testing: A general rule for the prevention of untoward reactions, particularly in extremely sensitive patients, is to screen by percutaneous methods initially, and begin intradermal testing at a strength not more than 1/100 of a negative or equivocal percutaneous reaction.

Controls:

In both percutaneous and intracutaneous tests, a negative control test with diluent alone should be performed because some patients exhibit dermographia, and/or other non-specific irritant responses.

As a positive control in the evaluation of allergenic skin testing, histamine 1 mg/mL (histamine base) should be used for percutaneous testing, and histamine 0.1 mg/mL (histamine base) should be used for intradermal testing.

Interpretation of results:

Patient's response is graded on the basis of the size of erythema or wheal.⁶ General guidelines follow for percutaneous testing, different devices and/or techniques influence the size of the reaction, therefore it is important to refer to the device manufacturer's or distributor's instructions when grading reactions.

Percutaneous (prick or scratch) test:

- 0 No reaction or less than control.
- + Erythema greater than control, smaller than a nickel (21 mm diameter).
- ++ Erythema greater than a nickel in diameter, no wheal.
- +++ Wheal and erythema without pseudopods.

++++ Wheal and erythema with pseudopods.

Intradermal test:

0 No reaction or less than negative control.

+ 3-4 mm wheal with erythema, or erythema alone larger than a nickel (21 mm diameter).

++ 4-8 mm wheal and erythema, without pseudopods.

+++ Over 8 mm wheal and erythema without pseudopods.

++++ Wheal and erythema with pseudopods.

HOW SUPPLIED

For scratch and prick testing: 5 mL dropper applicator vials in 50% v/v glycerin or 10mL stoppered vial in 50% v/v glycerin. Available individually and in a complete set of the most common allergens. Available in either Protein Nitrogen Units (PNU/mL) or weight to volume (w/v).

For intracutaneous testing: 5 mL sterile vials, aqueous based, individually and in a complete set of the most common allergens. Available in either Protein Nitrogen Units (PNU/mL) or weight to volume (w/v).

Histatrol® Positive skin test control - histamine. 1 mg/mL and 0.1 mg/mL histamine base.

See Product Catalog for specific diagnostic concentrations available.

STORAGE

To maintain stability of allergenic extracts, proper storage conditions are essential. Bulk concentrates and diluted extracts are to be stored at 2° to 8°C even during use. Bulk or diluted extracts are not to be frozen. Do not use after the expiration date shown on the vial label.

REFERENCES

1. Holgate, S.T., Robinson, C. and Church, M.K. Mediators of immediate hypersensitivity. In Middleton et al: *Allergy Principles and Practice*, St. Louis, 1988, C.V. Mosby, p 135.
2. Lockey, R.F., et al. Fatalities from immunotherapy (IT) and skin testing (ST). *J. Allergy Clin. Immunol.* 1987; 79: 660.
3. Reid, M.J. et al. Survey of fatalities from skin testing and immunotherapy. 1985-1989. *J. Allergy Clin Immunol.* 1993; 92:6.
4. DeBuske L. M. et al. Special problems regarding Allergen Immunotherapy in *Immunology and Allergy Clinics of North America*, Greenburger, P.A. Ed. February 1992; 145-149.
5. Bousquet, J. In vivo methods for the study of allergy: skin test, techniques and interpretation. In: Middleton et al.: *Allergy Principles and Practice 3rd Ed.* St. Louis: CV Mosby, 1988:167.
6. Freedman, S.O. Asthma and Allergic Rhinitis II. Clinical Aspects, in Freedman and Gold

Clinical Immunology 2nd Ed. New York: Harper & Row, 1976: 131.

Revised February 2023

No. 112S

© ALK-Abelló, Inc.

Distributed in Canada by:
ALK-Abelló Pharmaceuticals, Inc.
#35-151 Brunel Road
Mississauga, Ontario
Canada L4Z 2H6

PRINCIPAL DISPLAY PANEL

ALLERGENIC EXTRACT

DIN 00299987

5mL sterile multiple dose vial
FOR PERCUTANEOUS TESTING ONLY



ALLERGENIC EXTRACT

DIN

GTIN

5mL sterile multiple dose vial
FOR PERCUTANEOUS TESTING ONLY

CAUTION: Rx Only
Dose: As determined by physician.
See accompanying circular for
complete directions.
NDC:



Store between 2°C and 8°C
No U.S. Standard of Potency
Presv.: Phenol 0.4%
Glycerin 50% (v/v)

Lot:
SN:

(W/V)

Exp:

Port Washington, NY 11050 - U.S. License 1256 -
Dist. in Canada by: ALK-Abello Pharm., Inc., Mississauga, On, L4Z 2H6

ALMOND

prunus dulcis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6100
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALMOND (UNII: 3Z252A2K9G) (ALMOND - UNII:3Z252A2K9G)	ALMOND	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name		Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
PHENOL (UNII: 339NCG44TV)		
GLYCERIN (UNII: PDC6A3C00X)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6100-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6100-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

APPLE

malus domestica injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6101
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APPLE (UNII: B423VGH5S9) (APPLE - UNII:B423VGH5S9)	APPLE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6101-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6101-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

APRICOT

prunus armeniaca injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6102
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APRICOT (UNII: 269CJD5GZ9) (APRICOT - UNII:269CJD5GZ9)	APRICOT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6102-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

ASPARAGUS

asparagus officinalis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6103
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPARAGUS (UNII: Z1EJP3037Z) (ASPARAGUS - UNII:Z1EJP3037Z)	ASPARAGUS	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6103-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

AVOCADO

persea americana injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6104
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOCADO (UNII: SDS87L369F) (AVOCADO - UNII:SDS87L369F)	AVOCADO	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6104-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6104-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BANANA

musa sapientum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6105
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BANANA (UNII: 4AJZ4765R9) (BANANA - UNII:4AJZ4765R9)	BANANA	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6105-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6105-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BARLEY

hordeum vulgare injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6106
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BARLEY (UNII: 5PWM7YLI7R) (BARLEY - UNII:5PWM7YLI7R)	BARLEY	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6106-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6106-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BEEF

bos taurus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6109
--------------	-----------------------------	--------------------	---------------

Route of Administration

PERCUTANEOUS

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BEEF (UNII: 4PIB2155QP) (BEEF - UNII:4PIB2155QP)	BEEF	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6109-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6109-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BELL PEPPER

capsicum annum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6197
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GREEN BELL PEPPER (UNII: 4J4DOU3HEK) (GREEN BELL PEPPER - UNII:4J4DOU3HEK)	GREEN BELL PEPPER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength

SODIUM CHLORIDE (UNII: 451W47IQ8X)

PHENOL (UNII: 339NCG44TV)

GLYCERIN (UNII: PDC6A3C00X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6197-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BLACK PEPPER

piper nigrum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6198
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLACK PEPPER (UNII: KM66971LVF) (BLACK PEPPER - UNII:KM66971LVF)	BLACK PEPPER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6198-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6198-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BRAZIL NUT

bertholletia excelsa injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6110
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRAZIL NUT (UNII: XKR79OET1K) (BRAZIL NUT - UNII:XKR79OET1K)	BRAZIL NUT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6110-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6110-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BROCCOLI

brassica oleracea var. botrytis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6112
--------------	-----------------------------	--------------------	---------------

Route of Administration

PERCUTANEOUS

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROCCOLI (UNII: U0I4FT57BZ) (BROCCOLI - UNII:U0I4FT57BZ)	BROCCOLI	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6112-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

BUCKWHEAT

fagopyrum esculentum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6113
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BUCKWHEAT (UNII: NOY68724R3) (BUCKWHEAT - UNII:NOY68724R3)	BUCKWHEAT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6113-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6113-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CABBAGE

brassica oleracea var. capitata injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6114
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CABBAGE (UNII: GW0W1Y9I97) (CABBAGE - UNII:GW0W1Y9I97)	CABBAGE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6114-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CANTALOUPE

cucumis melo cantalupensis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6115
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CANTALOUPE (UNII: 8QF5D5H6UH) (CANTALOUPE - UNII:8QF5D5H6UH)	CANTALOUPE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6115-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6115-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CARROT

daucus carota injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6116
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARROT (UNII: L56Z1JK48B) (CARROT - UNII:L56Z1JK48B)	CARROT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6116-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6116-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CASEIN

bos taurus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6118
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CASEIN (UNII: 48268V50D5) (CASEIN - UNII:48268V50D5)	CASEIN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6118-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6118-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CELERY

apium graveolens injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6120
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CELERY (UNII: 44IDY6DTKX) (CELERY - UNII:44IDY6DTKX)	CELERY	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6120-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6120-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CHERRY

prunus avium injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6121
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SWEET CHERRY (UNII: 93T4562ZI3) (SWEET CHERRY - UNII:93T4562ZI3)	SWEET CHERRY	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6121-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6121-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CHICKEN MEAT

gallus gallus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6122
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHICKEN (UNII: 0X8Q245Y7B) (CHICKEN - UNII:0X8Q245Y7B)	CHICKEN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6122-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6122-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CINNAMON

cinnamomum verum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6123
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CINNAMON (UNII: 5S29HWU6QB) (CINNAMON - UNII:5S29HWU6QB)	CINNAMON	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6123-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6123-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CLAM

mercenaria mercenaria injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6124
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NORTHERN QUAHOG (UNII: D6G49OV9IM) (NORTHERN QUAHOG - UNII:D6G49OV9IM)	NORTHERN QUAHOG	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6124-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6124-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
BLA	BLA103753	02/23/1998	

COCOA BEAN

theobroma cacao injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6125
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COCOA (UNII: D9108TZ9KG) (COCOA - UNII:D9108TZ9KG)	COCOA	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6125-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6125-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

COCONUT

cocos nucifera injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6127
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COCONUT (UNII: 3RT3536DHY) (COCONUT - UNII:3RT3536DHY)	COCONUT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6127-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6127-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CODFISH

gadus morhua injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6128
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATLANTIC COD (UNII: RPX7J99EXW) (ATLANTIC COD - UNII:RPX7J99EXW)	ATLANTIC COD	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6128-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6128-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

COFFEE

coffee arabica injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6129
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARABICA COFFEE BEAN (UNII: 3SW678MX72) (ARABICA COFFEE BEAN - UNII:3SW678MX72)	ARABICA COFFEE BEAN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6129-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6129-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

COWS MILK

bos taurus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6178
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SKIM MILK (UNII: 6A001Y4M5A) (SKIM MILK - UNII:6A001Y4M5A)	SKIM MILK	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6178-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6178-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CRAB

paralithodes camtschaticus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6130
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RED KING CRAB (UNII: E88KKF623O) (RED KING CRAB - UNII:E88KKF623O)	RED KING CRAB	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6130-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6130-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

CUCUMBER

cucumis sativus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6132
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUCUMBER (UNII: YY7C30VXJT) (CUCUMBER - UNII:YY7C30VXJT)	CUCUMBER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6132-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

EGG WHITE

gallus gallus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6133
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EGG WHITE (UNII: 3E0I92Z2GR) (EGG WHITE - UNII:3E0I92Z2GR)	EGG WHITE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6133-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6133-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

EGG YOLK

gallus gallus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6136
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EGG YOLK (UNII: 4IPS17B70T) (EGG YOLK - UNII:4IPS17B70T)	EGG YOLK	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6136-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6136-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

EGG, WHOLE

gallus gallus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6135
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EGG (UNII: 291P45F896) (EGG - UNII:291P45F896)	EGG	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6135-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6135-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

ENGLISH WALNUT

juglans regia injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6231
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENGLISH WALNUT (UNII: 1V3SHR7QB7) (ENGLISH WALNUT - UNII:1V3SHR7QB7)	ENGLISH WALNUT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6231-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6231-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

FLOUNDER

paralichthys dentatus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6137
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SUMMER FLOUNDER (UNII: 50A63WC635) (SUMMER FLOUNDER - UNII:50A63WC635)	SUMMER FLOUNDER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6137-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

BLA	BLA103753	02/23/1998	
-----	-----------	------------	--

GARLIC

allium sativum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6138
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6138-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6138-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

GOATS MILK

capra aegagrus hircus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6177
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GOAT MILK (UNII: XE5K5I4RP7) (GOAT MILK - UNII:XE5K5I4RP7)	GOAT MILK	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6177-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

GRAPEFRUIT

citrus x paradisi injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6141
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GRAPEFRUIT (UNII: O82C39RR8C) (GRAPEFRUIT - UNII:O82C39RR8C)	GRAPEFRUIT	0.10 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6141-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

GREEN PEA

pisum sativum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6191
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PEA (UNII: W4X7H8GYFM) (PEA - UNII:W4X7H8GYFM)	PEA	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6191-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6191-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

HALIBUT

hippoglossus hippoglossus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-7130
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATLANTIC HALIBUT (UNII: 7E34E106BO) (ATLANTIC HALIBUT - UNII:7E34E106BO)	ATLANTIC HALIBUT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-7130-06	5 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

HALIBUT

atlantic halibut injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6236
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ATLANTIC HALIBUT (UNII: 7E34E106BO) (ATLANTIC HALIBUT - UNII:7E34E106BO)	ATLANTIC HALIBUT	0.1 g in 1 mL
---	------------------	---------------

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6236-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	05/10/2023

HONEYDEW

cucumis melo injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6146
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HONEYDEW MELON (UNII: RN8P45F92A) (HONEYDEW MELON - UNII:RN8P45F92A)	HONEYDEW MELON	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6146-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

KIDNEY BEAN

phaseolus vulgaris injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6107
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
KIDNEY BEAN (UNII: M98C8416QO) (KIDNEY BEAN - UNII:M98C8416QO)	KIDNEY BEAN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6107-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6107-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

LAMB

ovis aries injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6149
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LAMB (UNII: FOF26T73HA) (LAMB - UNII:FOF26T73HA)	LAMB	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6149-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6149-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

LEMON

citrus limon injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6170
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LEMON (UNII: 24RS0A988O) (LEMON - UNII:24RS0A988O)	LEMON	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6170-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

LETTUCE

lactuca sativa injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6171
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LETTUCE (UNII: 5PO6NN3RRJ) (LETTUCE - UNII:5PO6NN3RRJ)	LETTUCE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a		

1	6171-06	Combination Product		
2	NDC:0268-6171-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

LIMA BEAN

phaseolus lunatus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6173
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIMA BEAN (UNII: 112YH1ZMX2) (LIMA BEAN - UNII:112YH1ZMX2)	LIMA BEAN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6173-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

LOBSTER

homarus americanus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6174
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMERICAN LOBSTER (UNII: 6T362S6JF6) (AMERICAN LOBSTER - UNII:6T362S6JF6)	AMERICAN LOBSTER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6174-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6174-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

MIXED FISH

paralichthys dentatus, gadus morhua, hippoglossus hippoglossus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-8043
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATLANTIC HALIBUT (UNII: 7E34E106BO) (ATLANTIC HALIBUT - UNII:7E34E106BO)	ATLANTIC HALIBUT	0.1 g in 1 mL

ATLANTIC COD (UNII: RPX7J99EXW) (ATLANTIC COD - UNII:RPX7J99EXW)	ATLANTIC COD	0.1 g in 1 mL
SUMMER FLOUNDER (UNII: 50A63WC635) (SUMMER FLOUNDER - UNII:50A63WC635)	SUMMER FLOUNDER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-8043-06	5 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

MIXED FISH

paralichthys dentatus, gadus morhua, hippoglossus hippoglossus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-8044
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATLANTIC HALIBUT (UNII: 7E34E106BO) (ATLANTIC HALIBUT - UNII:7E34E106BO)	ATLANTIC HALIBUT	0.1 g in 1 mL
ATLANTIC COD (UNII: RPX7J99EXW) (ATLANTIC COD - UNII:RPX7J99EXW)	ATLANTIC COD	0.1 g in 1 mL
SUMMER FLOUNDER (UNII: 50A63WC635) (SUMMER FLOUNDER - UNII:50A63WC635)	SUMMER FLOUNDER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

GLYCERIN (UNII: PDC6A3C00X)**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-8044-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	01/01/1965	

MIXED SHELLFISH

paralithodes camtschaticus, crangon crangon, homarus americanus, crassostrea virginica injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-8061
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RED KING CRAB (UNII: E88KKF623O) (RED KING CRAB - UNII:E88KKF623O)	RED KING CRAB	0.1 g in 1 mL
COMMON SHRIMP (UNII: 1U601HV1HW) (COMMON SHRIMP - UNII:1U601HV1HW)	COMMON SHRIMP	0.1 g in 1 mL
AMERICAN LOBSTER (UNII: 6T362S6JF6) (AMERICAN LOBSTER - UNII:6T362S6JF6)	AMERICAN LOBSTER	0.1 g in 1 mL
EASTERN OYSTER (UNII: 0I77C68AWS) (EASTERN OYSTER - UNII:0I77C68AWS)	EASTERN OYSTER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-8061-06	5 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

MIXED SHELLFISH

paralithodes camtschaticus, crangon crangon, homarus americanus, crassostrea virginica injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-8062
Route of Administration	SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RED KING CRAB (UNII: E88KKF623O) (RED KING CRAB - UNII:E88KKF623O)	RED KING CRAB	0.1 g in 1 mL
COMMON SHRIMP (UNII: 1U601HV1HW) (COMMON SHRIMP - UNII:1U601HV1HW)	COMMON SHRIMP	0.1 g in 1 mL
AMERICAN LOBSTER (UNII: 6T362S6JF6) (AMERICAN LOBSTER - UNII:6T362S6JF6)	AMERICAN LOBSTER	0.1 g in 1 mL
EASTERN OYSTER (UNII: 0I77C68AWS) (EASTERN OYSTER - UNII:0I77C68AWS)	EASTERN OYSTER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-8062-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

MUSHROOM

agaricus campestris injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6180
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CULTIVATED MUSHROOM (UNII: 54C8E6W6JY) (CULTIVATED MUSHROOM - UNII:54C8E6W6JY)	CULTIVATED MUSHROOM	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6180-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6180-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

MUSTARD

sinapis alba injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6181
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Page 1 of 1

Ingredient Name	Basis or Strength	Strength
WHITE MUSTARD SEED (UNII: 25VR943RPP) (WHITE MUSTARD SEED - UNII:25VR943RPP)	WHITE MUSTARD SEED	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6181-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6181-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

OAT GRAIN

avena sativa injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6183
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVENA SATIVA WHOLE (UNII: 5P8D0Z74RG) (AVENA SATIVA WHOLE - UNII:5P8D0Z74RG)	AVENA SATIVA WHOLE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6183-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6183-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

OLIVE

olea europaea injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6185
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLACK OLIVE (UNII: 2M6QW94OC) (BLACK OLIVE - UNII:2M6QW94OC)	BLACK OLIVE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6185-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

BLA	BLA103753	02/23/1998	
-----	-----------	------------	--

ONION

allium cepa injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6186
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6186-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6186-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

ORANGE

citrus x sinensis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6187
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ORANGE (UNII: 5EVU04N5QU) (ORANGE - UNII:5EVU04N5QU)	ORANGE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6187-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6187-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

OYSTER

crassostrea virginica injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6189
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EASTERN OYSTER (UNII: 0I77C68AWS) (EASTERN OYSTER - UNII:0I77C68AWS)	EASTERN OYSTER	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6189-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6189-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA103753	02/23/1998		

PEACH

prunus persica injection, solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6192
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PEACH (UNII: 30KE88I3QG) (PEACH - UNII:30KE88I3QG)	PEACH	0.1 g in 1 mL	

Inactive Ingredients		
Ingredient Name		Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
PHENOL (UNII: 339NCG44TV)		
GLYCERIN (UNII: PDC6A3C0OX)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6192-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6192-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	

BLA	BLA103753	02/23/1998	
-----	-----------	------------	--

PEANUT

arachis hypogaea injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6193
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PEANUT (UNII: QE1QX6B99R) (PEANUT - UNII:QE1QX6B99R)	PEANUT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6193-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6193-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

PEAR

pyrus communis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6195
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PEAR (UNII: 2ZN8DWC0YF) (PEAR - UNII:2ZN8DWC0YF)	PEAR	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6195-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

PECAN NUT

carya illinoiensis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6196
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECAN (UNII: F14P91GB5F) (PECAN - UNII:F14P91GB5F)	PECAN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6196-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6196-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

PINEAPPLE

ananas comosus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6200
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINEAPPLE (UNII: 2A88Z0081O) (PINEAPPLE - UNII:2A88Z0081O)	PINEAPPLE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6200-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6200-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

PISTACHIO NUT

pistacia vera injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6202
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PISTACHIO (UNII: 6815CPT6ZJ) (PISTACHIO - UNII:6815CPT6ZJ)	PISTACHIO	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6202-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6202-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

PLUM

prunus domestica injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6203
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PLUM (UNII: 67M3EQ6BE1) (PLUM - UNII:67M3EQ6BE1)	PLUM	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6203-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

PORK

sus scrofa injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6204
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PORK (UNII: O138UB266J) (PORK - UNII:O138UB266J)	PORK	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

#	Item Code	Package Description	Date	Date
1	NDC:0268-6204-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6204-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

RICE

oryza sativa injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6208
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WHITE RICE (UNII: A195V20H7A) (WHITE RICE - UNII:A195V20H7A)	WHITE RICE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6208-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6208-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

RYE GRAIN

secale cereale injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6210
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RYE (UNII: 0R4AQI398X) (RYE - UNII:0R4AQI398X)	RYE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6210-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6210-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SALMON

salmo salar injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6212
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ATLANTIC SALMON (UNII: 7062I37LB3) (ATLANTIC SALMON - UNII:7062I37LB3)	ATLANTIC SALMON	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6212-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6212-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SESAME SEED

sesamum indicum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6213
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SESAME SEED (UNII: 7Y1255HVXR) (SESAME SEED - UNII:7Y1255HVXR)	SESAME SEED	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6213-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6213-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SHRIMP

crangon crangon injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6214
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COMMON SHRIMP (UNII: 1U601HV1HW) (COMMON SHRIMP - UNII:1U601HV1HW)	COMMON SHRIMP	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6214-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6214-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SOYBEAN

glycine max injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6216
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SOYBEAN (UNII: L7HT8F1ZOD) (SOYBEAN - UNII:L7HT8F1ZOD)	SOYBEAN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6216-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6216-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SPINACH

spinacia oleracea injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6218
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SPINACH (UNII: 6W075C6WB) (SPINACH - UNII:6W075C6WB)	SPINACH	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6218-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SQUASH

curcubita pepo injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6219
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZUCCHINI (UNII: EQU1BON34S) (ZUCCHINI - UNII:EQU1BON34S)	ZUCCHINI	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End

#	Item Code	Package Description	Date	Date
1	NDC:0268-6219-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

STRAWBERRY

fragaria x ananassa injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6220
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRAWBERRY (UNII: 4J2TY8Y81V) (STRAWBERRY - UNII:4J2TY8Y81V)	STRAWBERRY	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6220-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6220-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

STRINGBEAN

phaseolus vulgaris injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6108
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRING BEAN (UNII: N9D69B2Q7Y) (STRING BEAN - UNII:N9D69B2Q7Y)	STRING BEAN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6108-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6108-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SWEET CORN

zea mays injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6221
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CORN (UNII: 0N8672707O) (CORN - UNII:0N8672707O)	CORN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6221-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6221-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

SWEET POTATO

ipomoea batatas injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6205
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SWEET POTATO (UNII: M9WGG9Z9GK) (SWEET POTATO - UNII:M9WGG9Z9GK)	SWEET POTATO	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6205-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6205-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

THEA SINENSIS

thea sinensis injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6235
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TEA LEAF (UNII: GH42T47V24) (TEA LEAF - UNII:GH42T47V24)	TEA LEAF	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6235-06	5 mL in 1 VIAL; Type 0: Not a Combination Product		
2	NDC:0268-6235-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

TOMATO

solanum lycopersicum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6224
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOMATO (UNII: Z4KHF2C175) (TOMATO - UNII:Z4KHF2C175)	TOMATO	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6224-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6224-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

TUNA

thunnus thynnus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6226
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

NORTHERN BLUEFIN TUNA (UNII: 816CLQ4017) (NORTHERN BLUEFIN TUNA - UNII:816CLQ4017)	NORTHERN BLUEFIN TUNA	0.1 g in 1 mL
---	-----------------------	---------------

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6226-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6226-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

TURKEY

meleagris gallopavo injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6229
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TURKEY (UNII: 8E9NT44R8I) (TURKEY - UNII:8E9NT44R8I)	TURKEY	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6229-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6229-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

VANILLA

vanilla planifolia injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6230
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
VANILLA BEAN (UNII: Q74T35078H) (VANILLA BEAN - UNII:Q74T35078H)	VANILLA BEAN	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6230-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

VITIS SPP

vitis spp injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6139
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GRAPE (UNII: 6X543N684K) (GRAPE - UNII:6X543N684K)	GRAPE	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C00X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6139-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6139-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

WATERMELON

citrullus lanatus injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6233
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

WATERMELON (UNII: 231473QB6R) (WATERMELON - UNII:231473QB6R)

WATERMELON

0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6233-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

WHEAT GRAIN

triticum aestivum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6234
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WHEAT (UNII: 4J2I0SN84Y) (WHEAT - UNII:4J2I0SN84Y)	WHEAT	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0268-6234-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6234-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

WHITE POTATO

solanum tuberosum injection, solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:0268-6206
Route of Administration	PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTATO (UNII: CFE1S8DYWD) (POTATO - UNII:CFE1S8DYWD)	POTATO	0.1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0268-6206-06	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:0268-6206-10	10 mL in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA103753	02/23/1998	

Revised: 5/2023

ALK-Abello, Inc.