

LIDOCAINE 5% - lidocaine 5% ointment
WALGREENS CO.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens Anorectal Lidocaine Cream
Lidocaine 5%

Lidocaine HCl 5%

benzyl alcohol, carbomer, hydrogenated lecithin, isopropyl myristate, polysorbate 80, propylene glycol, triethanolamine, vitamin E, purified water.

When practical, clean area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.

Adults and children 12 years and older: apply externally to the affected area up to 6 times a day.

Children under 12 years: consult a doctor

To use finger cots: Roll one finger cot over finger. Gently squeeze cream over affected area.

helps relieve the pain, itching, and burning associated with hemorrhoids and other anorectal disorders.

For external use only

When using this product avoid contact with eyes, do not exceed recommended dosage unless directed by a doctor, do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop use and ask a doctor if rectal bleeding occurs, condition worsens or does not improve within 7 days, allergic reaction occurs to ingredients in this product, symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase, symptoms clear up and return within a few days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Local anesthetic

Store at room temperature (20-25 C) (68-77 F). Avoid excessive heat and cold. Protect from sunlight.



Walgreens
 Compare to RectiCare® Anorectal Cream active ingredient!
 NDC 0383-4530-19

NET WT 1 OZ (28.3 g)

Read and keep outside carton for complete product information.

Child resistant and tamper evident: Do not use if the tube is damaged or tampered with.

Close cap tightly after each use.

Walgreens
 ANORECTAL
Lidocaine Cream
 LIDOCAINE 5% / HEMORRHOIDAL

Walgreens
 Compare to RectiCare® Anorectal Cream active ingredient!
 NDC 0383-4530-19
 ANORECTAL
Lidocaine Cream
 LIDOCAINE 5% / HEMORRHOIDAL

+ 10 FINGER COTS*

- For the temporary relief of anorectal itching & discomfort associated with hemorrhoids
- Helps relieve pain, soreness & burning
- Highest lidocaine strength available OTC

* Caution: the finger cot contains natural rubber latex which may cause allergic reaction.



†Walgreens Pharmacist Survey
 †† This product is not manufactured or distributed by Ferrule Healthcare®, Inc. a subsidiary of Ferrule Pharma Group, Inc., the distributor of RectiCare® Anorectal Cream.

DISTRIBUTED BY:
WALGREEN CO.
 200 WILMOT ROAD
 DEERFIELD, IL 60015

Walgreens
100%
SATISFACTION
GUARANTEED
 walgreens.com
 ©2018 Walgreen Co.

NET WT 1 OZ (28.3 g)

Drug Facts	
Active ingredient	Purpose
Lidocaine 5% w/w.....	Local anesthetic
Uses Helps relieve the pain, itching, and burning associated with hemorrhoids and other anorectal disorders.	
Warnings For external use only	
When using this product	
<ul style="list-style-type: none"> ■ avoid contact with eyes ■ do not exceed recommended dosage unless directed by a doctor ■ do not put this product into the rectum by using fingers or any mechanical device or applicator 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ■ rectal bleeding occurs ■ condition worsens or does not improve within 7 days ■ allergic reaction occurs to ingredients in this product ■ symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase ■ symptoms clear up and return within a few days 	
If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> ■ When practical, clean area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying. ■ Adults and children 12 years and older: apply externally to the affected area up to 6 times a day. ■ Children under 12 years of age: consult a doctor. ■ To use finger cots: Roll one finger cot over finger. Gently squeeze cream onto finger cot. Smooth a layer of the cream over affected area. 	
Other information	
Store at room temperature (20-25°C) (68-77°F). Avoid excessive heat and cold. Protect from sunlight.	
Inactive ingredients	
benzyl alcohol, carbomer, hydrogenated lecithin, isopropyl myristate, polyorbate 80, propylene glycol, purified water, triethanolamine, vitamin E	
Questions? 1-888-577-8033	



CT0383453019
 REV-0120

LIDOCAINE 5%

lidocaine 5% ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4530
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
WATER (UNII: 059QF0K00R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 9O3K93S3TK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4530-19	28.3 g in 1 PACKAGE; Type 0: Not a Combination Product	01/15/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	01/15/2019	

Labeler - WALGREENS CO. (008965063)

Revised: 10/2020

WALGREENS CO.