4X MEDICATED SEVERE TOOTHACHE AND GUM GEL- benzocaine gel Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients Purpose

Benzalkonium Chloride 0.13% Oral Antiseptic

Benzocaine 20% Oral Pain Reliever

Menthol 0.5% Oral Pain Reliever

Zinc Chloride 0.15% Oral Astringent

Use

Use * for the temporary relief of pain due to toothaches * to help protect against infection of minor oral irritation

Warnings

Methemoglobinemia warning: use of this product ay cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in teh blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: * pale, gray, or blue colored skin (cyanosis) * headache * rapid heart rate * shortness of breath * dizziness or lightneadedness * fatigue or lack of energy

Allergy Alert

do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

Do not use * more than directed * for more than 7 days unless told to do so by a dentist or doctor * for teething * in children under 2 years of age

Stop use and ask a doctor if * swelling, rash or fever develops * irritation, pain or redness persists or worsens * symptoms do not improve in 7 days * allergic reaction occurs

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

* cut open tip of tube to score mark * adults and children 2 years of age and older: apply a small amount of product to teh cavity and around the gum surrounding the teeth. Use up to 4 times daily or as directed by a dentist or doctor * children under 12 years of age should be supervised in the use of this product * children under 2 years of age: do not use

Other Information

Other information * do not use if tip is cut prior to ening * this preparation is intended for use in cases of toothache, only as a temporary expedient until a dentist can be consulted * do not use ontinuously * this formula will stay in place for extended duration of reilef * avoid using toothpaste or drinking soft drinks or fruit juices for at least one hour after applying

ammonium glycyrrhizate, blue 1, flavor, PEG-8, PEG-75, sodium saccharin, sorbic acid



LORNAMEAD 1.031 X 1.031 X 3.500 - PRINTSIDE SBS S170273 - 3/9/17

URNAMEAD, INC.	ECT INFO PRODUCTION NOTES				
DATE: APRIL 27, 2020 PROJECT: RITE AID 4X MEDICATED TOOTHACHE GEL ITEM #: 2821615R1 DIELINE #: 5170273 SIZE: 1.031"X 1.031"X 3.500" FILE NAME: RA_4XMEDICATED_TOOTHACHE_GEL_CTN_2821615R1-OLAI PRINTER: MODPAC NOTEISI:	CYAN MAGENTA YELLOW BLACK PMS COLD FOIL	APPROVALS CREATIVE MARKETING R&D QUALITY PURCHASING CEO			
NEW YORK OFFICE 1359 BROADWAY 17TH FLOOR NEW YORK, NY 10018 TORAWANDA OFFICE 175 COOPER AVENUE TORAWANDA, NEW YORK, 14150					

Toothache & Gum Reliever

20% Benzocaine to relieve oral pain

Antiseptic to kill harmful bacteria

Astringent to help prevent infection

Menthol to soothe gums

4x medicated

Oral antiseptic/pain reliever/astringent

Net Wt 0.25 oz (7g)

4X MEDICATED SEVERE TOOTHACHE AND GUM GEL

benzocaine gel

Product Information						
Product Type	HUMAN OTC DRUG	MAN OTC DRUG Item Code (Source) NDC:11822-06		322-0615		
Route of Administration	ORAL					
Active Ingredient/Active Moiety						
Ingredient Name			Basis of St	onath	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)			BENZALKONIUN CHLORIDE	•	0.13 g in 100 g	
ZINC CHLORIDE (UNII: 86Q357L16B) (ZINC CATION - UNII:13S1S8SF37) ZINC CATION					0.15 g in 100 g	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) MENTHOL				0.5 g in 100 g		
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) BENZOCAINE				20 g in 100 g		

	Ingredient Name					Stren	gth
PC	DLYETHYLENE GLY	YCOL 33	50 (UNII: G2M7P15E5P)				
РС	DLYETHYLENE GLY	YCOL 40	0 (UNII: B697894SGQ)				
sc	ORBIC ACID (UNII:	X045WJ98	89B)				
SA	ACCHARIN SODIUM	4 (UNII: 5	SB8ZUX40TY)				
FC	D&C BLUE NO. 1 (UNII: H3F	R47K3TBD)				
М	ETHYL SALICYLAT	E (UNII:	LAV5U5022Y)				
A٨		RRHIZAT	E (UNII: 3VRD35U26C)				
Product Characteristics							
Сс	olor		blue	Sco	ore		
Sł	nape			Siz	e		
Flavor			WNTERGREEN	Imp	nprint Code		
Сс	Contains						
_							
Pa	ackaging						
#	Item Code		Package Description	I	Marketing Start Date	Marketing Date	
1	NDC:11822- 0615-9	1 in 1 CA	in 1 CARTON		06/2020		
1	7 g in 1 TUBE; Type 0: Not a Combination Product						
Marketing Information							
Marketing Application Number or Monograph		h Marketing Start		Marketir	Marketing End		
	Category		Citation		Date	Dat	е
OT fin	TC monograph not al	part35	6		05/06/2020		

Labeler - Rite Aid (014578892)

Registrant - Lornamead (080046418)

Establishment						
Name	Address	ID/FEI	Business Operations			
Lornamead		080046418	manufacture(11822-0615)			

Revised: 1/2023

Rite Aid