

MEIJER ZINC SPF 50 - octocrylene, zinc oxide lotion
Meijer Distribution, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Octocrylene 4.0%, Zinc Oxide 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin

aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Inactive ingredients

Water, Ethylhexyl Stearate, Diisopropyl Adipate, Cetyl Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Beeswax, Isohexadecane, Sodium Chloride, Hydrogenated Castor Oil, Silica, Triethoxycaprylylsilane, Dimethicone, Tocopherol, Disodium EDTA, Aloe Barbadensis Leaf Juice Powder, Sodium Ascorbyl Phosphate, hexoxyethanol, Methylparaben, Propylparaben.

Other information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-697-9868 Mon-Fri

Principal Display Panel

NDC: 41250-796-83

meijer

Vanishing Zinc

Sunscreen

Lotion

Dermatologist tested

UVA/UVB protection

50

Broad Spectrum

SPF 50

Water Resistant

(80 minutes)

Non-greasy

Goes on clear

4 FL. OZ. (118 mL)

meijer

Vanishing Zinc Sunscreen lotion

Dermatologist tested
UVA/UVB protection

50

**Broad Spectrum
SPF 50**

Water Resistant
(80 Minutes)
Non-greasy
Goes on clear

4 FL. OZ. (118 mL)

Drug Facts

Active ingredients

Octocrylene 4.0%,
Zinc Oxide 5.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics

Directions

• apply liberally 15 minutes before sun exposure
• reapply: • after 80 minutes of swimming or sweating
• immediately after towel drying • at least every 2 hours
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Inactive ingredients

Water, Ethylhexyl Stearate, Diisopropyl Adipate, Cetyl Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Beeswax, Isohexadecane, Sodium Chloride, Hydrogenated Castor Oil, Silica, Triethoxycaprylylsilane, Dimethicone, Tocopherol, Disodium EDTA, Aloe Barbadosis Leaf Juice Powder, Sodium Ascorbyl Phosphate, Phenoxyethanol, Methylparaben, Propylparaben.

Other information protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-697-9868 Mon-Fri



DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

92024170

MEIJER ZINC SPF 50

octocrylene, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-796
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)
DIISOPROPYL ADIPATE (UNII: P7E6 YFV72X)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
YELLOW WAX (UNII: 2ZA36H0S2V)
ISOHEXADECANE (UNII: 918X10UF1E)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
DIMETHICONE (UNII: 92RU3N3Y1O)
TOCOPHEROL (UNII: R0ZB2556P8)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)
METHYL PARABEN (UNII: A2I8C7HI9T)
PROPYL PARABEN (UNII: Z8IX2SC1OH)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-796-83	118 g in 1 TUBE; Type 0: Not a Combination Product	04/06/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2016	

Labeler - Meijer Distribution, Inc. (006959555)