

**RASHES-HIVES- antimon. crud., apis mel., arsenicum alb., berber. vulg., bovis ta, bryonia, cantharis, chelidonium majus, croton, dulcamara, graphites, histaminum hydrochloricum, lycopodium, mezereum, nux vom., petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet  
Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Rashes 4762P**

## **INDICATIONS & USAGE SECTION**

Formulated for symptoms associated with hives such as burning, itching, redness, swelling and discomfort.

## **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.

## **OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Echinacea 6x, Rumex crisp. 6x, Taraxacum 6x, Urtica ur. 6x. Antimon. crud. 15x, Apis mel. 15x, Arsenicum alb. 15x, Berber. vulg. 15x, Bovista 15x, Bryonia 15x, Cantharis 15x, Chelidonium majus 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Histaminum hydrochloricum 15x, Lycopodium 15x, Mezereum 15x, Nux vom. 15x, Petroleum 15x, Pulex irritans 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x,

## **OTC - PURPOSE SECTION**

Formulated for symptoms associated with hives such as burning, itching, redness, swelling and discomfort.

## **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

## **QUESTIONS SECTION**

newtonlabs.net – Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

## **WARNINGS SECTION**

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## **OTC - PREGNANCY OR BREAST FEEDING SECTION**

If **pregnant or breast-feeding**, ask a doctor before use.

**OTC - KEEP OUT OF REACH OF CHILDREN SECTION**

Keep out of reach of children.

**PACKAGE LABEL**

**newtonlabs.net ~ Questions? 800.448.7256**  
 Newton Laboratories, Inc. FDA Est #1051203 • Conyers, GA 30013  
**Label statements have not been reviewed by the FDA.**

**NEWTON homeopathics™ PRO**

NDC# 55714-4762-1

**Rashes ~Hives**

Formulated for symptoms associated with hives such as burning, itching, redness, swelling and discomfort.

**1 OZ (28 G)**

Dispensed by health professionals - not sold over-the-counter.  
**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.  
**Active Ingredients:** Equal parts of Echinacea 6x, Rumex crisp. 6x, Taraxacum 6x, Urtica ur. 6x, Antimon. crud. 15x, Apis mel. 15x, Arsenicum alb. 15x, Berber. vulg. 15x, Bovista 15x, Bryonia 15x, Cantharis 15x, Chelidonium maj. 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Histaminum hydrochloricum 15x, Lycopodium 15x, Mezereum 15x, Nux vom. 15x, Petroleum 15x, Pulex irr. 15x, Pulsatilla 15x, Rhus tox. 15x, Sarsaparilla 15x, Sulphur 15x.  
**Inactive Ingredients:** Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

Stock# R065 Lot#

**WARNINGS:** Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

**RASHES-HIVES**

antimon. crud., apis mel., arsenicum alb., berber. vulg., bovista, bryonia, cantharis, chelidonium majus, croton, dulcamara, graphites, histaminum hydrochloricum, lycopodium, mezereum, nux vom., petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55714-4762
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	15 [hp_X] in 1 g
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	15 [hp_X] in 1 g
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 g
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	15 [hp_X] in 1 g
LYCOPERDON UTRIFORME FRUITING BODY (UNII: K2A74U428F) (LYCOPERDON	LYCOPERDON UTRIFORME	15 [hp_X]

UTRIFORME FRUITING BODY - UNII:K2A74U428F)	FRUITING BODY	in 1 g
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046 Y2B) (BRYONIA ALBA ROOT - UNII:T7J046 Y2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 g
<b>LYTTA VESICATORIA</b> (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)	LYTTA VESICATORIA	15 [hp_X] in 1 g
<b>CHELIDONIUM MAJUS</b> (UNII: 7E889 U5RNN) (CHELIDONIUM MAJUS - UNII:7E889 U5RNN)	CHELIDONIUM MAJUS	15 [hp_X] in 1 g
<b>CROTON TIGLIUM SEED</b> (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E)	CROTON TIGLIUM SEED	15 [hp_X] in 1 g
<b>SOLANUM DULCAMARA TOP</b> (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	15 [hp_X] in 1 g
<b>GRAPHITE</b> (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	15 [hp_X] in 1 g
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	15 [hp_X] in 1 g
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88 X29 Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88 X29 Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 g
<b>DAPHNE MEZEREUM BARK</b> (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)	DAPHNE MEZEREUM BARK	15 [hp_X] in 1 g
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269 XH139 19) (STRYCHNOS NUX-VOMICA SEED - UNII:269 XH139 19)	STRYCHNOS NUX-VOMICA SEED	15 [hp_X] in 1 g
<b>KEROSENE</b> (UNII: 1C89KKC04E) (KEROSENE - UNII:1C89KKC04E)	KEROSENE	15 [hp_X] in 1 g
<b>PULEX IRRITANS</b> (UNII: L63DD62R8R) (PULEX IRRITANS - UNII:L63DD62R8R)	PULEX IRRITANS	15 [hp_X] in 1 g
<b>ANEMONE PULSATILLA</b> (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	15 [hp_X] in 1 g
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 g
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	15 [hp_X] in 1 g
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 g
<b>RUMEX CRISPUS ROOT</b> (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)	RUMEX CRISPUS ROOT	6 [hp_X] in 1 g
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	6 [hp_X] in 1 g
<b>URTICA URENS</b> (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	6 [hp_X] in 1 g
<b>SMILAX ORNATA ROOT</b> (UNII: 2H1576D5WG) (SMILAX ORNATA ROOT - UNII:2H1576D5WG)	SMILAX ORNATA ROOT	15 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4762-1	28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/02/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/02/2019	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

## Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4762)

Revised: 12/2020

Newton Laboratories, Inc.