

CHILDRENS MUCINEX CHEST CONGESTION- guaifenesin solution
Reckitt Benckiser LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Children's Mucinex® Chest Congestion

Drug Facts

Active ingredient (in each 5 mL)

Guaifenesin 100 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL – 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL – 5 mL every 4 hours
children under 4 years	do not use

Other information

- each 5 mL contains: **sodium 3 mg**
- tamper evident: do not use if neckband on bottle cap is broken or missing

- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate¹, xanthan gum

¹ may contain this ingredient

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: Reckitt Benckiser, Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

NDC 63824-285-64

**Children's
Mucinex®**

**Chest
Congestion**

**Guaifenesin 100 mg
Expectorant**

- ☐ **Chest Congestion**
- ☐ **Breaks up Mucus**
- ☐ **Alcohol-free**

Age 4+

**Grape
Flavor Liquid**

**4 FL OZ
(118 mL)**

Tamper evident: do not use if neckband on bottle cap is broken or missing.

Children's
MucinEX

**Chest
Congestion**

Guaifenesin 100 mg
Expectorant

NDC 63824-285-64

Children's
MucinEX

**Chest
Congestion**

Also look for
Children's
MucinEX

mini-melts

Children's
MucinEX

**Chest
Congestion**

Guaifenesin 100 mg
Expectorant

- ✓ Chest Congestion
- ✓ Breaks up Mucus
- ✓ Alcohol-free

Age **4+**




Grape

Great-tasting
chest-congestion relief in
fun-to-take, convenient
granule packets!



Dist. by: Reckitt Benckiser, Parsippany, NJ 07054-0224
Made in England ©2013 RB 072413 3000464



4 FL OZ
(118 mL)



3 63824 27364 8

LOT CODE:
EXP. DATE:



3000464

Children's
Mucinex

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Guaifenesin 100 mg	Expectorant

Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Chest Congestion



DOSING CUP INCLUDED

Each dose of grape-flavored
Children's Mucinex®
Chest Congestion Liquid:

- ✓ Relieves Chest Congestion
- ✓ Breaks up Mucus
- ✓ Alcohol-free

Questions or comments?
1-866-MUCINEX (1-866-682-4639)
or www.mucinex.com

softening mucus and make coughs more productive

Warnings

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL = milliliter

Age	Dose
children 6 years to under 12 years	5 mL – 10 mL every 4 hours
children 4 years to under 6 years	2.5 mL – 5 mL every 4 hours
children under 4 years	do not use

Other information

- each 5 mL contains: **sodium 3 mg**
- tamper evident: do not use if neckband on bottle cap is broken or missing
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate*, xanthan gum *may contain this ingredient

Questions? 1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.



CHILDRENS MUCINEX CHEST CONGESTION

guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-285
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
anhydrous citric acid (UNII: XF417D3PSL)	
edetate disodium (UNII: 7FLD91C86K)	
FD&C blue no. 1 (UNII: H3R47K3TBD)	
FD&C red no. 40 (UNII: WZB9127XOA)	
glycerin (UNII: PDC6A3C0OX)	
propylene glycol (UNII: 6DC9Q167V3)	
propyl gallate (UNII: 8D4SNN7V92)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sorbitol (UNII: 506T60A25R)	
sucralose (UNII: 96K6UQ3ZD4)	
trisodium citrate dihydrate (UNII: B22547B95K)	
xanthan gum (UNII: TTV12P4NEE)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-285-64	1 in 1 CARTON	07/13/2012	
1		118 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	07/13/2012	

Labeler - Reckitt Benckiser LLC (094405024)

Revised: 9/2016

Reckitt Benckiser LLC