

SPONGIA TOSTA- silicon dioxide pellet
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACTIVE INGREDIENTS

SPONGIA

USES

To relieve the symptoms of dry cough.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

SPONGIA Dry Cough

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides. Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

The OTC potency range of SPONGIA is 2x-30x, 1c-30c, 200c, 1m, 10m, 50m, and CM.

Availability is subject to change.

Homeopathic Medicine

Contents: 4 dr **Spongia 30C** HPUS[†]
*Dry Cough**

Drug Facts Active ingredient: See product name.
Uses: As indicated above. **Warning:** If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult a licensed practitioner. Keep out of reach of children. **Directions:** Adults & children: Dissolve 4 pellets under the tongue 3 times a day or as directed by a licensed practitioner. **Other information:** Do not use if seal is broken. **Inactive ingredient:** Sucrose, lactose.

Washington Homeopathic Products Lot N/A
 260 JR Hawvermale Way, Berkeley Springs, WV 25411
 800-336-1695 • homeopathyworks.com • Est No. 3006489197

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated. Expires: 10/18/2028

†Product is monographed in the Homeopathic Pharmacopoeia of the United States.

7 40640 52294 3

All WHP single remedies are made to order; thus, the labels are printed on the same label stock as the orders are filled.

'Bottle Size' and 'Potency' vary on the label depending on customer choice.

Standard bottle sizes for pellet-form remedies are 2 dram, 4 dram, 1 ounce, 2 ounce, and 4 ounce.

SPONGIA TOSTA		
silicon dioxide pellet		
Product Information		
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:68428-644
Route of Administration	ORAL	
Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-644-03	75 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/20/2009	
2	NDC:68428-644-05	150 in 1 VIAL, GLASS; Type 0: Not a Combination Product	11/20/2009	
3	NDC:68428-644-11	300 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/20/2009	
4	NDC:68428-644-12	600 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/20/2009	
5	NDC:68428-644-06	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	11/20/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/20/2009	

Labeler - Washington Homeopathic Products (084929389)

Establishment

Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(68428-644)

Revised: 10/2023

Washington Homeopathic Products