ACETAMINOPHEN- acetaminophen tablet NuCare Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acetaminophen 325 mg Tablets

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purposes

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has liver disease.

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin.

Stop use and ask a doctor if

• pain gets worse or lasts more than 10 days in adults

- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 tablets every 4 to 6 hours while symptoms last do not take more than 10 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children 6 years to under 12 years	 take 1 tablet every 4 to 6 hours, while symptoms last do not take more than 5 tablets in 24 hours do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Other information

• store at room temperature in a dry place

Inactive ingredients

Povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions? If you have any questions or comments, or to report an adverse event, please contact **(800) 795-9775**.

Distributed by: Plus Pharma, Commack, NY 11725

Manufactured in a GMP facility in the USA

• NuCare Pharmaceuticals, Inc.



Acetaminophen 325mg

Round White Tablet Debossed: "GPI A325" on one side
Each tablet contains: Acetaminophen 325mg......Pain reliever/flever reducer
Warnings: Liver Warning: This product contains Acetaminophen. Severe
liver damage may occur if, adult takes more than 4,000mg of Acetaminophen
in 24 hours, child takes more than 5 doses in 24 hours, taken with other
drugs containing Acetaminophen, adult has 3 or more alcoholic drinks every
day while using this product. Allergy alert: Acetaminophen may cause severe
skin reactions. Symptoms may include: skin reddening, blisters, rash, if a
skin reaction occurs, stop use and seek medical help right away. Do not use
with any other drug containing Acetaminophen (prescription or nonprescription).
If you are not sure whether a drug contains Acetaminophen, ask a doctor or
pharmacist, if you are allergic to Acetaminophen or any of the ingredients in this



Product #: P0858006ER

WARNING: KEEP OUT OF REACH OF CHILDREN STORE AT CONTROLLED TEMPERATURE 59-86°F.

ACETAMINOPHEN

acetaminophen tablet

Product	Information
Product	IIIIVI IIId UVII

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:66267-858(NDC:51645-703)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)
ACETAMINOPHEN 325 mg

Inactive Ingredients Ingredient Name Strength PO VIDO NE (UNII: FZ989GH94E) STARCH, CORN (UNII: 08232NY3SJ) SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B) STEARIC ACID (UNII: 4ELV7Z65AP)

Product Characteristics				
Color	white (round)	Score	no score	
Shape	ROUND (flat faced beveled edge)	Size	10 mm	
Flavor		Imprint Code	GPI;A325	
Contains				

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:66267-858-06	in 1 BOTTLE; Type 0: Not a Combination Product 12/16/2019				
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not fina	l part343	03/27/2006			

Labeler - NuCare Pharmaceuticals, Inc. (010632300)

Establishment					
Name	Address	ID/FEI	Business Operations		
NuCare Pharmaceuticals, Inc.		010632300	repack(66267-858)		

Revised: 1/2021 NuCare Pharmaceuticals,Inc.