

**HAY FEVER-** apis mel., echinacea, hydrastis, taraxacum, aconitum nap., alfalfa, allium cepa, ambrosia, ammon. carb., aralia rac., arsenicum alb., artemisia., arundo, bellis, berber. vulg., bryonia, calluna vulgaris, flos., chelidonium maj., chenopodium anth., cistus canadensis, drosera, dulcamara, eupatorium perf., euphrasia, fagus syl., frax. amer., gelsemium, hepar sulph. calc., histamine hydrochloricum, kali bic., kali iod., lachesis, ledum, lilium, lycopodium, nat. mur liquid  
Newton Laboratories, Inc.

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Hay 4834L**

## **INDICATIONS & USAGE SECTION**

Formulated for associated symptoms of late Summer and Fall pollens such as nasal catarrh, post-nasal drip, sneezing, glandular swellings and pharyngitis.

## **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional.

## **OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Apis mellifica 6x, Echinacea 6x, Hydrastis canadensis 6x, Taraxacum officinale 6x, Aconitum napellus 15x, Alfalfa 15x, Allium cepa 15x, Ambrosia artemisiaefolia 15x, Ammonium carbonicum 15x, Aralia racemosa 15x, Arsenicum album 15x, Artemisia vulgaris 15x, Arundo mauritanica 15x, Bellis perennis 15x, Berberis vulgaris 15x, Bryonia 15x, Calluna vulgaris, flos 15x, Chelidonium majus 15x, Chenopodium anthelminticum 15x, Cistus canadensis 15x, Drosera 15x, Dulcamara 15x, Eupatorium perfoliatum 15x, Euphrasia officinalis 15x, Fagus sylvatica 15x, Fraxinus americana 15x, Gelsemium sempervirens 15x, Hepar sulphuris calcareum 15x, Histaminum hydrochloricum 15x, Kali bichromicum 15x, Kali iodatum 15x, Lachesis mutus 15x, Ledum palustre 15x, Lillium tigrinum 15x, Lycopodium clavatum 15x, Natrum muriaticum 15x, Onosmodium virginianum 15x, Populus candicans 15x, Populus tremuloides 15x, Pulsatilla 15x, Quercus glandium spiritus 15x, Rosa damascena 15x, Sabadilla 15x, Salix nigra 15x, Sanguinaria canadensis 15x, Solidago virgaurea 15x, Stramonium 15x, Trillium pendulum 15x, Triticum repens 15x, Urtica urens 15x, Ustilago maidis 15x, Wyethia helenoides 15x, Xerophyllum asphodeloides 15x, Parthenium 16x, Ulmus fulva 16x.

## **OTC - PURPOSE SECTION**

Formulated for associated symptoms of late Summer and Fall pollens such as nasal catarrh, post-nasal drip, sneezing, glandular swellings and pharyngitis.

## **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** USP Purified Water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

## **QUESTIONS SECTION**

newtonlabs.net – Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

## WARNINGS SECTION

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

## OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

## PACKAGE LABEL

**newtonlabs.net ~ Questions? 800.448.7256**  
Newton Laboratories, Inc. FDA Est #1051203 • Compens. GA 30013  
Label statements have not been reviewed by the FDA.

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

**NEWTON**  
**homeopathics**  
**PRO**

NDC#  
55714-4834-1

**Hay  
Fever**

Formulated for associated symptoms of late Summer and Fall pollens such as nasal catarrh, post-nasal drip, sneezing, glandular swellings and pharyngitis.

**1 FL OZ (30 ML)**

Dispensed by health professionals - not sold over-the-counter.  
**Directions:** Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional.  
**Active Ingredients:** Equal parts of Apis mel. 6x, Echinacea 6x, Hydrastis 6x, Taraxacum 6x, Aconitum nap. 15x, Alfalfa 15x, Allium cepa 15x, Ambrosia 15x, Ammon. carb. 15x, Aralia rac. 15x, Arsenicum alb. 15x, Artemisia 15x, Arundo 15x, Bellis 15x, Berber. vulg. 15x, Bryonia 15x, Calluna vulgaris, flos 15x, Chelidonium maj. 15x, Chenopodium anth. 15x, Cistus canadensis 15x, Drosera 15x, Dulcamara 15x, Eupatorium perf. 15x, Euphrasia 15x, Fagus syl. 15x, Frax. amer. 15x, Gelsemium 15x, Hepar sulph. calc. 15x, Histaminum hydrochloricum 15x, Kali bic. 15x, Kali iod. 15x, Lachesis 15x, Ledum 15x, Liliium 15x, Lycopodium 15x, Nat. mur. 15x, Onosmodium virginianum 15x, Populus can. 15x, Populus trem. 15x, Pulsatilla 15x, Quercus gland. sp. 15x, Rosa dam. 15x, Sabadilla 15x, Salix nig. 15x, Sanguinaria 15x, Solidago 15x, Stramonium 15x, Trillium 15x, Triticum 15x, Urtica ur. 15x, Ustilago maidis 15x, Wyethia 15x, Xerophyllum 15x, Parthenium 16x, Ulmus fulv. 16x.  
**Inactive Ingredients:** USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# R017 Lot#

## HAY FEVER

apis mel., echinacea, hydrastis, taraxacum, aconitum nap., alfalfa, allium cepa, ambrosia, ammon. carb., aralia rac., arsenicum alb., artemisia., arundo, bellis, berber. vulg., bryonia, calluna vulgaris, flos., chelidonium maj., chenopodium anth., cistus canadensis, drosera, dulcamara, eupatorium perf., euphrasia, fagus syl., frax. amer., gelsemium, hepar sulph. calc., histamine hydrochloricum, kali bic., kali iod., lachesis, ledum, liliium, lycopodium, nat. mur liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-4834
Route of Administration	ORAL		

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>XEROPHYLLUM ASPHODELOIDES</b> (UNII: 9I4XB1GP2B) (XEROPHYLLUM ASPHODELOIDES - UNII:9I4XB1GP2B)	XEROPHYLLUM ASPHODELOIDES	15 [hp_X] in 1 mL
<b>SALIX NIGRA BARK</b> (UNII: QU52J3A5B3) (SALIX NIGRA BARK - UNII:QU52J3A5B3)	SALIX NIGRA BARK	15 [hp_X] in 1 mL
<b>LILIUM LANCIFOLIUM WHOLE FLOWERING</b> (UNII: X67Z2963PI) (LILIUM LANCIFOLIUM WHOLE FLOWERING - UNII:X67Z2963PI)	LILIUM LANCIFOLIUM WHOLE FLOWERING	15 [hp_X] in 1 mL
<b>ULMUS RUBRA BARK</b> (UNII: 91QY4PXU8Q) (ULMUS RUBRA BARK - UNII:91QY4PXU8Q)	ULMUS RUBRA BARK	16 [hp_X] in 1 mL
<b>FAGUS SYLVATICA NUT</b> (UNII: I57ERU2601) (FAGUS SYLVATICA NUT - UNII:I57ERU2601)	FAGUS SYLVATICA NUT	15 [hp_X] in 1 mL
<b>ALFALFA</b> (UNII: DJO934BRBD) (ALFALFA - UNII:DJO934BRBD)	ALFALFA	15 [hp_X] in 1 mL
<b>FRAXINUS AMERICANA BARK</b> (UNII: 0B24UR1O1S) (FRAXINUS AMERICANA BARK - UNII:0B24UR1O1S)	FRAXINUS AMERICANA BARK	15 [hp_X] in 1 mL
<b>QUERCUS ROBUR NUT</b> (UNII: Q7MU1F4GLY) (QUERCUS ROBUR NUT - UNII:Q7MU1F4GLY)	QUERCUS ROBUR NUT	15 [hp_X] in 1 mL
<b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	15 [hp_X] in 1 mL
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	15 [hp_X] in 1 mL
<b>ARUNDO PLINIANA ROOT</b> (UNII: ZXE7LB03WC) (ARUNDO PLINIANA ROOT - UNII:ZXE7LB03WC)	ARUNDO PLINIANA ROOT	15 [hp_X] in 1 mL
<b>DYSPHANIA AMBROSIOIDES</b> (UNII: 4H5RSU087I) (DYSPHANIA AMBROSIOIDES - UNII:4H5RSU087I)	DYSPHANIA AMBROSIOIDES	15 [hp_X] in 1 mL
<b>HELIANTHEMUM CANADENSE</b> (UNII: 46G3W789Q3) (HELIANTHEMUM CANADENSE - UNII:46G3W789Q3)	HELIANTHEMUM CANADENSE	15 [hp_X] in 1 mL
<b>DROSERANGLICA</b> (UNII: J61BY05EGY) (DROSERANGLICA - UNII:J61BY05EGY)	DROSERANGLICA	15 [hp_X] in 1 mL
<b>SOLANUM DULCAMARA TOP</b> (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	15 [hp_X] in 1 mL
<b>RHODODENDRON TOMENTOSUM LEAFY TWIG</b> (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWIG	15 [hp_X] in 1 mL
<b>ONOSMODIUM VIRGINIANUM</b> (UNII: 604NK4250S) (ONOSMODIUM VIRGINIANUM - UNII:604NK4250S)	ONOSMODIUM VIRGINIANUM	15 [hp_X] in 1 mL
<b>POPULUS BALSAMIFERA LEAF BUD</b> (UNII: 9CQ6C00G3C) (POPULUS BALSAMIFERA LEAF BUD - UNII:9CQ6C00G3C)	POPULUS BALSAMIFERA LEAF BUD	15 [hp_X] in 1 mL
<b>POPULUS TREMULOIDES LEAF</b> (UNII: 7I1H57D9E0) (POPULUS TREMULOIDES LEAF - UNII:7I1H57D9E0)	POPULUS TREMULOIDES LEAF	15 [hp_X] in 1 mL
<b>ANEMONE PULSATILLA</b> (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	15 [hp_X] in 1 mL
<b>SANGUINARIA CANADENSIS ROOT</b> (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	15 [hp_X] in 1 mL
<b>DATURA STRAMONIUM</b> (UNII: G6W4F0V8Z3) (DATURA STRAMONIUM - UNII:G6W4F0V8Z3)	DATURA STRAMONIUM	15 [hp_X] in 1 mL
<b>ELYMUS REPENS ROOT</b> (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)	ELYMUS REPENS ROOT	15 [hp_X] in 1 mL
<b>URTICA URENS</b> (UNII: IHN2NQ50F9) (URTICA URENS - UNII:IHN2NQ50F9)	URTICA URENS	15 [hp_X] in 1 mL
<b>WYETHIA HELENIOIDES ROOT</b> (UNII: J10PD1AQ0N) (WYETHIA HELENIOIDES ROOT - UNII:J10PD1AQ0N)	WYETHIA HELENIOIDES ROOT	15 [hp_X] in 1 mL
<b>ONION</b> (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	15 [hp_X] in 1 mL
<b>AMBROSIA ARTEMISIIFOLIA</b> (UNII: 9W34L2CQ9A) (AMBROSIA ARTEMISIIFOLIA - UNII:9W34L2CQ9A)	AMBROSIA ARTEMISIIFOLIA	15 [hp_X] in 1 mL
<b>AMMONIUM CARBONATE</b> (UNII: NJ5VT0FKLJ) (CARBONATE ION -	CARBONATE ION	15 [hp_X]

UNII:7UJQ5OPE7D)	CARBONATE ION	in 1 mL
<b>ARALIA RACEMOSA ROOT</b> (UNII: T90W4582DU) (ARALIA RACEMOSA ROOT - UNII:T90W4582DU)	ARALIA RACEMOSA ROOT	15 [hp_X] in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC CATION (3+)	15 [hp_X] in 1 mL
<b>ARTEMISIA VULGARIS ROOT</b> (UNII: 32MP823R8S) (ARTEMISIA VULGARIS ROOT - UNII:32MP823R8S)	ARTEMISIA VULGARIS ROOT	15 [hp_X] in 1 mL
<b>BELLIS PERENNIS</b> (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	15 [hp_X] in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 mL
<b>CHELIDONIUM MAJUS</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	15 [hp_X] in 1 mL
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	15 [hp_X] in 1 mL
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	15 [hp_X] in 1 mL
<b>EUPHRASIA STRICTA</b> (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	15 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	15 [hp_X] in 1 mL
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	15 [hp_X] in 1 mL
<b>POTASSIUM DICHROMATE</b> (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)	POTASSIUM DICHROMATE	15 [hp_X] in 1 mL
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	15 [hp_X] in 1 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 1 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 mL
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	15 [hp_X] in 1 mL
<b>SCHOENOCAULON OFFICINALE SEED</b> (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	15 [hp_X] in 1 mL
<b>SOLIDAGO VIRGAUREA FLOWERING TOP</b> (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	15 [hp_X] in 1 mL
<b>TRILLIUM ERECTUM ROOT</b> (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII:AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	15 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 mL
<b>USTILAGO MAYDIS</b> (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)	USTILAGO MAYDIS	15 [hp_X] in 1 mL
<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 mL
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 mL
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	6 [hp_X] in 1 mL
<b>PARTHENIUM HYSTEROPHORUS</b> (UNII: 151F45R21P) (PARTHENIUM HYSTEROPHORUS - UNII:151F45R21P)	PARTHENIUM HYSTEROPHORUS	16 [hp_X] in 1 mL
<b>ROSA X DAMASCENA FLOWERING TOP</b> (UNII: 21W82Q764G) (ROSA X DAMASCENA FLOWERING TOP - UNII:21W82Q764G)	ROSA X DAMASCENA FLOWERING TOP	15 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

WATER (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4834-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/02/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/02/2019	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4834)

Revised: 12/2020

Newton Laboratories, Inc.