

HEMORRHOIDAL- hard fat, phenylephrine hcl suppository

Major Pharmaceuticals

Major Hemorrhoidal Suppositories

Active Ingredients (in each suppository)

Hard Fat 88.44%

Phenylephrine hydrochloride 0.25%

Purpose

Protectant

Vasoconstrictor

Uses

- temporarily shrinks hemorrhoidal tissue
- gives temporary relief to the itching, burning and discomfort associated with hemorrhoids

Warnings

For rectal use only

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression

When using this product,

do not use more than directed

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe.
- gently dry by patting or blotting with a tissue or a soft cloth before insertion of suppository.
- detach one suppository from the strip
- separate the two tabs of the white plastic wrap
- with thumb and forefinger of each hand, grasp the tabs and peel downward, unwrapping the suppository
- insert one suppository into the rectum

adults and children 12 years and over: insert one suppository rectally up to 4 times daily

children under 12 years: ask a doctor

Other information

store below 30°C (86°F) to avoid melting.

Inactive ingredients

corn starch, methylparaben, propylparaben

MAJOR[®]

Hemorrhoidal Suppositories

- NON STAINING
- FAST ACTING
- AIDS IN PROTECTING IRRITATED TISSUE
- SHRINKS SWOLLEN HEMORRHOIDAL TISSUE

MAJOR[®]

NDC 0904-6977-12

Hemorrhoidal Suppositories

Relieves Hemorrhoidal Pain and Burning

12 Suppositories

MAJOR[®]

Hemorrhoidal Suppositories

FOR YOUR SAFETY, SUPPOSITORIES ARE PACKAGED IN TAMPER RESISTANT PLASTIC WRAPPER. DO NOT USE IF PLASTIC WRAPPER IS TORN OR OPENED

Drug Facts

Active ingredients (in each suppository) Purposes
 Hard Fat 88.7%Protectant
 Phenylephrine HCl 0.25%Vasoconstrictor

Uses

- temporarily shrinks hemorrhoidal tissue
- temporarily relieves the itching, burning and discomfort associated with hemorrhoids

Warnings

For rectal use only

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression

When using this product, do not use more than directed

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe.
 - gently dry by patting or blotting with a tissue or a soft cloth before insertion of suppository.
 - detach one suppository from the strip
 - separate the two tabs of the white plastic wrap
 - with thumb and forefinger of each hand, grasp the tabs and peel downward, unwrapping the suppository
 - insert one suppository into the rectum
- adults and children 12 years and over:** insert one suppository rectally up to 4 times daily
children under 12 years: ask a doctor

Other information

store below 30°C (86°F) to avoid melting.

Inactive ingredients

corn starch, methylparaben, propylparaben

Questions or comments?

1-800-616-2471

LOT NO. & EXP

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Major Hemorrhoidal Suppositories 12ct

Distributed by

Major Pharmaceuticals

Distributed by:
 MAJOR[®] PHARMACEUTICALS
 17177 N Laurel Park Drive
 Suite 233
 Livonia, MI 48152
 Rev. 06/19 M-161
 Re-order No. 701176



17177 N. Laurel Park Drive

Suite 233

Livonia, MI 48152

MajorHemSupp.jpg

HEMORRHOIDAL

hard fat, phenylephrine hcl suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6977
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HARD FAT (UNII: 8334LX7S21) (HARD FAT - UNII:8334LX7S21)	HARD FAT	1.77 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6977-12	2 in 1 CARTON	12/18/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	12/18/2019	

Labeler - Major Pharmaceuticals (191427277)

Registrant - DSC Laboratories Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(0904-6977)

Revised: 12/2023

Major Pharmaceuticals