

REXALL ANTACID ADVANCED- aluminum hydroxide, magnesium hydroxide, simethicone suspension

Dolgenercorp Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dolgenercorp, LLC Antacid Advanced Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 800 mg

Magnesium hydroxide 800 mg

Simethicone 80 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 40 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

- shake well before using
- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL two times a day or as directed by a physician
- do not take more than 40 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- **each 10 mL contains:** magnesium 350 mg and sodium 3 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- protect from freezing

Inactive ingredients

butylparaben, flavor, glycerin, hydroxyethyl cellulose, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Principal Display Panel

MAXIMUM STRENGTH

Antacid

Advanced

Antacid & Antigas

Fast relief of:

Heartburn

Acid Indigestion

Pressure

Bloating (Gas)

Cherry FLAVORED LIQUID

GLUTEN FREE

ALCOHOL 0.1%

12 FL OZ (355mL)

Since 1903
Rexall[®]

MAXIMUM STRENGTH

Antacid Advanced

Antacid & Antigas

Fast relief of:

- Heartburn
- Acid Indigestion
- Pressure
- Bloating (Gas)

Cherry
 FLAVORED LIQUID



ALCOHOL 0.1%

12 FL OZ
(355mL)

58840 CF F3

Drug Facts

Active ingredients (in each 10 mL)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 800 mg.....	Antacid
Magnesium hydroxide 800 mg.....	Antacid
Simethicone 80 mg.....	Antigas

Uses for the relief of ■ acid indigestion ■ heartburn ■ sour stomach
 ■ upset stomach associated with these symptoms
 ■ pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have
 ■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 40 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

■ shake well before using ■ only use the dose cup provided ■ adults and children 12 years and older: take 10 mL to 20 mL two times a day or as directed by a physician ■ do not take more than 40 mL in 24 hours or use the maximum dosage for more than 2 weeks ■ children under 12 years: consult a physician

Other information ■ each 10 mL contains: magnesium 350 mg and sodium 3 mg ■ does not meet USP requirements for preservative effectiveness ■ store at 20-25°C (68-77°F) ■ protect from freezing

Inactive ingredients butylparaben, flavor, glycerin, hydroxyethyl cellulose, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

DO NOT USE IF
 PRINTED NECKBAND
 IS BROKEN OR
 MISSING

A0210



3

Visit us at: Rexall.com
 or call 1-866-4-REXALL

MANUFACTURED FOR DOLGENCORP, LLC
 100 MISSION RIDGE
 GOODLETTSVILLE, TN 37072 USA

Since 1903 Rexall[®] is a registered trademark of Rexall Sundown, Inc.

58840 CF B3

REXALL ANTACID ADVANCED

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:559 10-588
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	800 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYL PARABEN (UNII: 3QP1IU3FV8)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:559 10-588-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/10/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	06/10/2014	

