

**ZINC COLD REMEDY- zinc acetate anhydrous and zinc gluconate tablet
CARDINAL HEALTH**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

**LEADER Zinc
Cold
Remedy Citrus Flavor 25 Quick Dissolving Tablets**

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Zincum Aceticum 2x	May reduce duration and severity of cold symptoms**
Zincum Gluconicum 1x	

Uses

- may reduce duration of cold symptoms
- may reduce severity of cold symptoms:
 - sore throat
 - stuffy nose
 - sneezing
 - coughing
 - nasal congestion

Warnings

Ask a doctor before use if you have

a sensitivity to zinc or are allergic to zinc

Stop use and ask a doctor if symptoms persist or are accompanied by fever.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- **For best results, use at the first sign of a cold and continue to use until symptoms completely subside.**
 - **adults and children 12 years of age and older:**
 - take 1 tablet at the onset of symptoms
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole

- repeat every 3 hours until symptoms are gone
 - to avoid minor stomach upset, do not take on an empty stomach.
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- **Children under 12 years of age:** Consult a doctor before use.

Other information

- Store at room temperature

Inactive ingredients

ascorbic acid, crospovidone, FD&C yellow # 6 lake, flavors, magnesium stearate, sorbitol, starch, sucralose

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL - 25 Tablet Carton

NDC 70000-0130-1

COMPARE TO ZICAM[®] COLD REMEDY RAPIDMELTS[®]* active ingredients

Zinc Cold Remedy

Zincum Aceticum

Zincum Gluconicum

Citrus

Flavor

Naturally and Artificially Flavored

May reduce duration and severity of cold symptoms**

Fast-Melting Tablets with Vitamin C

Homeopathic

25 QUICK- DISSOLVING TABLETS

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

**This statement has not been evaluated by the Food and Drug Administration, This product is not intended to diagnose, treat, cure or prevent any disease.

*This product is not manufactured or distributed by Zicam, LLC, owner of the registered trademarks Zicam[®] Cold Remedy Rapidmelts[®]

© 2017 CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health.
CARDINAL HEALTH[™]

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com

1-800-200-6313

Essential to Care™ since 1979

All Leader Brand Products have a 100% Money Back Guarantee

Return to place of purchase if not satisfied

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each tablet)	Purpose
Zincum Aceticum 2x Zincum Gluconicum 1x	May reduce duration and severity of cold symptoms**

Uses

- may reduce duration of cold symptoms
- may reduce severity of cold symptoms:
 - sore throat ■ stuffy nose ■ sneezing ■ coughing ■ nasal congestion

Warnings

- Ask a doctor before use if you have
 - a sensitivity to zinc or are allergic to zinc

Stop use and ask a doctor if symptoms persist or are accompanied by fever if pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole
 - repeat every 3 hours until symptoms are gone
 - to avoid minor stomach upset, do not take on an empty stomach
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids
 - children under 12 years of age: Consult a doctor before use

Other information

- store at room temperature

Inactive ingredients

ascorbic acid, crospovidone, FD&C yellow #6 lake, flavors, magnesium stearate, sorbitol, starch, sucralose

Questions or comments? 1-866-467-2748

THIS STATEMENT HAS NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

THIS PRODUCT IS NOT INTENDED TO BE USED OR DISTRIBUTED BY ZENITH, LLC, OWNER OF THE REGISTERED TRADEMARK ZICAM™ Cold Remedy RapidMelt™.

LEADER

Zinc Cold Remedy
Zincum Aceticum
Zincum Gluconicum

Citrus
Flavor
Naturally and Artificially Flavored

Zinc Cold Remedy
Zincum Aceticum
Zincum Gluconicum

Citrus
Flavor
Naturally and Artificially Flavored

May reduce duration and severity of cold symptoms**
Fast-Melting Tablets with Vitamin C
Homeopathic

25 QUICK DISSOLVING TABLETS

100% MONEY BACK GUARANTEE

CardinalHealth
DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com 1-800-200-6313
Essential to Care™ since 1979

100% Money Back Guarantee
Return to place of purchase if not satisfied.

CIN 5283783 REV. 5/17

0 96295 12943 4

118CT2

LOT:

EXP:

ZINC COLD REMEDY

zinc acetate anhydrous and zinc gluconate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0130
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC ACETATE ANHYDRO US (UNII: H2ZEY72PME) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2 [hp_X]
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
ascorbic acid (UNII: PQ6CK8PD0R)	
crospovidone (UNII: 68401960MK)	
FD&C Yellow No. 6 (UNII: H77VEI93A8)	
magnesium stearate (UNII: 70097M6B0)	
SORBITOL (UNII: 506T60A25R)	
STARCH, CORN (UNII: O8232NY3SJ)	
sucralose (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	ROUND (Biconcave)	Size	16mm
Flavor	CITRUS	Imprint Code	r8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0130-1	25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/15/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		05/15/2017	

Labeler - CARDINAL HEALTH (097537435)