

CONNEC-T- echinacea, solidago virgaurea, taraxacum officinale, arsenicum album, baptisia tinctoria, berberis aquifolium, calcarea fluorica, capsicum annuum, carduus marianus, cinchona officinalis, iodium, kali carbonicum, lachesis mutus, magnesia carbonica, mercurius vivus, natrum carbonicum, natrum muriaticum, natrum sulphuricum, phosphorus, phytolacca decandra, secale cornutum, thymus serpyllum, thuja occidentalis, thyroidinum, verbascum thapsus. liquid

Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Connec-T 4775L

INDICATIONS & USAGE SECTION

Formulated for symptoms such as muscle pain, nerve pain, inflammation, joint pain and dry, shriveled skin.

DOSAGE & ADMINISTRATION

Directions: Ages 12 and up, take 6 drops by mouth (ages 6 to 11, give 3 drops) one to four times daily or as directed by a health professional.

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Echinacea 6x, Solidago 6x, Taraxacum 6x, Arsenicum alb. 15x, Baptisia 15x, Berber. aq. 15x, Calc. fluor. 15x, Capsicum 15x, Carduus mar. 15x, Cinchona 15x, Iodium 15x, Kali carb. 15x, Lachesis 15x, Mag. carb. 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. mur. 15x, Nat. sulphuricum 15x, Phos. 15x, Phytolacca 15x, Secale 15x, Thuja occ. 15x, Thymus serp. 15x, Thyroidinum 15x, Verbascum 15x.

OTC - PURPOSE SECTION

Formulated for symptoms such as muscle pain, nerve pain, inflammation, joint pain and dry, shriveled skin.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

QUESTIONS SECTION

newtonlabs.net - Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 Conyers, GA 30013

WARNINGS SECTION

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.


OTC - PREGNANCY OR BREAST FEEDING SECTION

If pregnant or breast-feeding, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children.

newtonlabs.net ~ Questions? 800.448.7256
 Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30013
Label statements have not been reviewed by the FDA.
WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.



NDC#
55714-4775-1

Connec-T

Formulated for symptoms such as muscle pain, nerve pain, inflammation, joint pain and dry, shriveled skin.

1 FL OZ (30 ML)

Dispensed by health professionals - not sold over-the-counter.
Directions: Ages 12 and up, take 6 drops by mouth (ages 6 to 11, give 3 drops) one to four times daily or as directed by a health professional.
Active Ingredients: Equal parts of Echinacea 6x, Solidago 6x, Taraxacum 6x, Arsenicum alb. 15x, Baptisia 15x, Berber. aqu. 15x, Calc. fluor. 15x, Capsicum 15x, Carduus mar. 15x, Cinchona 15x, Iodium 15x, Kali carb. 15x, Lachesis 15x, Mag. carb. 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. mur. 15x, Nat. sulphuricum 15x, Phos. 15x, Phytolacca 15x, Secale 15x, Thuja occ. 15x, Thymus serp. 15x, Thyroidinum 15x, Verbascum 15x.
Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# R083 Lot#

CONNec-T

echinacea, solidago virgaurea, taraxacum officinale, arsenicum album, baptisia tinctoria, berberis aquifolium, calcarea fluorica, capsicum annuum, carduus marianus, cinchona officinalis, iodium, kali carbonicum, lachesis mutus, magnesia carbonica, mercurius vivus, natrum carbonicum, natrum muriaticum, natrum sulphuricum, phosphorus, phytolacca decandra, secale cornutum, thymus serpyllum, thuja occidentalis, thyroidinum, verbascum thapsus. liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-4775
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 mL
VERBASCUM THAPSUS (UNII: C9TD27U172) (VERBASCUM THAPSUS - UNII:C9TD27U172)	VERBASCUM THAPSUS	15 [hp_X] in 1 mL
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	15 [hp_X] in 1 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	6 [hp_X] in 1 mL

PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	15 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	15 [hp_X] in 1 mL
THYMUS SERPYLLUM (UNII: 86H4S6K51N) (THYMUS SERPYLLUM - UNII:86H4S6K51N)	THYMUS SERPYLLUM	15 [hp_X] in 1 mL
THYROID, UNSPECIFIED (UNII: 0B4FDL9I6P) (THYROID, UNSPECIFIED - UNII:0B4FDL9I6P)	THYROID, UNSPECIFIED	15 [hp_X] in 1 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	6 [hp_X] in 1 mL
CALCIUM FLUORIDE (UNII: 03B55K4YK1) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	15 [hp_X] in 1 mL
MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	15 [hp_X] in 1 mL
CLAVICEPS PURPUREA SCLEROTIUM (UNII: 01G9XEA93N) (CLAVICEPS PURPUREA SCLEROTIUM - UNII:01G9XEA93N)	CLAVICEPS PURPUREA SCLEROTIUM	15 [hp_X] in 1 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	15 [hp_X] in 1 mL
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	15 [hp_X] in 1 mL
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	15 [hp_X] in 1 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	15 [hp_X] in 1 mL
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	15 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	15 [hp_X] in 1 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 mL
SODIUM CARBONATE (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ5OPE7D)	SODIUM CARBONATE	15 [hp_X] in 1 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 1 mL
MERCURY (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL)	MERCURY	15 [hp_X] in 1 mL
POTASSIUM CARBONATE (UNII: BQN1B9B9HA) (CARBONATE ION - UNII:7UJQ5OPE7D)	POTASSIUM CARBONATE	15 [hp_X] in 1 mL
BERBERIS AQUIFOLIUM ROOT BARK (UNII: VZJ9F3C3SB) (BERBERIS AQUIFOLIUM ROOT BARK - UNII:VZJ9F3C3SB)	BERBERIS AQUIFOLIUM ROOT BARK	15 [hp_X] in 1 mL
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	15 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4775-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/02/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/02/2019	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-4775)

Revised: 12/2020

Newton Laboratories, Inc.