

LAUREN CONRAD - THE LIQUID FOUNDATION SPF 15- titanium dioxide, zinc oxide cream
Lauren Conrad Beauty Co.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LAUREN CONRAD - THE LIQUID FOUNDATION (SPF 15)

ACTIVE INGREDIENTS

Titanium Dioxide 5.00%

Zinc Oxide 5.00%

Purpose

Sunscreen

PURPOSE

SUNSCREEN

USES

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

For sunscreen use:

- Shake well.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.

Sun Protection Measures:

- Spending time in the sun increases risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:




- limit time in the sun especially from 10:00 a.m. - 2:00 p.m.
- wear long sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: ask a doctor.

INACTIVE INGREDIENTS

Water (Aqua/Eau), Ethylhexyl Palmitate, Dimethicone, PEG-30 Dipolyhydroxystearate, Butylene Glycol, Neopentyl Glycol Diethylhexanoate, Triethylhexanoin, Caprylic/Capric Triglyceride, Octyldodecyl Neopentanoate, Glycerin, Silica, Tremella Fuciformis Sporocarp Extract, Butyrospermum Parkii (Shea) Butter, Tocopherol, Tocopheryl Acetate, Sodium Hyaluronate, Dimethicone Crosspolymer-3, Simethicone, Betaine, Octyldodecanol, Phytantriol, Distearidimonium Hectorite, Tribehenin, Lysine, Magnesium Chloride, Potassium Chloride, Zinc Chloride, Sodium Chloride, Triethoxycaprylylsilane, Sodium Citrate, Citric Acid, Hexylene Glycol, Potassium Sorbate, Caprylyl Glycol, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, 77492, 77499)

OTHER INFORMATION

Protect the product in this container from excessive heat and direct sun.

<p>Drug Facts</p> <p>Active Ingredients Purpose Titanium Dioxide 5.00%.....Sunscreen Zinc Oxide 5.00%.....Sunscreen</p> <p>Use</p> <ul style="list-style-type: none"> ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. <p>Warnings For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions For sunscreen use:</p> <ul style="list-style-type: none"> ■ Shake well. ■ Apply liberally 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. <p>Sun Protection Measures:</p> <ul style="list-style-type: none"> ■ Spending time in the sun increases risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> ■ limit time in the sun especially from 10:00 a.m. - 2:00 p.m. ■ wear long sleeved shirts, pants, hats and sunglasses. ■ Children under 6 months of age: ask a doctor. 	<p>Drug Facts (continued)</p> <p>Inactive Ingredients Water (Aqua/Eau), Ethylhexyl Palmitate, Dimethicone, PEG-30 Dipolyhydroxystearate, Butylene Glycol, Neopentyl Glycol Diethylhexanoate, Triethylhexanoin, Caprylic/Capric Triglyceride, Octyldodecyl Neopentanoate, Glycerin, Silica, Tremella Fuciformis Sporocarp Extract, Butyrospermum Parkii (Shea) Butter, Tocopherol, Tocopheryl Acetate, Sodium Hyaluronate, Dimethicone Crosspolymer-3, Simethicone, Betaine, Octyldodecanol, Phytantriol, Distearidimonium Hectorite, Tribehenin, Lysine, Magnesium Chloride, Potassium Chloride, Zinc Chloride, Sodium Chloride, Triethoxycaprylylsilane, Sodium Citrate, Citric Acid, Hexylene Glycol, Potassium Sorbate, Caprylyl Glycol, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, 77492, 77499)</p> <p>Other Information Protect the product in this container from excessive heat and direct sun.</p>	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">LAUREN CONRAD</p> <p>NATURALLY FLAWLESS</p> <p>Lightweight foundation with buildable, medium to full coverage with a natural, luminous finish that stays true through wear, without fading or caking.</p> <p>FEEL GOOD ABOUT</p> <p>Infused with shea butter, snow mushroom and vitamin E</p> <p>—</p> <p>All-mineral sunscreens</p> <p>—</p> <p>Dermatologist tested</p> <p>USAGE</p> <p>Shake well. Use fingertips, brush or sponge and apply evenly on your face. Layer for additional coverage.</p> <p>BROAD SPECTRUM SPF 15</p> <p>THE LIQUID FOUNDATION</p> <p>1.0 fl oz / 30 mL</p> <p>  </p>
---	--	--

LAUREN CONRAD - THE LIQUID FOUNDATION SPF 15

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80261-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
Ethylhexyl Palmitate (UNII: 2865993309)	
Dimethicone (UNII: 92RU3N3Y1O)	
PEG-30 Dipolyhydroxystearate (UNII: 9713Q0S7FO)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Neopentyl Glycol Diethylhexanoate (UNII: U68ZV6W62C)	
Triethylhexanoin (UNII: 7K3W1BIU6K)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
Octyldodecyl Neopentanoate (UNII: X8725R883T)	
Glycerin (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G)	
SHEA BUTTER (UNII: K49155WL9Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
BETAINE (UNII: 3SCV180C9W)	
OCTYLDOECANOL (UNII: 461N1O614Y)	
PHYTANTRIOL (UNII: 8LVI07A72W)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
LYSINE (UNII: K3Z4F929H6)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ981I0)	
ZINC CHLORIDE (UNII: 86Q357L16B)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80261-101-01	30 mL in 1 TUBE; Type 0: Not a Combination Product	08/25/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/25/2020	

Labeler - Lauren Conrad Beauty Co. (123316147)**Establishment**

Name	Address	ID/FEI	Business Operations
MANA PRODUCTS, INC.		078870292	manufacture(80261-101)

Revised: 8/2020

Lauren Conrad Beauty Co.