ACTAEA SPICATA- actaea spicata pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Single label image contains content for sections 1-14.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901	۱ _
ACTAEA SPICATA	ahnen
1M Min. net wt: 30g of pellets	TWIS
HOMEOPATHIC MEDICINE HPUS Drug Facts: Active ingredients:Listed above Uses: This product is intended for traditional homeopathic uses, such as for vomiting Warnings: If pregnent or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional Keep out of reach of children. Directions: Take 5 pellets orally once, or as directed by a health professional Inactive ingredients: sucrose Questions? Call toll free 888-427-6422 Do not use if safety seal is broken. INIMINATION INITIAL INITIAL 0000	0

1

actaea spicata p	ellet							
Product Info	rmation							
Product Type		HUMAN OTC DF	HUMAN OTC DRUG Item Code (Source		e)	e) NDC:63545-745		
Route of Admin	istration	ORAL	ORAL					
Active Ingred	lient/Active	Moiety						
Ingredient Name				Basis of Strength Streng				
		ACTAEA SF ROOT	ACTAEA SPICATA ROOT 1000 [
Inactive Ingre	Inactive Ingredients							
Ingredient Name Strength			th					
SUCROSE (UNII: C151H8M554)								
Product Char	acteristics							
Color	whi	te	Score				no score	
Shape	ROU	UND	Size			2mm		
Flavor			Imprint C	Code				
Contains								
Packaging								
# Item Code	Pa	ackage Desc	ription			ng Start ate		eting End Date
1 NDC:63545- 745-03	3000 in 1 BOTT Combination Pr	n 1 BOTTLE, GLASS; Type 0: Not a nation Product		12/30/2019				

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901	۱ _
ACTAEA SPICATA	lahnen
1M Min. net wt: 30g of pellets	TWIS
HOMEOPATHIC MEDICINE HPUS Drug Facts: Active ingredients: Listed above Uses: This product is intended for traditional homeopathic uses, such as for vomiting Warnings: If pregnant or breast-feeding_ ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children. Directions: Take 5 pellets orally once, or as directed by a health professional Inactive ingredients: sucrose Questions? Call toll free 888-427-6422 Do not use if safety seal is broken.	remann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED
	2

Marketing Information

Marketing

Application Number or Monograph Marketing Start Marketing End

Category	Citation	Date	Date
unapproved homeopathic		12/30/2019	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-745)

Revised: 7/2022

Hahnemann Laboratories, Inc.