

**GOODSENSE EYE DROPS IRRITATION RELIEF- tetrahydrozoline hcl, zinc sulfate solution**

**Geiss, Destin & Dunn, Inc.**

-----  
**Good Sense Eye Drops Irritation (PLD)**

***Active ingredients***

Tetrahydrozoline HCl ... 0.5 %

Zinc sulfate ... 0.25%

***Purposes***

Tetrahydrozoline HCl ... Redness reliever

Zinc sulfate ...Astringent

***Use***

- for temporary relief of discomfort and redness of the eye due to minor eye irritations

***Warnings***

**For external use only**

**Ask a doctor before use if you have** narrow angle glaucoma

**When using this product**

- pupils may become enlarged temporarily
- to avoid contamination, do not touch tip of container to any surface. Replace cap after using
- if solution changes color or becomes cloudy, do not use
- overuse may produce increased redness of the eye
- remove contact lens before using

**Stop use and ask a doctor if you experience**

- eye pain
- changes in vision
- continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

Instill 1 to 2 drops in the affected eye(s) up to 4 times daily

***Other information***

store at 15°-30°C (59°-86°F)

***Inactive ingredients***

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium chloride,

sodium citrate.

**Drug Facts**

**Active ingredients**  
Tetrahydrozoline HCl 0.05%.....Redness reliever  
Zinc sulfate 0.25%.....Astringent

**Purposes**

**Use**  
■ for temporary relief of discomfort and redness of the eye due to minor eye irritations

**Warnings**  
For external use only  
Ask a doctor before use if you have narrow angle glaucoma

**When using this product**  
■ pupils may become enlarged temporarily  
■ to avoid contamination, do not touch tip of container to any surface. Replace cap after using.  
■ if solution changes color or becomes cloudy, do not use  
■ overuse may produce increased redness of the eye  
■ remove contact lens before using

**Stop use and ask a doctor if you experience**  
■ eye pain  
■ changes in vision  
■ continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

**Drug Facts (continued)**

**Directions**  
Instill 1 to 2 drops in the affected eye(s) up to 4 times daily

**Other information**  
store at 15°-30°C (59°-86°F)

**Inactive ingredients**  
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium chloride, sodium citrate

\*This product is not manufactured or distributed by Johnson & Johnson, Healthcare Products, distributor of Visine® A.C.\*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**GOODSENSE®**  
NDC 50804-121-01

**Sterile**

**Eye Drops**

**IRRITATION RELIEF**

- Astringent
- Redness Reliever
- Eye Irritations (Dust, Pollen, Ragweed)

Compare to active ingredients of Visine® A.C.\*\*

**100% SATISFACTION GUARANTEED**

0.5 FL OZ (15 mL)

LOT  
EXP

Distributed By:  
**Geiss, Destin & Dunn, Inc.**  
Peachtree City, GA 30269  
[www.valuelabels.com](http://www.valuelabels.com)  
1-888-527-4276

GoodSense® is a registered trademark of L. Perrigo Company.

1 80410 00018 7  
CEDAC0051GS5

## GOODSENSE EYE DROPS IRRITATION RELIEF

tetrahydrozoline hcl, zinc sulfate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-121
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TETRAHYDROZOLINE HYDROCHLORIDE</b> (UNII: 0YZT43HS7D) (TETRAHYDROZOLINE - UNII:S9U025Y077)	TETRAHYDROZOLINE HYDROCHLORIDE	0.05 g in 100 mL
<b>ZINC SULFATE</b> (UNII: 89DS0H96TB) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	0.25 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-121-01	1 in 1 CARTON	01/02/2020	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	01/02/2020	

**Labeler** - Geiss, Destin & Dunn, Inc. (076059836)

**Registrant** - K.C. Pharmaceuticals, Inc. (174450460)

### Establishment

Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(50804-121) , pack(50804-121) , label(50804-121)

Revised: 12/2023

Geiss, Destin & Dunn, Inc.