

**FUNGUS FIGHTER- candida albicans, sanicula, tellurium metallicum, torula cerevisiae, antimon. crud., arsenicum alb., baryta carb., bryonia, calc. carb., carbo veg., cuprum met., dulcamara, graphites, kali carb., lachesis, lycopodium, mezereum, nitricum ac., phosphorus, phytolacca, sepia, silicea, sulphur, sulphuricum ac., zinc. met., apis mel., thuja occ. pellet Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Fungus 2557P**

## **INDICATIONS & USAGE SECTION**

Formulated for symptoms associated with ringworm, athlete's foot and other fungal conditions of the nails, scalp and skin.

## **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

## **OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Apis mel. 6x, Phytolacca 6x, Thuja occ. 6x, Antimon. crud. 15x, Arsenicum alb. 15x, Baryta carb. 15x, Bryonia 15x, Calc. carb. 15x, Candida alb. 15x, Carbo veg. 15x, Cuprum met. 15x, Dulcamara 15x, Graphites 15x, Kali carb. 15x, Lachesis 15x, Lycopodium 15x, Mezereum 15x, Nitricum ac. 15x, Phos. 15x, Phytolacca 15x, Sepia 15x, Silicea 15x, Sulphur 15x, Sulphuricum ac. 15x, Zinc. met. 15x, Sanicula 16x, Tellurium 16x, Torula cerevisiae 16x.

## **OTC - PURPOSE SECTION**

Formulated for symptoms associated with ringworm, athlete's foot and other fungal conditions of the nails, scalp and skin.

## **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

## **QUESTIONS SECTION**

newtonlabs.net – Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

## **WARNINGS SECTION**

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## **OTC - PREGNANCY OR BREAST FEEDING SECTION**

If **pregnant or breast-feeding**, ask a doctor before use.

**OTC - KEEP OUT OF REACH OF CHILDREN SECTION**

Keep out of reach of children.

**PACKAGE LABEL.**

**FUNGUS FIGHTER**

candida albicans, sanicula, tellurium metallicum, torula cerevisiae, antimon. crud., arsenicum alb., baryta carb., bryonia, calc. carb., carbo veg., cuprum met., dulcamara, graphites, kali carb., lachesis, lycopodium, mezereum, nitricum ac., phosphorus, phytolacca, sepia, silicea, sulphur, sulphuricum ac., zinc. met., apis mel., thuja occ. pellet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55714-2557
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	15 [hp_X] in 1 g
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	15 [hp_X] in 1 g
SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF)	SULFURIC ACID	15 [hp_X] in 1 g
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	15 [hp_X] in 1 g

<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 g
<b>THUJA OCCIDENTALIS LEAFY TWIG</b> (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	6 [hp_X] in 1 g
<b>CANDIDA ALBICANS</b> (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	15 [hp_X] in 1 g
<b>SANICULA EUROPAEA LEAF</b> (UNII: JYZ6110L9I) (SANICULA EUROPAEA LEAF - UNII:JYZ6110L9I)	SANICULA EUROPAEA LEAF	16 [hp_X] in 1 g
<b>TELLURIUM</b> (UNII: NQA00090ZJ) (TELLURIUM - UNII:NQA00090ZJ)	TELLURIUM	16 [hp_X] in 1 g
<b>SACCHAROMYCES CEREVISIAE</b> (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	16 [hp_X] in 1 g
<b>ANTIMONY TRISULFIDE</b> (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	15 [hp_X] in 1 g
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 g
<b>BARIUM CARBONATE</b> (UNII: 6P669D8HQ8) (BARIUM CATION - UNII:V645272HLN)	BARIUM CARBONATE	15 [hp_X] in 1 g
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 g
<b>OYSTER SHELL CALCIUM CARBONATE, CRUDE</b> (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	15 [hp_X] in 1 g
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	15 [hp_X] in 1 g
<b>COPPER</b> (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	15 [hp_X] in 1 g
<b>SOLANUM DULCAMARA TOP</b> (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	15 [hp_X] in 1 g
<b>GRAPHITE</b> (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	15 [hp_X] in 1 g
<b>POTASSIUM CARBONATE</b> (UNII: BQN1B9B9HA) (CARBONATE ION - UNII:7UJQ50PE7D)	POTASSIUM CARBONATE	15 [hp_X] in 1 g
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 1 g
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 g
<b>DAPHNE MEZEREUM BARK</b> (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)	DAPHNE MEZEREUM BARK	15 [hp_X] in 1 g
<b>NITRIC ACID</b> (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	15 [hp_X] in 1 g
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	15 [hp_X] in 1 g
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	15 [hp_X] in 1 g
<b>SEPIA OFFICINALIS JUICE</b> (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	15 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2557-1	28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/02/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/02/2019	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

## Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-2557)

Revised: 1/2020

Newton Laboratories, Inc.