

GNP EYEDROPS MAXIMUM REDNESS RELIEF- glycerin, naphazoline hcl solution

AmerisourceBergen

GNP Eye Drops Maximum Redness Relief (PLD)

Active ingredients

Glycerin.....0.5%

Naphazoline HCl...0.03%

Purpose

Glycerin.....Lubricant

Naphazoline HCl...Redness reliever

Uses

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Instill 1 to 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions or comments?

Call 1-866-627-4278

Eye Drops
Maximum Redness Relief

Drug Facts
Active ingredients
Glycerin 0.5%.....Lubricant
Naphazoline HCl 0.03%.....Redness reliever

Purposes
Lubricant
Redness reliever

Uses

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

Warnings
For external use only
Do not use if solution changes color or becomes cloudy
Ask a doctor before use if you have narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

Drug Facts (continued)
Directions
instill 1 to 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Questions or comments?
Call 1-888-527-4276

*This product is not manufactured or distributed by Prestige Brands, Inc. owner of the registered trademark Clear Eyes® Maximum Redness Relief.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

NDC 46122-603-05

GOOD NEIGHBOR PHARMACY

Eye Drops
Maximum Redness Relief

• Lubricant
• Redness Reliever

0.5 fl oz (15 mL)

STERILE

SATISFACTION GUARANTEED

Distributed By
AmerisourceBergen
1300 Morris Drive
Chesterbrook, PA 19087
Questions or Concerns?
www.mygnp.com

ABCF 10217085
87701 43200 2
CEDCMD051GHC

LOT
EXP

GNP EYEDROPS MAXIMUM REDNESS RELIEF

glycerin, naphazoline hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-603
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
WATER (UNII: 059QF0KO0R)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-603-05	1 in 1 CARTON	09/05/2019	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	09/05/2019	

Labeler - AmerisourceBergen (007914906)

Registrant - K.C. Pharmaceuticals, Inc. (174450460)

Establishment

Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(46122-603) , pack(46122-603) , label(46122-603)

Revised: 12/2023

AmerisourceBergen