PRENATE ELITE- .beta.-carotene, ascorbic acid, cholecalciferol, .alpha.tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, 5-methyltetrahydrofolic acid, calcium formate, ferrous asparto glycinate, cyanocobalamin, biotin, potassium iodide, magnesium oxide, zinc oxide and cupric oxide tablet, coated Avion Pharmaceuticals, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### PRENATE ELITE®

#### **Rx Only Dietary Supplement**

**DESCRIPTION:** PRENATE ELITE <sup>®</sup> is a white, oval, oil- and water-soluble, multivitamin/multimineral, film-coated tablet debossed with "PN" on one side and blank on the other.

# Supplement Facts

Serving Size: 1 Tablet

| Amount per Serving:  |                       | % Daily<br>Value | % Daily Value<br>(Pregnant &<br>Lactating Women) |
|--|-----------------------|------------------|--|
| Vitamin A (100% as beta-carotene)  | 2600 IU               | 52%              | 33%  |
| Vitamin C (as ascorbic acid)   | 75 mg                 | 125%             | 125%   |
| Vitamin D3 (as cholecalciferol)  | 600 IU                | 150%             | 150%   |
| Vitamin E (as dl-alpha tocopheryl acetate)   | 40 IU                 | 133%             | 133%   |
| Thiamin (as thiamine mononitrate)  | 3 mg                  | 200%             | 176%   |
| Riboflavin   | 3.5 mg                | 206%             | 175%   |
| Niacinamide  | 21 mg                 | 105%             | 105%   |
| Vitamin B6 (as pyridoxine HCI)   | 21 mg                 | 1050%            | 840%   |
| Folate   | 1 mg                  | 250%             | 125%   |
| (as 1.11 mg of ((6S)-N5-methyltetrahydrot<br>(equivalent to 600 mcg of folic acid) and f |                       |                  |  |
| Calcium (as calcium formate) Formical®   | 155 mg                | 16%              | 12%  |
| Iron (as ferrous asparto glycinate) Sumalat  | te <sup>®</sup> 20 mg | 111%             | 111%   |
| Vitamin B12 (as cyanocobalamin)  | 13 mcg                | 217%             | 163%   |
| Biotin   | 330 mcg               | 110%             | 110%   |
| lodine (as potassium iodide)   | 150 mcg               | 100%             | 100%   |
| Magnesium (as magnesium oxide)   | 25 mg                 | 6%               | 6%   |
| Zinc (as zinc oxide)   | 15 mg                 | 100%             | 100%   |
| Copper (as cupric oxide)   | 1.5 mg                | 75%              | 75%  |

**OTHER INGREDIENTS:** Microcrystalline Cellulose, Silicon Dioxide, Croscarmellose Sodium, Stearic Acid, Magnesium Stearate, Film Coating (Hydroxypropyl Methylcellulose, Triacetin, Titanium Dioxide).

**INDICATIONS:** PRENATE ELITE <sup>®</sup> is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

**CONTRAINDICATIONS:** PRENATE ELITE <sup>®</sup> is contraindicated in patients with a known hypersensitivity to any of the ingredients.

**PRECAUTIONS:** Folic acid alone is improper therapy in the treatment of pernicious

anemia and other megaloblastic anemias where Vitamin B  $_{12}$  is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

**ADVERSE REACTIONS:** Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

**DOSAGE AND ADMINISTRATION:** Before, during and/or after pregnancy, one tablet daily or as directed by a physician.

**HOW SUPPLIED:** Bottles of 30 tablets (75854-314-30). The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F) [See USP Controlled Room Temperature.]

#### MANUFACTURED FOR:

Avion Pharmaceuticals, LLC

Alpharetta, Georgia 30005

1-888-61-AVION

Rev. 0519-01

Formical <sup>®</sup> is a registered trademark of Nephro-Tech 1, LLC, covered by one or more claims of U.S. Patent No. 6,528,542.

Sumalate <sup>®</sup> is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 5,516,925, 6,716,814, 8,007,846, and 8,425,956.

#### PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

75854-314-30

Prenate Elite ®

PRENATAL VITAMINS-FILM-COATED TABLETS

**GLUTEN FREE** 

**Rx Only** 

**Dietary Supplement** 

30 Tablets



### **PRENATE ELITE**

.beta.-carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, 5-methyltetrahydrofolic acid, calcium formate, ferrous asparto glycinate, cyanocobalamin, biotin, potassium iodide, magnesium oxide, zinc oxide and cupric oxide tablet, coated

| Product Information   |   |            |                               |         |           |
|---|---|------------|-------------------------------|---------|-----------|
| Product Type  | HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:75 |            | 5854-314                      |         |           |
| Route of Administration   | oute of Administration ORAL                       |            |                               |         |           |
|   |   |            |                               |         |           |
| Active Ingredient/Active  | Moiety  |            |                               |         |           |
| Ingre   | dient Name  |            | Basis of Strer                | ngth    | Strength  |
| .BETACAROTENE (UNII: 01YAE03  | M7J) (.BETACAROTENE - UNII:01YA                   | E03M7J)    | .BETACAROTENE                 |         | 2600 [iU] |
| ASCORBIC ACID (UNII: PQ6CK8PD0  | DR) (ASCORBIC ACID - UNII:PQ6CK8I                 | PD0R)      | ASCORBIC ACID                 |         | 75 mg     |
| CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL -<br>UNII:1C6V77QF41)                                   |   |            | CHOLECALCIFEROL               |         | 600 [iU]  |
| <b>.ALPHATOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8) (.ALPHA<br>TOCOPHEROL, DL UNII:7QWA1RIO01)          |   |            | .ALPHATOCOPHER                | OL, DL- | 40 [iU]   |
| THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION -<br>UNII:4ABT0J945J)                                 |   |            | THIAMINE                      |         | 3 mg      |
| RIBOFLAVIN (UNII: TLM29760FR) (RIBOFLAVIN - UNII:TLM29760FR)  |   |            | RIBOFLAVIN                    |         | 3.5 mg    |
| NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)  |   |            | NIACINAMIDE                   |         | 21 mg     |
| <b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)                           |   |            | PYRIDOXINE<br>HYDROCHLORIDE   |         | 21 mg     |
| FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)  |   | FOLIC ACID |                               | 400 ug  |           |
| <b>5-METHYLTETRAHYDROFOLIC ACID</b> (UNII: TYK22LML8F) (5-<br>METHYLTETRAHYDROFOLIC ACID - UNII:TYK22LML8F) |   |            | 5-<br>METHYLTETRAHYDR<br>ACID | OFOLIC  | 600 ug    |
| CALCIUM FORMATE (UNII: NP3JD6<br>UNII:2M83C4R6ZB)   | 5NPY) (CALCIUM CATION -                           |            | CALCIUM CATION                |         | 155 mg    |
| FERROUS ASPARTO GLYCINATE (UNII: H7426RGB3L) (FERROUS CATION - UNII:GW895810WR)                             |   |            | FERROUS CATION                |         | 20 mg     |
| CYANOCOBALAMIN (UNII: P6YC3E<br>UNII:P6YC3EG204)  | G204) (CYANOCOBALAMIN -                           |            | CYANOCOBALAMIN                |         | 13 ug     |

| BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)                    | BIOTIN           | 330 ug |
|---|------------------|--------|
| POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)      | IODIDE ION       | 150 ug |
| MAGNESIUM OXIDE (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM CATION | 25 mg  |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)           | ZINC CATION      | 15 mg  |
| CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)       | CUPRIC CATION    | 1.5 mg |

| Inactive Ingredients                     |          |  |  |
|--|----------|--|--|
| Ingredient Name                          | Strength |  |  |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M)    |          |  |  |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)       |          |  |  |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) |          |  |  |
| STEARIC ACID (UNII: 4ELV7Z65AP)          |          |  |  |
| MAGNESIUM STEARATE (UNII: 70097M6I30)    |          |  |  |
| HYPROMELLOSES (UNII: 3NXW29V3WO)         |          |  |  |
| TRIACETIN (UNII: XHX3C3X673)             |          |  |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)      |          |  |  |
|  |          |  |  |

| Product Characteristics |       |              |          |  |
|-------------------------|-------|--------------|----------|--|
| Color                   | white | Score        | no score |  |
| Shape                   | OVAL  | Size         | 20mm     |  |
| Flavor                  |       | Imprint Code | PN       |  |
| Contains                |       |              |          |  |

## Packaging

| #                     | ltem Code  | Package Description                         | Marketing Start<br>Date | Marketing End<br>Date |  |
|-----------------------|--|---|-------------------------|-----------------------|--|
| 1                     | NDC:75854-314-<br>30 30 in 1 BOTTLE; Type 0: Not a Combination<br>Product 06/05/2014 |   | 06/05/2014              |                       |  |
|                       |  |   |                         |                       |  |
| Marketing Information |  |   |                         |                       |  |
|                       | Marketing<br>Category  | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |  |

| unapproved drug<br>other | 06/05/2014 |  |
|--------------------------|------------|--|
|                          |            |  |

# Labeler - Avion Pharmaceuticals, LLC (040348516)

| Establishment              |         |           |                            |  |
|----------------------------|---------|-----------|----------------------------|--|
| Name                       | Address | ID/FEI    | <b>Business Operations</b> |  |
| Avion Pharmaceuticals, LLC |         | 040348516 | manufacture(75854-314)     |  |