AFASSCO 1% HYDROCORTISONE- hydrocortisone ointment Afassco Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

1% Hydrocortisone Cream

Drug Facts

Hydrocorticone Cream 1%

Active Ingredients (In Each Gram)

Hydrocortisone 1%

Purpose

Anti-itch

Uses:

- for the temporary temporarily relief of itching associated with minor skin irritations, inflammation and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, and psoriasis scrapes
- for external genital, feminine, and anal itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

• for external use only

Consult a doctor:

- before use if you have a vaginal discharge (for external feminine itching)
- for external itching, do not exceed the recommended daily dosage or if bleeding occurs
- if condition worsens or if symptoms persist for more than 7 days or clear up and occur again in a few days
- ask a doctor before use if you are using any other hydrocortisone product

When using this product:

- avoid contacty with eyes
- do not put this produce into rectum by using fingers or any mechanical device or applicator

Do not use:

- with any other Hydrocortisone product unless you have consulted a doctor
- **KEEP OUT OF REACH OF CHILDREN**. If swallowed contact a Poison Control center right away.

Directions

- For adults and children 2 years of age and older; apply to affected area not more than
- 3 to 4 times daily
- Children under 2 years of age; do not use, consult a doctor

• Adults for external anal itching when practical, cleanse the area with mild soap and warm water and rinse thoroughly or by patting or blotting with an appropriate cleansing pad

• Gently dry by patting or blotting with toilet tissue or soft cloth before application of this product

• Children under 12 years of age; for external itching, consult a doctor

Other Information:

- Store at controlled room temperature 15° to 30° C (59° to 86° F)
- Tamper evident. Do not use if packet is torn, cut, or opened.
- Avoid excessive heat and humidity

Inactive Ingredients

Water, Cetearyl Alcohol, Glycerin,

Ceteareth-20, Isopropyl Myristate,

EDTA-2NA, Phenoxyethanol,

Tocopheryl Acetate,

Aloe Barbadensis Leaf Juice

Principal Display Panel

Afassco¦ ¦®

The First Choice in First Aid

MAXIMUM STRENGTH HYDROCORTISONE PLUS MOISTURIZING ALOE

1% ANTI-ITCH ANALGESIC • FOR THE

TEMPORARY RELIEF OF MINOR SKIN IRRITATIONS

No. 608 25 ct.

Afassco¦ ¦®

The First Choice in First Aid

REMOVE TOP FOR EASY ACCESS

Compare To

Hydrocortisone

MAXIMUM STRENGTH HYDROCORTISONE

1% ANTI-ITCH ANALGESIC • FOR THE

TEMPORARY RELIEF OF MINOR SKIN IRRITATIONS

No. 608 25 ct.

Afassco¦ ¦®

The First Choice in First Aid

MAXIMUM STRENGTH HYDROCORTISONE

1% Crema de Fydrocortisona instructiones: Para Adultos y ninos 2 anos y mas viejo. Los ninos bajo 2 anos, consultan un medico para picar anal externo. Limpia el areaa afectada con jabon y aclarado

aplique el producto.

1% ANTI-ITCH ANALGESIC • FOR THE

TEMPORARY RELIEF OF MINOR SKIN IRRITATIONS

No. 608 25 ct.

Afassco¦ ¦®

The First Choice in First Aid

Manufactured for Afassco, Inc. Minden, NV 89423

6 70254 60812 5

↓25 ct. Box↓



↓6 ct. Box↓



↓Unit Dose Package Label↓

Afassco¦ ¦® The First Choice in First Aid

1% Hydrocortisone


Cream

Manufactured for Afassco

Minden, NV 89423

1gm (1/32 oz)

Made in China



Drug Facts(continued)

Do not use∎ in or near the eyes ∎for diaper rash; ask a doctor

Ask a doctor before use if you are using any other hydrocortisone product

Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days I symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children If ingested, contact a Poison Control Center right away.

Directions apply to affected area not more than 3 to 4 times daily ■children under 2 years, do not use; ask a doctor

Other Information protect from Excessive Heat (40°C/104°F)

Inactive Ingredients Water, Cetearyl Alcohol, Glycerin, Ceteareth-20, Isopropyl Myristate, EDTA-2NA, Phenoxyethanol, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice

Made in China

' y'	drocortisone o								
Ρ	roduct Infor	mation							
Pı	roduct Type		HUMAN OTC DRUG	Item Code (Source) NDC			NDC:515	C:51532-4608	
Re	oute of Admini	istration	TOPICAL						
A	ctive Ingredi	ent/Active	Moiety						
		Ingre	edient Name			Basis of St	trength	Strength	
HJ	DROCORTISON	e (UNII: W4X0X	7BPJ) (HYDROCORTISONE -	UNII:WI4X0	0X7BPJ)	HYDROCORTIS	SONE	0.01 g in 1 g	
In	active Ingre	dients							
		50/(0.05)	Ingredient Name				9	Strength	
	ATER (UNII: 059Q TOSTEARYL ALC								
	YCERIN (UNII: PE	· · · · · · · · · · · · · · · · · · ·	DM1128M15)						
			HER (UNII: YRC528SWUY)						
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)									
EDETATE DISODIUM (UNII: 7FLD91C86K)									
P۲	IENOXYETHANO	L (UNII: HIE492	ZZ3T)						
Α	LPHAТОСОРНЕ	ROL ACETATE	, D- (UNII: A7E6112E4N)						
AL	OE VERA LEAF (UNII: ZY81Z83I	H0X)						
Pa	ackaging								
#	ltem Code	Pa	ckage Description			ing Start ate		eting End Date	
1	NDC:51532- 4608-1	25 in 1 BOX		12	2/07/2018				
1		1 g in 1 POUC Product	H; Type 0: Not a Combinat	ion					
2	NDC:51532- 4608-2	6 in 1 BOX			2/07/2018				
2		1 g in 1 POUC Product	H; Type 0: Not a Combinat	ion					
Μ	larketing	Informat	ion						
	Marketing Category	Applica	tion Number or Mono Citation	graph	Mark	eting Start Date	Mark	eting End Date	

	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part348	12/07/2018	

Revised: 1/2023

Afassco Inc.