

# **MUCUS RELIEF COUGH CHILDRENS- dextromethorphan hbr, guaifensin liquid H E B**

-----  
**Drug Facts**

## **Active ingredients (in each 5 mL)**

Dextromethorphan HBr 5 mg

Guaifenesin 100 mg

## **Purposes**

Cough suppressant

Expectorant

## **Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep

## **Warnings**

### **Do not use**

- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if the child has**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

### **Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

### Other information

- **each 5 mL contains:** sodium 2 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

### Inactive ingredients

anhydrous citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum

### Questions or comments?

Call toll free 1-877-753-3935 Monday-Friday 9AM-5PM EST

### Principal Display Panel

Compare to Children's Mucinex® Cough active ingredients\*

### Children's Mucus Relief Cough

Dextromethorphan HBr 5 mg / Cough Suppressant

Guaifenesin 100 mg / Expectorant

### Cough Relief

### For Ages 4 to 11 Years

Alcohol-Free

Relief of:

- Cough
- Chest Congestion
- Mucus

Cherry Flavor

FL OZ (mL)

\*\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Children's Mucinex® Cough.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**MADE WITH PRIDE AND CARE FOR**

**H-E-B®, SAN ANTONIO, TX 78204**

**Package Label**

Compare to Children's Mucinex® Cough active ingredients™

NDC 37808-594-04



# Children's Mucus Relief Cough

Dextromethorphan HBr 5mg / Cough Suppressant  
Guaifenesin 100mg / Expectorant

**Cough Relief**

For Ages 4 to 11 Years  
Alcohol-Free

Relief of:

- Cough
- Chest Congestion
- Mucus



Cherry Flavor

**4 FL OZ (118 mL)**

### Drug Facts

#### Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg.....Cough suppressant  
Guaifenesin 100 mg.....Expectorant

#### Purposes

#### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep

#### Warnings

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

#### Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter ■ shake well before using

Age	Dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

#### Other information

- each 5 mL contains: sodium 2 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

### Drug Facts (continued)

**Inactive ingredients** citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum

#### Questions or comments?

Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Children's Mucinex® Cough.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

#### PARENTS:

Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

MADE WITH PRIDE AND CARE FOR H-E-B®  
SAN ANTONIO, TX 78204



**100%  
GUARANTEE  
promise**

If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.



PLD-H243C FC008280 8582-1801

Lot No.:

Exp. Date:

**H-E-B Children's Mucus Cough Relief**

## MUCUS RELIEF COUGH CHILDRENS

dextromethorphan hbr, guaifensin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-594
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-594-04	1 in 1 BOX	07/31/2016	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M012

07/31/2016

**Labeler -** H E B (007924756)

Revised: 4/2024

H E B