

**PROACTIV REPAIRING TREATMENT- benzoyl peroxide gel**  
**Alchemee, LLC**

-----  
**proactiv ® Repairing Treatment**

**Drug Facts**

**Active Ingredient**

Benzoyl peroxide 2.5%

**Purpose**

Acne treatment

**Use**

for the management of acne

**Warnings**

**For external use only**

**When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

**Do not use if you**

- have very sensitive skin
- are sensitive to benzoyl peroxide

**Stop use and ask a doctor if**

- skin irritation becomes severe.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- *Sensitivity Test for a New User* . Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated

below.

- cleanse the skin thoroughly before applying this product.
- cover the entire affected area with a thin layer one to three times daily.
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

### **Inactive Ingredients**

water, ethoxydiglycol, cyclopentasiloxane, propylene glycol, cetearyl alcohol, glyceryl stearate, PEG-100 stearate, dimethicone, cetareth-20, diazolidinyl urea, carbomer, fragrance, methylparaben, xanthan gum, panthenol, allantoin,, sodium hydroxide, propylparaben

**Questions or comments?** 1-800-950-4695

Distributed by Alchemee LLC,  
Santa Monica, CA 90401  
Made in the USA of Foreign  
and Domestic Components  
Questions? 1-800-950-4695  
proactiv.com  
Proactiv is a registered  
trademark of Taro  
Pharmaceuticals U.S.A., Inc.

### **PRINCIPAL DISPLAY PANEL - 60 mL Carton**

**proactiv** ®

**Repairing Treatment**

**Benzoyl peroxide  
acne medication**

**Step 3:  
Repair**

**Proactiv Solution** ®

2 FL. OZ. (60 mL)

## Repairing Treatment

### Step 3: Repair

#### Directions:

Use morning and night. On clean skin, apply a thin layer to the entire affected area. Allow to dry. Do not rinse off. If bothersome dryness or peeling occurs, reduce application use. If going outside, use a sunscreen.

#### Drug Facts

**Active ingredient**      **Purpose**  
Benzoyl peroxide 2.5% ..... Acne treatment

**Use** for the management of acne

#### Warnings

**For external use only**

**When using this product** ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. ■ avoid unnecessary sun exposure and use a sunscreen ■ avoid contact with the eyes, lips, and mouth ■ avoid contact with hair and dyed fabrics, which may be bleached by this product ■ skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

**Do not use** if you ■ have very sensitive skin ■ are sensitive to benzoyl peroxide.

**Stop use and ask a doctor if** ■ irritation becomes severe.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions Sensitivity Test for a New User.** Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. ■ clean the skin thoroughly before applying this product ■ cover the entire affected area with a thin layer one to three

#### Drug Facts (continued)

times daily ■ because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor ■ if bothersome dryness or peeling occurs, reduce application to once a day or every other day ■ if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

#### Inactive ingredients

water, ethoxydiglycol, cyclopentasiloxane, propylene glycol, cetearyl alcohol, glyceryl stearate, PEG-100 stearate, dimethicone, cetareth-20, diazolidinyl urea, carbomer, fragrance, methylparaben, xanthan gum, panthenol, allantoin, sodium hydroxide, propylparaben

**Questions or comments?** 1-800-950-4695

Distributed by Alchemee LLC,  
Santa Monica, CA 90401  
Made in the USA of Foreign  
and Domestic Components  
Questions? 1-800-950-4695  
proactiv.com  
Proactiv is a registered  
trademark of Taro  
Pharmaceuticals U.S.A., Inc.

proactiv®

## Repairing Treatment

Benzoyl peroxide  
acne medication



Step 3:  
Repair

Proactiv Solution®

2 FL. OZ. (60 mL)

## Get that clear skin feeling.

This treatment penetrates deep into pores to help stop acne at its source. Clear existing blemishes and help prevent new ones from forming.



Actual size

## PROACTIV REPAIRING TREATMENT

benzoyl peroxide gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11410-040
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOYL PEROXIDE</b> (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	2.5 mg in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A1I8X02B)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>ALLANTOIN</b> (UNII: 344S277G0Z)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11410-040-00	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2011	
2	NDC:11410-040-15	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2011	
3	NDC:11410-040-30	1 in 1 BOX	11/01/2011	
3		89 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:11410-040-25	120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2011	
5	NDC:11410-040-35	89 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2011	
6	NDC:11410-040-05	1 in 1 BOX	03/25/2022	
6		10 mL in 1 TUBE; Type 0: Not a Combination Product		
7	NDC:11410-040-45	1 in 1 BOX	01/01/2021	
7		60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/01/2011	

**Labeler** - Alchemee, LLC (080216357)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
VEE PAK, LLC		874763303	manufacture(11410-040)

## **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
kdc/one Chatsworth, Inc.		118542196	manufacture(11410-040)

Revised: 12/2023

Alchemee, LLC