# ARAMARK EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet Western First Aid Safety DBA Aramark

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Aramark Extra Strength Acetaminophen

# **Drug Facts**

# Active Ingredient (in each tablet)

Acetaminophen 500 mg

# **Purpose**

Acetaminophen ......Pain Reliever/Fever Reducer

#### Uses:

# Temporarily Relieves minor aches and pains due to:

- Headache, toothaches, menstrual cramps, the common cold,
- muscular aches, minor pain of arthritis
   Temporarily reduces fever

# Warnings:

**Allergy Alert:** Acetaminophen may cause a severe skin reactions.

Symptoms may include:

- Skin reddening •Blisters •Rash
- If a skin reaction occurs, stop use and seek medical right away.

**Liver Warning:** This product contains an acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

# Do not use:

- if you have ever had an allergic reaction to any other pain
- reliever/fever reducer
- right before or after heart surgery
- if you have ever had an allergic reaction to this product or any of its ingredients

### Ask a doctor before use if:

• you have liver disease

# Ask a doctor or pharmacist before use if you are:

- under a doctor's care for any serious condition
- taking the blood thinning drug Warfarin

# When using this product:

- take with food or milk if stomach upset occurs
- the risk of heart attack or stroke may increase if you use more than directed or for longer than directed

# Stop use and ask a doctor if:

- pain gets worse lasts more than 10 days
- feel faint
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- any new symptoms occur

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions:**

- do not take more than directed
- adults and children 12 years and over: take 2 tablets every 4 to 6 hours as needed
- do not exceed 8 tablets in 24 hours, unless directed by a doctor
- Children under 12 years: Do not use this product

#### Other information:

read all warnings and directions before use. Keep carton. Store at 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F)

# Inactive Ingredients:

Microcrystalline Cellulose, Povidone, Sodium Starch Glycolate, Starch, Stearic Acid

# **Package Labeling**

aramark

100 TABLETS Part # 90433B PER BOX

Extra Strength Acetaminophen Pain Reliever/Fever Reducer Temporary relief of minor aches and pains associated with a cold, headache, tootache, muscular aches, and for the reduction of fever

Compare active ingredient to: Extra Strength Tylenol<sup>®</sup> Registered Trademark of Johnson & Johnson


## **MANUFACTURED FOR:**

Aramark Lenexa, KS 66219 866-362-2691


aramarkuniform.com

Retain carton for complete product information

# 100 Tablet Box



# **250 Tablet Box**



# **2-Tablet Packet**



## Warnings (continued)

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. • If a skin reaction occurs, stop use and seek medical help right away.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: Adults and children 12 years of age and older: Take 2 tablets every 4 to 6 hours as needed, do not exceed 8 tablets in 24 hours, or as directed by a doctor. Children under 12: Do not use this product

Other Information: Store at a controlled room temperature 15°-30° (59°-86°F). Tamper evident: Do not use packet if torn or cut.

Contact: Aramark Lenexa, KS 66219

#### FOR COMPLETE WARNINGS/CAUTIONS: SEE BOX

REV 3/2021 Made in USA

res

# ARAMARK EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81238-3500
Route of Administration	ORAL		

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 500 mg

Inactive Ingredients	
Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ 989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

#### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	18mm
Flavor		Imprint Code	FR1
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81238- 3500-1	50 in 1 BOX	05/14/2021	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:81238- 3500-2	125 in 1 BOX	05/14/2021	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/14/2021	

# Labeler - Western First Aid Safety DBA Aramark (043861524)

# **Registrant - Western First Aid Safety DBA Aramark (043861524)**

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
ULTRA SEAL CORPORATION		085752004	pack(81238-3500)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
ULTRA SEAL CORPORATION		944090448	manufacture(81238-3500)

Revised: 7/2021 Western First Aid Safety DBA Aramark