

**INFLAMMATION-** anthracinum, pyrogenium, aconitum nap., aloe, apis mel., arnica, arsenicum alb., baptisia, belladonna, bryonia, cantharis, chelidonium majus, crotales horridus, ferrum phosphoricum, gaultheria procumbens, hepar sulph. calc., iodine, lachesis, nux vom., phosphorus, pulsatilla, rhus toxicodendron, veratrum viride, verbascum, echinacea pellet  
**Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Inflammation 2468P**

**INDICATIONS & USAGE SECTION**

Formulated for symptoms such as pain, swelling, allergic reactions, congestion and joint problems.

**DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

**OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Apis mellifica 6x, Echinacea 6x, Aconitum napellus 15x, Aloe 15x, Apis mellifica 15x, Arnica montana 15x, Arsenicum album 15x, Baptisia tinctoria 15x, Belladonna 15x, Bryonia 15x, Cantharis 15x, Chelidonium majus 15x, Crotales horridus 15x, Ferrum phosphoricum 15x, Gaultheria procumbens 15x, Hepar sulphuris calcareum 15x, Iodine 15x, Lachesis mutus 15x, Nux vomica 15x, Phosphorus 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Veratrum viride 15x, Verbascum thapsus 15x, Anthracinum 30x, Pyrogenium 30x.

**OTC - PURPOSE SECTION**

Formulated for symptoms such as pain, swelling, allergic reactions, congestion and joint problems..

**INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

**QUESTIONS SECTION**

newtonlabs.net – Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

## WARNINGS SECTION

**WARNINGS:** Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

## OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children

## PACKAGE LABEL

**newtonlabs.net ~ Questions? 800.448.7256**  
Newton Laboratories, Inc. FDA Est # 1051203 • Conyers, GA 30013  
Label statements have not been reviewed by the FDA.

**WARNINGS:** Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

**NEWTON homeopathics** Since 1987  
NDC# 55714-2468-1

**Inflammation**  
Formulated for associated symptoms such as pain, swelling, allergic reactions, congestion and joint problems.

**1 OZ (28 G)**

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

**Active Ingredients:** Equal parts of Apis mel. 6x, Echinacea 6x, Aconitum nap. 15x, Aloe 15x, Apis mel. 15x, Arnica 15x, Arsenicum alb. 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Cantharis 15x, Chelidonium maj. 15x, Crotalus hor. 15x, Ferrum phos. 15x, Gaultheria 15x, Hepar sulph. calc. 15x, Iodum 15x, Lachesis 15x, Nux vom. 15x, Phos. 15x, Pulsatilla 15x, Rhus tox. 15x, Veratrum vir. 15x, Verbascum 15x, Anthracinum 30x, Pyrogenium 30x.

**Inactive Ingredients:** Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

Stock# N051 Lot#

## INFLAMMATION

anthracinum, pyrogenium, aconitum nap., aloe, apis mel., arnica, arsenicum alb., baptisia, belladonna, bryonia, cantharis, chelidonium majus, crotalus horridus, ferrum phosphoricum, gaultheria procumbens, hepar sulph. calc., iodum, lachesis, nux vom., phosphorus, pulsatilla, rhus toxicodendron, veratrum viride, verbascum, echinacea pellet

## Product Information

|                                                                                                                    |                |                                       |                     |
|--------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------|---------------------|
| Product Type                                                                                                       | HUMAN OTC DRUG | Item Code (Source)                    | NDC:55714-2468      |
| Route of Administration                                                                                            | ORAL           |                                       |                     |
|                                                                                                                    |                |                                       |                     |
| Active Ingredient/Active Moiety                                                                                    |                |                                       |                     |
| Ingredient Name                                                                                                    |                | Basis of Strength                     | Strength            |
| ALOE (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)                                                                   |                | ALOE                                  | 15 [hp_X]<br>in 1 g |
| BACILLUS ANTHRACIS IMMUNOSERUM RABBIT (UNII: 41LZ22DD4N) (BACILLUS ANTHRACIS IMMUNOSERUM RABBIT - UNII:41LZ22DD4N) |                | BACILLUS ANTHRACIS IMMUNOSERUM RABBIT | 30 [hp_X]<br>in 1 g |
| RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)                                                     |                | RANCID BEEF                           | 30 [hp_X]<br>in 1 g |
| ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)                                         |                | ACONITUM NAPELLUS                     | 15 [hp_X]<br>in 1 g |
| APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)                                               |                | APIS MELLIFERA                        | 15 [hp_X]<br>in 1 g |
| ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)                                               |                | ARNICA MONTANA                        | 15 [hp_X]<br>in 1 g |
| ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)                                        |                | ARSENIC TRIOXIDE                      | 15 [hp_X]<br>in 1 g |
| BAPTISIA TINCTORIA ROOT (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)                               |                | BAPTISIA TINCTORIA ROOT               | 15 [hp_X]<br>in 1 g |
| ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)                                         |                | ATROPA BELLADONNA                     | 15 [hp_X]<br>in 1 g |
| BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)                                         |                | BRYONIA ALBA ROOT                     | 15 [hp_X]<br>in 1 g |
| LYTTA VESICATORIA (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)                                         |                | LYTTA VESICATORIA                     | 15 [hp_X]<br>in 1 g |
| CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)                                         |                | CHELIDONIUM MAJUS                     | 15 [hp_X]<br>in 1 g |
| CROTALUS HORRIDUS HORRIDUS VENOM (UNII: YHA2XLJ956) (CROTALUS HORRIDUS HORRIDUS VENOM - UNII:YHA2XLJ956)           |                | CROTALUS HORRIDUS HORRIDUS VENOM      | 15 [hp_X]<br>in 1 g |
| FERROSO FERRIC PHOSPHATE (UNII: 91GQH8I5F7) (FERROSO FERRIC PHOSPHATE - UNII:91GQH8I5F7)                           |                | FERROSO FERRIC PHOSPHATE              | 15 [hp_X]<br>in 1 g |
| GAULTHERIA PROCUMBENS TOP (UNII: 830295X963) (GAULTHERIA PROCUMBENS TOP - UNII:830295X963)                         |                | GAULTHERIA PROCUMBENS TOP             | 15 [hp_X]<br>in 1 g |
| CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)                                             |                | CALCIUM SULFIDE                       | 15 [hp_X]<br>in 1 g |
| IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)                                                               |                | IODINE                                | 15 [hp_X]<br>in 1 g |
| LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)                                     |                | LACHESIS MUTA VENOM                   | 15 [hp_X]<br>in 1 g |
| STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)                         |                | STRYCHNOS NUX-VOMICA SEED             | 15 [hp_X]<br>in 1 g |
| PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)                                                       |                | PHOSPHORUS                            | 15 [hp_X]<br>in 1 g |
| ANEMONE PULSATILLA (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)                                       |                | ANEMONE PULSATILLA                    | 15 [hp_X]<br>in 1 g |
| TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)                   |                | TOXICODENDRON PUBESCENS LEAF          | 15 [hp_X]<br>in 1 g |
| VERATRUM VIRIDE ROOT (UNII: 197B3Q7T5Q) (VERATRUM VIRIDE ROOT - UNII:197B3Q7T5Q)                                   |                | VERATRUM VIRIDE ROOT                  | 15 [hp_X]<br>in 1 g |
| VERBASCUM THAPSUS (UNII: C9TD27U172) (VERBASCUM THAPSUS - UNII:C9TD27U172)                                         |                | VERBASCUM THAPSUS                     | 15 [hp_X]<br>in 1 g |
| ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)                               |                | ECHINACEA, UNSPECIFIED                | 6 [hp_X]<br>in 1 g  |
|                                                                                                                    |                |                                       |                     |

**Inactive Ingredients**

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

**Packaging**

| # | Item Code        | Package Description                                        | Marketing Start Date | Marketing End Date |
|---|------------------|------------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:55714-2468-1 | 28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/01/2019           |                    |

**Marketing Information**

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|------------------------------------------|----------------------|--------------------|
| unapproved homeopathic |                                          | 01/01/2019           |                    |

**Labeler** - Newton Laboratories, Inc. (788793610)**Registrant** - Newton Laboratories, Inc. (788793610)**Establishment**

| Name                      | Address | ID/FEI    | Business Operations     |
|---------------------------|---------|-----------|-------------------------|
| Newton Laboratories, Inc. |         | 788793610 | manufacture(55714-2468) |

Revised: 11/2023

Newton Laboratories, Inc.