

IOPE PERFECT COVER CUSHION 21- octinoxate, titanium dioxide, and zinc oxide lotion

IOPE PERFECT COVER CUSHION 13- octinoxate, titanium dioxide, and zinc oxide lotion

IOPE PERFECT COVER CUSHION 23- octinoxate, titanium dioxide, and zinc oxide lotion

Amorepacific Corporation

IOPE PERFECT COVER CUSHION

Drug Facts

ACTIVE INGREDIENTS

Octinoxate 5.99%

Titanium Dioxide 3.32%

Zinc Oxide 5.88%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

- ***For external use only***
- ***Do not use*** on broken skin.
- ***When using this product*** avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- ***Stop use and ask a doctor if*** rash occurs.
- ***Keep out of reach of children.*** If swallowed, call a poison control centre or get medical help right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure
- Children under 6 months of age : Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including :

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

OTHER INFORMATION

- Protect the product in this container from excessive heat and direct sun.
- Sun alert : Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

INACTIVE INGREDIENTS(NO. 13)

WATER / AQUA / EAU, CYCLOPENTASILOXANE, TITANIUM DIOXIDE (CI 77891), PROPANEDIOL, CYCLOHEXASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, POLYMETHYL METHACRYLATE, CETYL ETHYLHEXANOATE, NIACINAMIDE, DISTEARDIMONIUM HECTORITE, ISODODECANE, GLYCERIN, SODIUM CHLORIDE, BORON NITRIDE, PEG-10 DIMETHICONE, TRIMETHYLSILOXYSILICATE, ACRYLATES/POLYTRIMETHYLSILOXYMETHACRYLATE COPOLYMER, IRON OXIDES (CI 77492), SILICA, ALUMINUM HYDROXIDE, OZOKERITE, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, EUPHORBIA CERIFERA (CANDELILLA) WAX / CANDELILLA CERA HYDROCARBONS / CIRE DE CANDELILLA, TRIETHOXYCAPRYLYLSILANE, STEARIC ACID, FRAGRANCE / PARFUM, PHYTOSTERYL/BEHENYL/OCTYLDODECYL LAUROYL GLUTAMATE, IRON OXIDES (CI 77491), CAPRYLYL GLYCOL, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, GLYCERYL CAPRYLATE, ETHYLHEXYLGLYCERIN, BUTYLENE GLYCOL, IRON OXIDES (CI 77499), DISODIUM EDTA, ADENOSINE, GOSSYPIUM HERBACEUM (COTTON) EXTRACT, BHT, PROPYLENE GLYCOL, TOCOPHEROL, ACETYL GLUCOSAMINE, POLYGLYCERYL-10 STEARATE, LIMNANTHES ALBA (MEADOWFOAM) SEED OIL, CERAMIDE NP, HYDROXYPROPYL BISPALMITAMIDE MEA, HYDROGENATED LECITHIN, PEG-5 RAPESEED STEROL, PALMITIC ACID, COPPER TRIPEPTIDE-1, PHENOXYETHANOL, POLYACRYLATE-13, POTASSIUM CETYL PHOSPHATE, SODIUM HYALURONATE, POLYISOBUTENE, PHYTOSPHINGOSINE, POLYSORBATE 20, SORBITAN ISOSTEARATE

INACTIVE INGREDIENTS(NO. 21)

WATER / AQUA / EAU , CYCLOPENTASILOXANE , BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE , CYCLOHEXASILOXANE, TITANIUM DIOXIDE (CI 77891) , PEG-10 DIMETHICONE , PROPANEDIOL , LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE , NIACINAMIDE , GLYCERIN , ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER , IRON OXIDES (CI 77492) , POLYHYDROXYSTEARIC ACID , SODIUM CHLORIDE , METHYL METHACRYLATE CROSSPOLYMER , ALUMINUM HYDROXIDE , FRAGRANCE / PARFUM , STEARIC ACID ,

DIMETHICONE , TRIETHOXYCAPRYLYLSILANE , DISTEARDIMONIUM HECTORITE , ISOPROPYL PALMITATE , ISOSTEARIC ACID , LECITHIN , ETHYLHEXYL PALMITATE , CAPRYLYL GLYCOL , IRON OXIDES (CI 77491) , POLYGLYCERYL-3 POLYRICINOLEATE , DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER , ETHYLHEXYLGLYCERIN , ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER , IRON OXIDES (CI 77499) , TRIMETHYLSILOXYSILICATE , DISODIUM EDTA , ADENOSINE , TREHALOSE , BUTYLENE GLYCOL , SYNTHETIC FLUORPHLOGOPITE , POLYMETHYL METHACRYLATE , LACTIC ACID , PCA , GLUCOSE , TIN OXIDE , GLYCINE , SILICA , SODIUM GLYCEROPHOSPHATE , UREA , SERINE , GLUTAMIC ACID , POTASSIUM MAGNESIUM ASPARTATE , ASPARTIC ACID , LEUCINE , ALANINE , LYSINE , ARGININE , MAGNESIUM GLUCONATE , CALCIUM GLUCONATE , TYROSINE , PHENYLALANINE , THREONINE , VALINE , PROLINE , ISOLEUCINE , CITRIC ACID , HISTIDINE , ACETYL GLUCOSAMINE , CREATINE , URIC ACID , CYSTEINE , METHIONINE , LIPASE , CHITOSAN.

INACTIVE INGREDIENTS(NO. 23)

AQUA / EAU , CYCLOPENTASILOXANE , BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE , CYCLOHEXASILOXANE , TITANIUM DIOXIDE (CI 77891) , PEG-10 DIMETHICONE , PROPANEDIOL , LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE , NIACINAMIDE , IRON OXIDES (CI 77492) , GLYCERIN , ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER , POLYHYDROXYSTEARIC ACID, SODIUM CHLORIDE , ALUMINUM HYDROXIDE , FRAGRANCE / PARFUM , STEARIC ACID , DIMETHICONE, METHYL METHACRYLATE CROSSPOLYMER , TRIETHOXYCAPRYLYLSILANE , DISTEARDIMONIUM HECTORITE, ISOSTEARIC ACID , ISOPROPYL PALMITATE , LECITHIN , ETHYLHEXYL PALMITATE , CAPRYLYL GLYCOL , IRON OXIDES (CI 77491) , POLYGLYCERYL-3 POLYRICINOLEATE , DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER , IRON OXIDES (CI 77499) , ETHYLHEXYLGLYCERIN , ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER , TRIMETHYLSILOXYSILICATE , DISODIUM EDTA , ADENOSINE , TREHALOSE , BUTYLENE GLYCOL , SYNTHETIC FLUORPHLOGOPITE , POLYMETHYL METHACRYLATE , LACTIC ACID , PCA, GLUCOSE , TIN OXIDE , GLYCINE , SILICA , SODIUM GLYCEROPHOSPHATE , UREA , SERINE , GLUTAMIC ACID, POTASSIUM MAGNESIUM ASPARTATE , ASPARTIC ACID , LEUCINE , ALANINE , LYSINE , ARGININE , MAGNESIUM GLUCONATE , CALCIUM GLUCONATE , TYROSINE , PHENYLALANINE , THREONINE , VALINE , PROLINE , ISOLEUCINE , CITRIC ACID , HISTIDINE , ACETYL GLUCOSAMINE , CREATINE , URIC ACID , CYSTEINE , METHIONINE , LIPASE , CHITOSAN.

Questions?

support@us.amorepacific.com


IOPE

PERFECT COVER'

CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

30g(15gX2) / Net Wt. 1.05 OZ.



PRINCIPAL DISPLAY PANEL - No. 21


IOPE

PERFECT COVER

Cushion

BROAD SPECTRUM SPF50+ SUNSCREEN

Net Wt. 1.05 OZ. / 30 g (15 g x 2)




PRINCIPAL DISPLAY PANEL - NO. 23

IOPE

PERFECT COVER

BROAD SPECTRUM SPF50+ SUNSCREEN

Net Wt. 1.05 OZ. / 30 g (15 g x 2)



PERFECT COVER CUSHION

23
NATURAL BEIGE

IOPE

PERFECT COVER

CUSHION

BROAD SPECTRUM SPF50+ SUNSCREEN

30 g (15 g X 2) / Net Wt. 1.05 OZ.

Drug Facts

Active ingredients	Purpose
Octinoxate 5.99%	Sunscreen
Titanium Dioxide 3.32%	Sunscreen
Zinc Oxide 5.88%	Sunscreen

Uses

•Helps prevent sunburn. •If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

•Apply liberally 15 minutes before sun exposure. •Children under 6 months of age: Ask a doctor. •Reapply at least every 2 hours. •Use a water-resistant sunscreen if swimming or sweating. •Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: •Limit time in the sun, especially from 10 a.m. - 2 p.m. •Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

•Protect the product in this container from excessive heat and direct sun. •Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Drug Facts (continued)

Inactive ingredients
Water / Aqua / Eau, Cyclopentasiloxane, Titanium Dioxide (CI 77891), Propylene Glycol, Octyldecanoate, Diphenylsilyloxy Phenyl Trimethicone, Lauryl PEG-9 Polydimethylsilyloxyethyl Dimethicone, Cetyl Ethylhexanoate, Niacinamide, Iron Oxides (CI 77492), Disodium Iron Hexafluoride, Polymethyl Methacrylate, Isododecane, Glycerin, Sodium Chloride, Boron Nitride, PEG-10 Dimethicone, Trimethylsilyloxyacetate, Acrylates/Polymethylsilyloxyacrylate Copolymer, Silica, Aluminum Hydroxide, Octyltriethylsilyloxyacetate, Caprylyl Glycol, Iron Oxides (CI 77499), Acrylates/Ethylhexyl Acrylate Dimethicone Methacrylate Copolymer, Euphorbia Cerifera (Candelilla) Wax / Candelilla Cera Hydrocarbons / Cire De Candelilla, Iron Oxides (CI 77491), Triethoxycaprylylsilane, Stearic Acid, Fragrance / Parfum, Phytosterol/Behenyl/Dodecyl/Decyl/Hexyl/Lauryl/Myristyl/Stearyl/Glyceryl Stearate SE, Cetyl Stearate, L-Ascorbyl Tetraisopalmitate MEA, Hydrogenated Lecithin, PEG-5 Rapeseed Sterol, Palmitic Acid, Copper Tripeptide-1, Phenoxyethanol, Polyacrylate-13, Potassium Cetyl Phosphate, Sodium Hyaluronate, Polyisobutene, Phytosphingosine, Polysorbate 20, Sorbitan Isostearate

Questions?

support@us.amorepacific.com

[How to use] 1. Smooth down the puff over the mesh net lightly. (Be cautious not to press it too hard to avoid excessive amount.) 2. Use the small amount on the puff and pat lightly with its excellent coverage, you can cover the entire face even with a small amount. 3. Gently pat areas that need extra coverage.

[DERMATOLOGIST TESTED]

Distributed by AMOREPACIFIC US Inc. New York, NY 10018
MADE IN KOREA (C285)

IOPE PERFECT COVER CUSHION 21

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-416
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.764 mg in 30 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.797 mg in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.996 mg in 30 g

Inactive Ingredients

Ingredient Name	Strength
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PREZATIDE COPPER (UNII: 6BJQ43T1I9)	
POLYISOBUTYLENE (45000 MW) (UNII: YR8AQ94O31)	
PROPANEDIOL (UNII: 5965N8W85T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
LEVANT COTTON SEED (UNII: 550E4N439V)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
TOCOPHEROL (UNII: ROZB2556P8)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-5 RAPESEED STEROL (UNII: NS80WJS6KK)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-10 STEARATE (UNII: 90TF85HH91)	
HYDROXYPROPYL BISPALMITAMIDE MONOETHANOLAMIDE (UNII: EVX7NC9YVE)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
MEADOWFOAM SEED OIL (UNII: 412ZHA4T4Y)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
ISODODECANE (UNII: A8289P68Y2)	
CERAMIDE NP (UNII: 4370DF050B)	
PALMITIC ACID (UNII: 2V16EO95H1)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
NIACINAMIDE (UNII: 25X51I8RD4)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
BORON NITRIDE (UNII: 2U4T60A6YD)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CANDELILLA WAX (UNII: WL0328HX19)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ADENOSINE (UNII: K72T3FS567)
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)
WATER (UNII: 059QF0KO0R)
GLYCERIN (UNII: PDC6A3C0OX)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-416-31	2 in 1 CARTON	02/01/2020	10/31/2024
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2020	10/31/2024

IOPE PERFECT COVER CUSHION 13

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-415
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.797 mg in 30 g

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.996 mg in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.764 mg in 30 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-10 STEARATE (UNII: 90TF85HH91)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
ISODODECANE (UNII: A8289P68Y2)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
CANDELILLA WAX (UNII: WL0328HX19)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LEVANT COTTON SEED (UNII: 550E4N439V)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEADOWFOAM SEED OIL (UNII: 412ZHA4T4Y)	
NIACINAMIDE (UNII: 25X51I8RD4)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CERAMIDE NP (UNII: 4370DF050B)	
HYDROXYPROPYL BISPALMITAMIDE MONOETHANOLAMIDE (UNII: EVX7NC9YVE)	
PEG-5 RAPESEED STEROL (UNII: NS80WJS6KK)	
PALMITIC ACID (UNII: 2V16EO95H1)	
PREZATIDE COPPER (UNII: 6BJQ43T119)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POLYISOBUTYLENE (45000 MW) (UNII: YR8AQ94O31)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-415-31	1 in 1 CARTON	02/01/2020	01/31/2024
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2020	01/31/2024

IOPE PERFECT COVER CUSHION 23

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-417
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	1.797 mg in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	0.996 mg in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	1.764 mg in 30 g

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
POLYGLYCERYL-10 STEARATE (UNII: 90TF85HH91)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	

ISODODECANE (UNII: A8289P68Y2)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
CANDELILLA WAX (UNII: WL0328HX19)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
NIACINAMIDE (UNII: 25X51I8RD4)	
TRIMETHYLSILOXYSILICATE (M/Q 1.0-1.2) (UNII: 78GX033D7I)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LEVANT COTTON SEED (UNII: 550E4N439V)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ADENOSINE (UNII: K72T3FS567)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
MEADOWFOAM SEED OIL (UNII: 412ZHA4T4Y)	
CERAMIDE NP (UNII: 4370DF050B)	
HYDROXYPROPYL BISPALMITAMIDE MONOETHANOLAMIDE (UNII: EVX7NC9YVE)	
PEG-5 RAPESEED STEROL (UNII: NS80WJS6KK)	
PALMITIC ACID (UNII: 2V16EO95H1)	
PREZATIDE COPPER (UNII: 6BJQ43T1I9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POLYISOBUTYLENE (45000 MW) (UNII: YR8AQ94O31)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-417-31	1 in 1 CARTON	02/01/2020	05/31/2024
-		15 g in 1 CONTAINER; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2020	05/31/2024

Labeler - Amorepacific Corporation (631035289)

Establishment			
Name	Address	ID/FEI	Business Operations
Amorepacific Corporation		694894112	manufacture(43419-415, 43419-416, 43419-417)

Revised: 11/2023

Amorepacific Corporation