

ALLERGY RELIEF CHILDRENS- diphenhydramine hcl liquid
Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- with any other drug containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

age (yr)	dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- **each 5 mL contains:** sodium 8 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- Protect from light. Store in outer carton until contents are used.

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, flavor, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Children's Benadryl® Allergy*

AGES 6-11

CHILDREN'S ALLERGY RELIEF

DYE-FREE

DIPHENHYDRAMINE HCl 12.5 mg / 5 mL

ANTIHISTAMINE

ORAL SOLUTION

for relief of

- sneezing

- runny nose
- itchy, watery eyes
- itchy throat

BUBBLE GUM FLAVOR

DOSAGE CUP INCLUDED

FL OZ (mL)

*This product is not manufactured or distributed by McNeil Consumer Healthcare distributors of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY:

RITE AID

30 HUNTER LANE,

CAMP HILL, PA 17011

www.riteaid.com

Package Label


Drug Facts (continued)

Inactive ingredients carboxymethylcellulose sodium, citric acid, flavor, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol

Questions or comments?
Call 1-877-763-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



DOSAGE CUP INCLUDED

DISTRIBUTED BY:
RITE AID
30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

NDC 11822-4471-0

FREE ALCOHOL FREE

Compare to the active ingredient in Children's Benadryl® Allergy*

AGES 6-11


CHILDREN'S ALLERGY RELIEF

DYE-FREE

DIPHENHYDRAMINE HCl 12.5 mg / 5 mL

ANTIHISTAMINE ORAL SOLUTION

for relief of:
sneezing
runny nose
itchy, watery eyes
itchy throat



BUBBLE GUM FLAVOR

DOSAGE CUP INCLUDED

4 FL OZ (118 mL)

NDC 11822-4471-0

FREE ALCOHOL FREE

Compare to the active ingredient in Children's Benadryl® Allergy*

AGES 6-11


CHILDREN'S ALLERGY RELIEF

DYE-FREE

DIPHENHYDRAMINE HCl 12.5 mg / 5 mL

ANTIHISTAMINE ORAL SOLUTION

for relief of:
sneezing
runny nose
itchy, watery eyes
itchy throat



BUBBLE GUM FLAVOR

DOSAGE CUP INCLUDED

4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.


Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- each 5 mL contains: sodium 8 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used.



0 11822 44710 2

PLD-J242E FC005824

Lot No.:
Exp. Date:

RITE AID Children's Allergy Relief Bubble Gum Flavor

ALLERGY RELIEF CHILDRENS

diphenhydramine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-4471
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients				
Ingredient Name				Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
SORBITOL (UNII: 506T60A25R)				

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-4471-0	1 in 1 BOX	02/04/2022	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/04/2022	

Labeler - Rite Aid Corporation (014578892)